

Date: September 2024

# System Package Data Exchange (SPDX®) Version 3.0.1

*Beta 2*

---

OMG Document Number: ptc/2024-09-04

Normative Reference: <https://www.omg.org/spec/SPDX/3.0.1/PDF>

Associated Normative Machine Consumable Files:

[https://www.omg.org/spec/SPDX/20240909/SPDX\\_ontology\\_rdf.ttl](https://www.omg.org/spec/SPDX/20240909/SPDX_ontology_rdf.ttl)

---

Copyright © 2010-2024, The Linux Foundation and its Contributors, including SPDX Model contributions from OMG and its Contributors.

## **Use of Specification - Terms, Conditions & Notices**

This work is licensed under the Community Specification License 1.0 (Community-Spec-1.0). Pre-existing portions of this work from copyright holders who have not subsequently contributed under the Community-Spec-1.0 are provided under Creative Commons Attribution License 3.0 Unported (CC-BY-3.0). Copies of these licenses are reproduced in their entirety herein.

## **Trademarks**

SPDX® is a registered trademark of The Linux Foundation.

## **Compliance**

Use of the SPDX trademarks is subject to the SPDX Trademark License, currently available at [SPDX Legal Notices page](#).

Software developed under the terms of the licenses under which this specification is issued may claim compliance or conformance with this specification if and only if the software provider complies with the SPDX Trademark License given above.

# Contents

Use of Specification - Terms, Conditions & Notices . . . . .	i
Trademarks . . . . .	i
Compliance . . . . .	i
Introduction . . . . .	ix
<b>Preface</b> . . . . .	<b>x</b>
OMG . . . . .	x
OMG Specifications . . . . .	x
OMG's Issue Reporting Procedure . . . . .	x
<b>SPDX© Specification v3.0.1</b> . . . . .	<b>1</b>
1 Scope . . . . .	1
2 References . . . . .	1
2.1 Normative References . . . . .	1
2.2 Non-normative References . . . . .	3
3 Symbols . . . . .	3
4 Terms and definitions . . . . .	4
5 Conformance . . . . .	4
5.1 Alternate notation for some conformance requirements . . . . .	4
5.2 Introduction to Profiles . . . . .	5
5.3 Core Profile compliance point . . . . .	5
5.4 Software Profile compliance point . . . . .	5
5.5 Security Profile compliance point . . . . .	6
5.6 Licencing Profile compliance point . . . . .	6
5.7 Dataset Profile compliance point . . . . .	6
5.8 AI Profile compliance point . . . . .	7
5.9 Build Profile compliance point . . . . .	7
5.10 Lite Profile compliance point . . . . .	7
5.11 Extension Profile compliance point . . . . .	7
5.12 Trademark Compliance . . . . .	8
6 Model and serializations . . . . .	8
6.1 Overview . . . . .	8
6.2 RDF serialization . . . . .	9
6.3 Canonical serialization . . . . .	9
6.4 Serialization information . . . . .	9
6.5 Serialization in JSON-LD . . . . .	10
6.5.1 JSON-LD context file . . . . .	10
6.5.2 JSON-LD validation . . . . .	10
7 Additional information . . . . .	10
7.1 Author acknowledgements . . . . .	10
8 Core . . . . .	11
8.1 Classes . . . . .	11
8.1.1 Agent . . . . .	11
8.1.2 Annotation . . . . .	12
8.1.3 Artifact . . . . .	13
8.1.4 Bom . . . . .	14
8.1.5 Bundle . . . . .	14

8.1.6	CreationInfo	15
8.1.7	DictionaryEntry	16
8.1.8	Element	16
8.1.9	ElementCollection	17
8.1.10	ExternalIdentifier	18
8.1.11	ExternalMap	19
8.1.12	ExternalRef	19
8.1.13	Hash	20
8.1.14	IntegrityMethod	21
8.1.15	LifecycleScopedRelationship	21
8.1.16	NamespaceMap	22
8.1.17	Organization	23
8.1.18	PackageVerificationCode	24
8.1.19	Person	25
8.1.20	PositiveIntegerRange	26
8.1.21	Relationship	26
8.1.22	SoftwareAgent	27
8.1.23	SpdxDocument	28
8.1.24	Tool	29
8.2	Properties	30
8.2.1	algorithm	30
8.2.2	annotationType	30
8.2.3	beginIntegerRange	30
8.2.4	builtTime	31
8.2.5	comment	31
8.2.6	completeness	32
8.2.7	contentType	32
8.2.8	context	33
8.2.9	created	33
8.2.10	createdBy	33
8.2.11	createdUsing	34
8.2.12	creationInfo	34
8.2.13	dataLicense	35
8.2.14	definingArtifact	35
8.2.15	description	36
8.2.16	element	36
8.2.17	endIntegerRange	37
8.2.18	endTime	37
8.2.19	extension	37
8.2.20	externalIdentifier	38
8.2.21	externalIdentifierType	38
8.2.22	externalRef	38
8.2.23	externalRefType	39
8.2.24	externalSpdxId	39
8.2.25	from	39
8.2.26	hashValue	40
8.2.27	identifier	40
8.2.28	identifierLocator	41
8.2.29	import	41
8.2.30	issuingAuthority	41
8.2.31	key	42
8.2.32	locationHint	42
8.2.33	locator	43
8.2.34	name	43

8.2.35	namespace	43
8.2.36	namespaceMap	44
8.2.37	originatedBy	44
8.2.38	packageVerificationCodeExcludedFile	44
8.2.39	prefix	45
8.2.40	profileConformance	45
8.2.41	relationshipType	46
8.2.42	releaseTime	46
8.2.43	rootElement	47
8.2.44	scope	47
8.2.45	spdxId	47
8.2.46	specVersion	48
8.2.47	standardName	48
8.2.48	startTime	49
8.2.49	statement	49
8.2.50	subject	49
8.2.51	summary	50
8.2.52	suppliedBy	50
8.2.53	supportLevel	51
8.2.54	to	51
8.2.55	validUntilTime	51
8.2.56	value	52
8.2.57	verifiedUsing	52
8.3	Vocabularies	53
8.3.1	AnnotationType	53
8.3.2	ExternalIdentifierType	53
8.3.3	ExternalRefType	54
8.3.4	HashAlgorithm	56
8.3.5	LifecycleScopeType	58
8.3.6	PresenceType	58
8.3.7	ProfileIdentifierType	59
8.3.8	RelationshipCompleteness	59
8.3.9	RelationshipType	60
8.3.10	SupportType	63
8.4	Individuals	63
8.4.1	NoAssertionElement	63
8.4.2	NoneElement	64
8.5	Datatypes	64
8.5.1	DateTime	64
8.5.2	MediaType	65
8.5.3	SemVer	65
9	Software	66
9.1	Classes	66
9.1.1	ContentIdentifier	66
9.1.2	File	66
9.1.3	Package	68
9.1.4	Sbom	69
9.1.5	Snippet	70
9.1.6	SoftwareArtifact	71
9.2	Properties	72
9.2.1	additionalPurpose	72
9.2.2	attributionText	73
9.2.3	byteRange	73
9.2.4	contentIdentifier	74

9.2.5	contentIdentifierType	74
9.2.6	contentIdentifierValue	74
9.2.7	copyrightText	75
9.2.8	downloadLocation	75
9.2.9	fileKind	76
9.2.10	homePage	76
9.2.11	lineRange	77
9.2.12	packageUrl	77
9.2.13	packageVersion	78
9.2.14	primaryPurpose	78
9.2.15	sbomType	79
9.2.16	snippetFromFile	79
9.2.17	sourceInfo	79
9.3	Vocabularies	80
9.3.1	ContentIdentifierType	80
9.3.2	FileKindType	81
9.3.3	SbomType	81
9.3.4	SoftwarePurpose	82
10	Security	83
10.1	Classes	83
10.1.1	CvssV2VulnAssessmentRelationship	83
10.1.2	CvssV3VulnAssessmentRelationship	85
10.1.3	CvssV4VulnAssessmentRelationship	87
10.1.4	EpssVulnAssessmentRelationship	89
10.1.5	ExploitCatalogVulnAssessmentRelationship	91
10.1.6	SsvcVulnAssessmentRelationship	92
10.1.7	VexAffectedVulnAssessmentRelationship	93
10.1.8	VexFixedVulnAssessmentRelationship	95
10.1.9	VexNotAffectedVulnAssessmentRelationship	96
10.1.10	VexUnderInvestigationVulnAssessmentRelationship	98
10.1.11	VexVulnAssessmentRelationship	99
10.1.12	VulnAssessmentRelationship	100
10.1.13	Vulnerability	101
10.2	Properties	104
10.2.1	actionStatement	104
10.2.2	actionStatementTime	104
10.2.3	assessedElement	104
10.2.4	catalogType	105
10.2.5	decisionType	105
10.2.6	exploited	106
10.2.7	impactStatement	106
10.2.8	impactStatementTime	106
10.2.9	justificationType	107
10.2.10	locator	107
10.2.11	modifiedTime	108
10.2.12	percentile	108
10.2.13	probability	108
10.2.14	publishedTime	109
10.2.15	score	109
10.2.16	severity	110
10.2.17	statusNotes	110
10.2.18	vectorString	110
10.2.19	vexVersion	111
10.2.20	withdrawnTime	111

10.3	Vocabularies . . . . .	112
10.3.1	CvssSeverityType . . . . .	112
10.3.2	ExploitCatalogType . . . . .	112
10.3.3	SsvcDecisionType . . . . .	113
10.3.4	VexJustificationType . . . . .	113
11	Licensing . . . . .	114
12	SimpleLicensing . . . . .	116
12.1	Classes . . . . .	116
12.1.1	AnyLicenseInfo . . . . .	116
12.1.2	LicenseExpression . . . . .	117
12.1.3	SimpleLicensingText . . . . .	118
12.2	Properties . . . . .	119
12.2.1	customIdToUri . . . . .	119
12.2.2	licenseExpression . . . . .	119
12.2.3	licenseListVersion . . . . .	120
12.2.4	licenseText . . . . .	120
13	ExpandedLicensing . . . . .	121
13.1	Classes . . . . .	121
13.1.1	ConjunctiveLicenseSet . . . . .	121
13.1.2	CustomLicense . . . . .	122
13.1.3	CustomLicenseAddition . . . . .	123
13.1.4	DisjunctiveLicenseSet . . . . .	124
13.1.5	ExtendableLicense . . . . .	125
13.1.6	IndividualLicensingInfo . . . . .	125
13.1.7	License . . . . .	126
13.1.8	LicenseAddition . . . . .	127
13.1.9	ListedLicense . . . . .	128
13.1.10	ListedLicenseException . . . . .	129
13.1.11	OrLaterOperator . . . . .	130
13.1.12	WithAdditionOperator . . . . .	131
13.2	Properties . . . . .	132
13.2.1	additionText . . . . .	132
13.2.2	deprecatedVersion . . . . .	132
13.2.3	isDeprecatedAdditionId . . . . .	133
13.2.4	isDeprecatedLicenseId . . . . .	133
13.2.5	isFsfLibre . . . . .	134
13.2.6	isOsiApproved . . . . .	135
13.2.7	licenseXml . . . . .	135
13.2.8	listVersionAdded . . . . .	136
13.2.9	member . . . . .	136
13.2.10	obsoletedBy . . . . .	136
13.2.11	seeAlso . . . . .	137
13.2.12	standardAdditionTemplate . . . . .	137
13.2.13	standardLicenseHeader . . . . .	138
13.2.14	standardLicenseTemplate . . . . .	138
13.2.15	subjectAddition . . . . .	139
13.2.16	subjectExtendableLicense . . . . .	139
13.2.17	subjectLicense . . . . .	140
13.3	Individuals . . . . .	140
13.3.1	NoAssertionLicense . . . . .	140
13.3.2	NoneLicense . . . . .	141
14	Dataset . . . . .	141
14.1	Classes . . . . .	141
14.1.1	DatasetPackage . . . . .	141

14.2	Properties	143
14.2.1	anonymizationMethodUsed	143
14.2.2	confidentialityLevel	144
14.2.3	dataCollectionProcess	144
14.2.4	dataPreprocessing	144
14.2.5	datasetAvailability	145
14.2.6	datasetNoise	145
14.2.7	datasetSize	146
14.2.8	datasetType	146
14.2.9	datasetUpdateMechanism	146
14.2.10	hasSensitivePersonalInformation	147
14.2.11	intendedUse	147
14.2.12	knownBias	148
14.2.13	sensor	148
14.3	Vocabularies	148
14.3.1	ConfidentialityLevelType	148
14.3.2	DatasetAvailabilityType	149
14.3.3	DatasetType	149
15	AI	150
15.1	Classes	151
15.1.1	AIPackage	151
15.1.2	EnergyConsumption	153
15.1.3	EnergyConsumptionDescription	153
15.2	Properties	154
15.2.1	autonomyType	154
15.2.2	domain	155
15.2.3	energyConsumption	155
15.2.4	energyQuantity	155
15.2.5	energyUnit	156
15.2.6	finetuningEnergyConsumption	156
15.2.7	hyperparameter	157
15.2.8	inferenceEnergyConsumption	157
15.2.9	informationAboutApplication	157
15.2.10	informationAboutTraining	158
15.2.11	limitation	159
15.2.12	metric	159
15.2.13	metricDecisionThreshold	159
15.2.14	modelDataPreprocessing	160
15.2.15	modelExplainability	160
15.2.16	safetyRiskAssessment	161
15.2.17	standardCompliance	161
15.2.18	trainingEnergyConsumption	162
15.2.19	typeOfModel	162
15.2.20	useSensitivePersonalInformation	162
15.3	Vocabularies	163
15.3.1	EnergyUnitType	163
15.3.2	SafetyRiskAssessmentType	163
16	Build	164
16.1	Classes	165
16.1.1	Build	165
16.2	Properties	166
16.2.1	buildEndTime	166
16.2.2	buildId	166
16.2.3	buildStartTime	167



16.2.4	buildType . . . . .	167
16.2.5	configSourceDigest . . . . .	167
16.2.6	configSourceEntrypoint . . . . .	168
16.2.7	configSourceUri . . . . .	169
16.2.8	environment . . . . .	169
16.2.9	parameter . . . . .	169
17	Lite . . . . .	170
18	Extension . . . . .	171
18.1	Classes . . . . .	171
18.1.1	CdxPropertiesExtension . . . . .	171
18.1.2	CdxPropertyEntry . . . . .	172
18.1.3	Extension . . . . .	172
18.2	Properties . . . . .	173
18.2.1	cdxPropName . . . . .	173
18.2.2	cdxPropValue . . . . .	173
18.2.3	cdxProperty . . . . .	174
<b>A</b>	<b>Changes from the previous version</b>	<b>175</b>
<b>B</b>	<b>RDF model definition and diagrams (Informative)</b>	<b>176</b>
<b>C</b>	<b>SPDX license expressions (Normative)</b>	<b>182</b>
<b>D</b>	<b>SPDX License List matching guidelines and templates (Normative)</b>	<b>188</b>
<b>E</b>	<b>SPDX Lite (Normative)</b>	<b>194</b>
<b>F</b>	<b>Package URL specification v1 (Normative)</b>	<b>198</b>
<b>G</b>	<b>History with OMG, Motivation and Rational (Informative)</b>	<b>205</b>
<b>H</b>	<b>Community Specification License 1.0</b>	<b>209</b>
<b>I</b>	<b>Creative Commons Attribution License 3.0 Unported</b>	<b>213</b>

## Introduction

Companies and organizations (collectively “Organizations”) are widely using and reusing open source and other software packages. Accurate identification of software is key for many supply chain processes. Vulnerability remediation starts with knowing the details of which version of software is in use on a system. Compliance with the associated licenses requires a set of analysis activities and due diligence that each Organization performs independently, which may include a manual and/or automated scan of software and identification of associated licenses followed by manual verification.

Software development teams across the globe use the same open source packages, but little infrastructure exists to facilitate collaboration on the analysis or share the results of these analysis activities. As a result, many groups are performing the same work leading to duplicated efforts and redundant information. With this document, the SPDX workgroup, a combined effort of the Linux Foundation SPDX group and the OMG/CISQ Tool-to-Tool effort, has created a data exchange format so that information about software packages and related content may be collected and shared in a common format with the goal of saving time and improving data accuracy.

The merged activities of the two groups slid together the beginning weeks of 2021 with activities generally moving forward but occasionally stalling while the larger group worked through issues that one or the other hadn’t discussed or had a different opinion about. Eventually, after releasing SPDX 2.3 in August of 2022 with updates that brought some of the concepts and capabilities slated for SPDX 3.0 to the community in preparation of the shift that SPDX 3.0 represents, the first release candidate of SPDX 3.0 was released in May of 2023. Within the SPDX community, which is both a standards creation organization as well as a community of open source developers, a release candidate offers an opportunity for implementors of SPDX, both new and old, to review the work and determine whether there were parts that were unclear or that would be extremely burdensome to implement.

Based on the comments and change requests from the initial candidate release several areas of the model were revised and reworked, resulting in a release candidate 2 of SPDX 3.0 in February of 2024. That release candidate gave tool creators and those who maintain the support libraries for working with SPDX time to start revising their projects in advance of the, the final version of the SPDX 3.0 specification. For those not following the inner workings, debates, and discussion of the combined 3T-SBOM and SPDX 3.0 working group for the last 3 years there has been a dramatic change in the SPDX model as it goes from SPDX 2.3 to SPDX 3.0, shifting the SPDX name from Software Package Data Exchange to System Package Data Exchange and expanding the scope of items it can now convey in a bill of materials from software, security, and licensing to many additional aspects like data sets, AI models, and build information.

Since the release of 3.0.0, we have gathered feedback on the level of documentation and minor errors in the model which have been addressed in the 3.0.1 release.

# Preface

## OMG

Founded in 1989, the Object Management Group, Inc. (OMG) is an open membership, not-for-profit computer industry standards consortium that produces and maintains computer industry specifications for interoperable, portable, and reusable enterprise applications in distributed, heterogeneous environments. Membership includes Information Technology vendors, end users, government agencies, and academia.

OMG member companies write, adopt, and maintain its specifications following a mature, open process. OMG's specifications implement the Model Driven Architecture® (MDA®), maximizing ROI through a full-lifecycle approach to enterprise integration that covers multiple operating systems, programming languages, middleware and networking infrastructures, and software development environments. OMG's specifications include: UML® (Unified Modeling Language™); CORBA® (Common Object Request Broker Architecture); CWM™ (Common Warehouse Metamodel); and industry-specific standards for dozens of vertical markets.

More information on the OMG is available at <https://www.omg.org/>.

## OMG Specifications

As noted, OMG specifications address middleware, modeling and vertical domain frameworks. All OMG Specifications are available from the OMG website at: <https://www.omg.org/spec>

All of OMG's formal specifications may be downloaded without charge from our website. (Products implementing OMG specifications are available from individual suppliers.) Copies of specifications, available in PostScript and PDF format, may be obtained from the Specifications Catalog cited above or by contacting the Object Management Group, Inc. at:

OMG Headquarters  
9C Medway Road, PMB 274  
Milford, MA 01757  
USA  
Tel: +1-781-444-0404  
Fax: +1-781-444-0320  
Email: [pubs@omg.org](mailto:pubs@omg.org)

Certain OMG specifications are also available as ISO standards. Please consult <https://www.iso.org>

## OMG's Issue Reporting Procedure

All OMG specifications are subject to continuous review and improvement. As part of this process we encourage readers to report any ambiguities, inconsistencies, or inaccuracies they may find by completing the Issue Reporting Form listed on the main web page <https://www.omg.org>, under Documents, Report a Bug/Issue.

# SPDX<sup>®</sup> Specification v3.0.1

## 1 Scope

The System Package Data Exchange (SPDX<sup>®</sup>) specification defines an open standard for communicating bill of materials (BOM) information for different topic areas.

SPDX defines an underlying data model as well as multiple serialization formats to encode that data model.

SPDX metadata includes details about creation and distribution, including the following:

- software composition, for collections of software (Packages), individual Files, and portions of files (Snippets)
- software build information
- artificial intelligence (AI) models
- datasets
- creator, supplier and distributor identity information
- provenance and integrity
- licenses and copyrights, including a curated list of licenses and exceptions
- security vulnerabilities, defects, and other quality data
- relationships between system elements
- software usage and lifecycle
- mechanisms to enable annotating SPDX elements and linking between multiple SPDX Documents

## 2 References

### 2.1 Normative References

The following documents are referred to in the text in such a way that some or all of their content constitutes requirements of this document. For dated references, only the edition cited applies. For undated references, the latest edition of the referenced document (including any amendments) applies.

*Apache Maven*, Apache Software Foundation, <https://maven.apache.org/>

*Bower API*, <https://bower.io/docs/api/#install>

*Common Platform Enumeration (CPE) – Specification 2.2*, The MITRE Corporation, [https://cpe.mitre.org/files/cpe-specification\\_2.2.pdf](https://cpe.mitre.org/files/cpe-specification_2.2.pdf)

*Common Platform Enumeration (CPE): Naming Specification Version 2.3*, NIST IR 7695, NIST, <https://csrc.nist.gov/pubs/ir/7695/final>

*Common Vulnerability Scoring System v3.0 (CVSS v3.0): Specification Document*, Forum of Incident Response and Security Teams, Inc (FIRST), <https://www.first.org/cvss/v3.0/specification-document>

*Common Vulnerability Scoring System v3.1 (CVSS v3.1): Specification Document*, Forum of Incident Response and Security Teams, Inc (FIRST), <https://www.first.org/cvss/v3.1/specification-document>.

*Common Vulnerability Scoring System version 4.0 (CVSS v4.0): Specification Document*, Forum of Incident Response and Security Teams, Inc (FIRST), <https://www.first.org/cvss/v4.0/specification-document>.

*CVSS 3.0 schema*, Forum of Incident Response and Security Teams, Inc (FIRST), <https://www.first.org/cvss/cvss-v3.0.json>.

*CVSS 3.1 schema*, Forum of Incident Response and Security Teams, Inc (FIRST), <https://www.first.org/cvss/cvss-v3.1.json>.

*CVSS 4.0 schema*, Forum of Incident Response and Security Teams, Inc (FIRST), <https://www.first.org/cvss/cvss-v4.0.json>.

*EU general risk assessment methodology*, European Commission, <https://ec.europa.eu/docsroom/documents/17107>.

*npm-package.json*, npm Inc., <https://docs.npmjs.com/files/package.json>.

*NuGet documentation*, Microsoft, <https://docs.nuget.org/>.

*POSIX.1-2017 The Open Group Base Specifications Issue 7*, 2018 edition, IEEE/Open Group, <https://pubs.opengroup.org/onlinepubs/9699919799/>.

*Resource Description Framework (RDF)*, 2014-02-25, W3C, <http://www.w3.org/standards/techs/rdf>.

*RFC 1319, The MD2 Message-Digest Algorithm*, Internet Engineering Task Force, <https://datatracker.ietf.org/doc/rfc1319/>.

*RFC 1320, The MD4 Message-Digest Algorithm*, Internet Engineering Task Force, <https://datatracker.ietf.org/doc/rfc1320>.

*RFC 1321, The MD5 Message-Digest Algorithm*, Internet Engineering Task Force, <https://datatracker.ietf.org/doc/rfc1321>.

*RFC 1950, ZLIB Compressed Data Format Specification version 3.3*, Internet Engineering Task Force, <https://datatracker.ietf.org/doc/rfc1950>.

*RFC 2046, Multipurpose Internet Mail Extensions (https://datatracker.ietf.org/doc/rfcMIME) Part Two: Media Types*, Internet Engineering Task Force, <https://datatracker.ietf.org/doc/rfc2046>.

*RFC 3174, US Secure Hash Algorithm 1 (https://datatracker.ietf.org/doc/rfcSHA1)*, Internet Engineering Task Force, <https://datatracker.ietf.org/doc/rfc3174>.

*RFC 3696, Application Techniques for Checking and Transformation of Names*, Internet Engineering Task Force, <https://datatracker.ietf.org/doc/rfc3696>.

*RFC 3874, A 224-bit One-way Hash Function: SHA-224*, Internet Engineering Task Force, <https://datatracker.ietf.org/doc/rfc3874>.

*RFC 3986, Uniform Resource Identifier (https://datatracker.ietf.org/doc/rfcURI): Generic Syntax*, Internet Engineering Task Force, <https://datatracker.ietf.org/doc/rfc3986>.

*RFC 5234, Augmented BNF for Syntax Specifications: ABNF*, Internet Engineering Task Force, <https://datatracker.ietf.org/doc/rfc5234>.

*RFC 6234, US Secure Hash Algorithms (https://datatracker.ietf.org/doc/rfcSHA and SHA-based HMAC and HKDF)*, Internet Engineering Task Force, <https://datatracker.ietf.org/doc/rfc6234>.

*RFC 7405, Case-Sensitive String Support in ABNF*, Internet Engineering Task Force, <https://datatracker.ietf.org/doc/rfc7405>.

*RFC 7693, The BLAKE2 Cryptographic Hash and Message Authentication Code (https://datatracker.ietf.org/doc/rfcMAC)*, Internet Engineering Task Force, <https://datatracker.ietf.org/doc/rfc7693>.

*RFC 8259, The JavaScript Object Notation (https://datatracker.ietf.org/doc/rfcJSON) Data Interchange Format*, Internet Engineering Task Force, <https://datatracker.ietf.org/doc/rfc8259>.

*RFC 9393, Concise Software Identification Tags*, Internet Engineering Task Force, <https://datatracker.ietf.org/doc/rfc9393>.

*Semantic Versioning 2.0.0*, Tom Preston-Werner and SemVer contributors, <https://semver.org>.

*SLSA Provenance v0.2*, The Linux Foundation, <https://slsa.dev/provenance/v0.2>.

SoftWare Heritage persistent IDentifiers (SWHIDs), in Draft International Standard *ISO/IEC DIS 18670 Information technology — Software Hash Identifier (SWHID) Specification V1.2* <https://www.iso.org/standard/89985.html>, also available at <https://docs.softwareheritage.org/devel/swh-model/persistent-identifiers.html>

*SPDX and RDF Ontology*, <http://spdx.org/rdf/ontology/spdx-3-0-1>

*SPDX License List*, The Linux Foundation, <https://spdx.org/licenses/>

*SPDX License Exceptions*, The Linux Foundation, <https://spdx.org/licenses/exceptions-index.html>

*Stakeholder-Specific Vulnerability Categorization Guide*, CISA, <https://www.cisa.gov/stakeholder-specific-vulnerability-categorization-ssvc>.

*The EPSS Model*, Forum of Incident Response and Security Teams, Inc (FIRST), <https://www.first.org/epss/model>.

*Types of Software Bill of Material (SBOM) Documents*, CISA, <https://www.cisa.gov/sites/default/files/2023-04/sbom-types-document-508c.pdf>.

## 2.2 Non-normative References

The following documents are referred to in the text.

1. CISQ Software Bill of Materials project, *Tool-to-Tool Software Bill of Materials Exchange*, <https://www.it-cisq.org/software-bill-of-materials/>
2. Dan Geer and Joshua Corman, *Almost Too Big to Fail*, Usenix ;login: article, Vol. 39. No. 4, August 2014, <https://www.usenix.org/publications/login/august14/geer>
3. Josh Corman, testimony at the Cybersecurity of the Internet of Things Hearing Before the Subcommittee on Information Technology of The Committee on Oversight and Government Reform House of Representatives One Hundred Fifteenth Congress First Session calling for software bill of materials in pending legislation, October 3, 2017, page 38, <https://www.govinfo.gov/app/details/CHRG-115hhr27760/CHRG-115hhr27760>
4. MITRE, *Standardizing SBOM within the SW Development Tooling Ecosystem*, Nov 2019, <https://www.mitre.org/news-insights/publication/standardizing-sbom-within-sw-development-tooling-ecosystem>
5. MITRE, *Deliver Uncompromised: Securing Critical Software Supply Chains Proposal to Establish an End-To-End Framework For Software Supply Chain Integrity*, Jan 2021, <https://www.mitre.org/news-insights/publication/deliver-uncompromised-securing-critical-software-supply-chains>
6. NTIA, *Notice of 07/19/18 Meeting of Multistakeholder Process on Promoting Software Component Transparency*, July 2018. <https://www.ntia.gov/federal-register-notice/notice-071918-meeting-multistakeholder-process-promoting-software-component>
7. NTIA Software Bill Of Materials web page, <https://ntia.gov/sbom/>
8. Open Source Initiative (OSI) Approved Licenses; <https://opensource.org/licenses>
9. Software Package Data Exchange (SPDX®) Specification Version 1.0 and 1.1, 1.2, 2.0, 2.1, 2.2 and 2.3; [SPDX.dev](https://spdx.dev), <https://spdx.dev/specifications>
10. The United States Department of Commerce, *The Minimum Elements For a Software Bill of Materials (SBOM) Pursuant to Executive Order 14028 on Improving the Nation's Cybersecurity*, Jul 2021, <https://www.ntia.gov/report/2021/minimum-elements-software-bill-materials-sbom>
11. White House, *Executive Order on Improving the Nation's Cybersecurity*, May 2021, <https://www.whitehouse.gov/briefing-room/presidential-actions/2021/05/12/executive-order-on-improving-the-nations-cybersecurity/>

## 3 Symbols

List of symbols/abbreviations.

---

3T-SBOM	Tool-to-Tool Software Bill of Material
ABNF	Augmented Backus–Naur form
AI	Artificial Intelligence
BNF	Backus–Naur form
BOM	Bill of Material
CISA	Cybersecurity and Information Security Agency
CISQ	Center for Information and Security Quality
CPE	Common Package Enumeration
CVE	Common Vulnerabilities and Exposures
CVSS	Common Vulnerability Scoring System
EPSS	Exploit Prediction Scoring System
ISO	International Organization for Standardization
JSON-LD	JavaScript Object Notation for Linked Data
KEV	Known Exploited Vulnerabilities
ML	Machine Learning
NISTIR	National Institute of Standards and Technology Internal/Interagency Reports
NTIA	National Telecommunications and Information Administration
OSI	Open Source Initiative
OWL	Web Ontology Language
PAS	Publicly Available Specification
POSIX	Portable Operating System Interface
PTF	Platform Task Force
PURL	Package Uniform Resource Identifier
RDF	Resource Description Framework
RFC	Request For Comment
SBOM	Software Bill of Material
SHA	Secure Hash Algorithms
SHACL	Shapes Constraint Language
SPDX	System Package Data Exchange (previously Software Package Data Exchange)
SSVC	Stakeholder- Specific Vulnerability Categorization
SWHID	SoftWare Heritage persistent IDentifiers
URI	Uniform Resource Identifier
URL	Uniform Resource Locator
VEX	Vulnerability Exploitable eXchange
XML	Extensible Markup Language

---

## 4 Terms and definitions

ISO and IEC maintain terminological databases for use in standardization at the following addresses:

- ISO Online browsing platform: available at <https://www.iso.org/obp>
- IEC Electropedia: available at <http://www.electropedia.org/>

## 5 Conformance

### 5.1 Alternate notation for some conformance requirements

This standard contains more than a few cardinality assertions, each of which indicates the minimum and maximum number of times a property may appear. These are represented by using “minCount” and “maxCount”

respectively. The absolute minimum number of occurrences is zero (0), while for an unbounded maximum number of occurrences a star (\*) is being used.

Here are some examples:

- minCount: 1
- maxCount: \*
- Cardinality: 0..1
- Cardinality: 0..\*
- Cardinality: 1..1
- Cardinality: 1..\*

Each of these assertions can easily be understood as to whether a feature is required, and if so, how many occurrences are required; also, whether a feature is permitted, and if so, in what number. As this is the format long familiar to the SPDX community, it has been preserved in this specification.

## 5.2 Introduction to Profiles

Profile is the term for a compliance point within the SPDX community across The Linux Foundation and OMG. The System Package Data Exchange (SPDX) specification defines the following six compliance points, defined as “Profiles”:

- Core and Software Profiles
- Security Profile
- Licencing Profile
- Dataset Profile
- AI Profile
- Build Profile
- Lite Profile
- Extension Profile

The Core Profile is mandatory. All others are optional.

## 5.3 Core Profile compliance point

The Core Profile includes the definitions of classes properties and vocabularies usable by all SPDX profiles when producing or consuming SPDX content. Although the classes, properties and vocabularies are somewhat extensive, the required fields are rather minimal to allow maximum flexibility while meeting minimum SBOM requirements. Software that conforms to the SPDX specification at the Core Profile compliance point shall be able to import and export serialized documents that conform with one of the defined SPDX serialization formats.

Conformance to the Core Profile compliance point is mandatory for all other SPDX profiles.

This compliance point, in combination with the Software Profile compliance point, provides a baseline of functionality that facilitates interchange of the bills of materials information produced by tools supporting SPDX.

## 5.4 Software Profile compliance point

The Software Profile includes the definitions of classes, properties and vocabularies for referring to and conveying information about software and is usable by all SPDX profiles when producing or consuming SPDX content.

Software that conforms to the SPDX specification at the Software Profile compliance point shall be able to import and export serialized documents that conform with one of the SPDX serialization formats defined SPDX serialization formats.



Conformance to the Software Profile compliance point does not entail support for the Licencing, Dataset, AI, Build, Lite, or Extension profiles of the SPDX.

This compliance point, in combination with the Core Profile compliance point, provides a baseline of functionality that facilitates interchange of the bills of materials information produced by tools supporting SPDX.

## 5.5 Security Profile compliance point

The Security Profile captures security-related information when producing or consuming SPDX content.

Software that conforms to the SPDX specification at the security profile compliance point shall be able to import and export serialized documents that conform with one of the SPDX serialization formats defined SPDX serialization formats, including the properties and relationships specified in the security profile, which are in support of exchanging information about software vulnerabilities that may exist, the severity of those vulnerabilities, and a mechanism to express how a vulnerability may affect a specific software element including if a fix is available.

Conformance to the Security Profile compliance point does not entail support for the Licencing, Dataset, AI, Build, Lite, or Extension profiles of the SPDX.

This compliance point facilitates interchange of the security information produced by tools supporting SPDX.

## 5.6 Licencing Profile compliance point

The Licensing Profile includes capturing details relevant to software licensing and intellectual property information when producing or consuming SPDX content. Specifically, software that conforms to the SPDX specification at the Licencing profile compliance point shall be able to import and export serialized documents that conform with one of the SPDX serialization formats defined SPDX serialization formats, including the classes and fields that comprise the SPDX License Expression syntax and that relate to the SPDX License List.

There are two associated profiles, the SimpleLicensing Profile and the ExpandedLicensing profiles. Both allow expression of the same information, albeit in different ways.

Conformance to the Licencing Profile compliance point does not entail support for the Software, Security, Dataset, AI, Build, Lite, or Extension profiles of the SPDX.

This compliance point facilitates interchange of the licencing documents expressing which licenses and copyright notices are determined by persons or automated tooling to apply to distributions of software that are produced by tools supporting SPDX.

## 5.7 Dataset Profile compliance point

The Dataset Profile captures the relevant information about the datasets used in an AI system or other applications when producing or consuming SPDX content.

Software that conforms to the SPDX specification at the Dataset Profile compliance point shall be able to import and export serialized documents that conform with one of the SPDX serialization formats defined SPDX serialization formats, including details such as dataset names, versions, sources, associated metadata, licensing information, and any other relevant attributes. The Dataset Profile can convey a description or summary of a dataset, including metadata, characteristics, and statistical information about the data. The Dataset Profile can convey insights into the structure, format, content, and properties of a dataset, helping users understand and analyze the data more effectively.

Conformance to the Dataset Profile compliance point does not entail support for the Software, Licencing, Security, AI, Build, Lite, or Extension profiles of the SPDX.

This compliance point facilitates interchange of the information about datasets produced by tools supporting SPDX.

## 5.8 AI Profile compliance point

The AI Profile captures an inventory list of software components and dependencies associated with an AI system when producing or consuming SPDX content.

Software that conforms to the SPDX specification at the AI Profile compliance point shall be able to import and export serialized documents that conform with one of the SPDX serialization formats defined SPDX serialization formats, including the information about software components and dependencies associated with artificial intelligence and machine learning (AI/ML) models and systems. This inventory includes the software frameworks, libraries, and other components used to build or deploy the AI system, along with relevant information about their versions, licenses, and useful security references including ethical and security information.

Conformance to the AI Profile compliance point does not entail support for the Software, Licencing, Security, Dataset, Build, Lite, or Extension profiles of the SPDX.

This compliance point facilitates interchange of the AI model related information produced by tools supporting SPDX.

## 5.9 Build Profile compliance point

The Build Profile captures build-related information when producing or consuming SPDX content.

Software that conforms to the SPDX specification at the Security Profile compliance point shall be able to import and export serialized documents that conform with one of the SPDX serialization formats defined SPDX serialization formats, including associated definitions to help express how software is generated and transformed. This includes encoding the inputs, outputs, procedures/instructions, environments and actors from the build process along with the associated evidence.

Conformance to the Build Profile compliance point does not entail support for the Software, Licencing, Security, Dataset, AI, Lite, or Extension profiles of the SPDX.

This compliance point facilitates interchange of the build information produced by tools supporting SPDX.

## 5.10 Lite Profile compliance point

The Lite Profile captures the minimum set of information required for license compliance in the software supply chain for producing or consuming SPDX content.

Software that conforms to the SPDX specification at the Security Profile compliance point shall be able to import and export serialized documents that conform with one of the SPDX serialization formats defined SPDX serialization formats, including creation of the SBOM, package lists with licensing and other related items, and their relationships.

Conformance to the Lite Profile compliance point does not entail support for the Software, Licencing, Security, Dataset, AI, Build, or Extension profiles of the SPDX.

This compliance point facilitates interchange of minimal licencing information when produced by tools supporting SPDX.

## 5.11 Extension Profile compliance point

The Extension Profile captures extended tailored information when producing or consuming non-standard SPDX content in three ways:

- Support Profile-based extended characterization of Elements. Enables specification and expression of Element characterization extensions within any profile and namespace of SPDX without requiring changes to other profiles or namespaces and without requiring local subclassing of remote classes (which could inhibit ecosystem interoperability in some cases).

- Support extension of SPDX by adopting individuals or communities with Element characterization details uniquely specialized to their particular context. Enables adopting individuals or communities to utilize SPDX expressive capabilities along with expressing more arcane Element characterization details specific to them and not appropriate for standardization across SPDX.
- Support structured capture of expressive solutions for gaps in SPDX coverage from real-world use. Enables adopting individuals or communities to express Element characterization details they require that are not currently defined in SPDX but likely should be. Enables a practical pipeline that identifies gaps in SPDX that should be filled, expresses solutions to those gaps in a way that allows the identifying adopters to use the extended solutions with SPDX and does not conflict with current SPDX, can be clearly detected among the SPDX content exchange ecosystem, provides a clear and structured definition of gap solution that can be used as submission for revision to the SPDX standard.

Software that conforms to the SPDX specification at the Extension Profile compliance point shall be able to import and export serialized documents that conform with one of the SPDX serialization formats defined SPDX serialization formats, including the abstract Extension class serving as the base for all defined Extension subclasses.

Conformance to the Extension Profile compliance point does not entail support for the Licencing, Security, Dataset, AI, Build, or profiles of the SPDX but is expected to be used in combination with the other profiles to extend them.

This compliance point facilitates interchange of extended information that goes beyond the standard SPDX produced by tools supporting SPDX and is used between cooperating parties that understand the form of the extension and can produce and consume its non-standard content.

## 5.12 Trademark Compliance

To be designated an SPDX document, a file shall comply with the requirements of the SPDX Trademark License, as stated in the the SPDX Trademark Page.

The official copyright notice that shall be used with any verbatim reproduction and/or distribution of this SPDX Specification 3.0.1 is:

“Official SPDX® Specification 3.0.1 Copyright © 2010–2024 Linux Foundation and its Contributors. Licensed under the Community Specification License 1.0. All other rights are expressly reserved.”

The official copyright notice that shall be used with any non-verbatim reproduction and/or distribution of this SPDX Specification 3.0.1, including without limitation any partial use or combining this SPDX Specification with another work, is:

“This is not an official SPDX Specification. Portions herein have been reproduced from SPDX® Specification 3.0.1 found at [spdx.dev](https://spdx.dev). These portions are Copyright © 2010–2024 Linux Foundation and its Contributors, and are licensed under the Community Specification License 1.0 by the Linux Foundation and its Contributors. All other rights are expressly reserved by Linux Foundation and its Contributors.”

# 6 Model and serializations

## 6.1 Overview

This specification defines the data model of the SPDX standard, describing every piece of information about systems with software components. The data model is based on the Resource Description Framework (RDF) extensible knowledge representation data model, which provides a flexible and extensible way to represent and exchange information.

The data may be serialized in a variety of formats for storage and transmission.

## 6.2 RDF serialization

Since the data model is based on RDF, any SPDX data can be serialized in any of the multiple RDF serialization formats, including but not limited to:

- JSON-LD format as defined in JSON-LD 1.1;
- Turtle (Terse RDF Triple Language) format as defined in RDF 1.1 Turtle;
- N-Triples format as defined in RDF 1.1 N-Triples; and
- RDF/XML format as defined in RDF 1.1 XML Syntax.

The SPDX specification is accompanied by a JSON-LD context definition file that can be used to serialize SPDX in a much simpler and more human-readable JSON-LD format.

## 6.3 Canonical serialization

Canonical serialization is a single, consistent, normalized, deterministic, and reproducible form.

Such a canonical form normalizes things like ordering and formatting.

The content of the canonical serialization is exactly the same as the JSON-LD serialization of RDF data (see 4.2), just represented in a consistent way.

Canonical serialization is in JSON format, as defined in RFC 8259 (IETF STD 90), with the following additional characteristics:

- No line breaks
- Key names **MUST** be wrapped in double quotes
- No whitespace outside of strings
- `true`, `false` and `null`: the literal names must be lowercase; no other literal names are allowed
- Integers: represented in base 10 using decimal digits. This designates an integer component that may be prefixed with an optional minus sign. Leading zeros are not allowed.
- Strings: UTF-8 representation without specific canonicalisation. A string begins and ends with quotation marks (%x22). Any Unicode characters may be placed within the quotation marks, except for the two characters that **MUST** be escaped by a reverse solidus: quotation mark, reverse solidus, and the control characters (U+0000 through U+001F).
- Arrays: An array structure is represented as square brackets surrounding zero or more items. Items are separated by commas.
- Objects: An object structure is represented as a pair of curly brackets surrounding zero or more name/value pairs (or members). A name is a string containing only ASCII characters (0x21-0x7F). The names within an object must be unique. A single colon comes after each name, separating the name from the value. A single comma separates a value from a following name. The name/value pairs are ordered by name.

## 6.4 Serialization information

A collection of elements may be serialized in multiple formats.

An `SpdxDocument` element represents a collection of elements across all serialization data formats within the model.

The actual serialized bytes is represented by an `Artifact` element within the model.

A `Relationship` of type `serializedInArtifact` links an `SpdxDocument` to one or more serialized forms of itself.

When serializing a physical `SpdxDocument`, any property of the logical element that can be natively represented within the chosen serialization format (e.g., `@context` prefixes in JSON-LD instead of the `namespaceMap`) may utilize these native mechanisms. All remaining properties shall be serialized within the `SpdxDocument` element itself.

A serialization must not contain more than one SpdxDocument.

A given instance of serialization must not define more than one SpdxDocument element.

## 6.5 Serialization in JSON-LD

### 6.5.1 JSON-LD context file

JSON-LD contexts allow JSON documents to use simple, human-readable, locally defined terms while ensuring data interoperability across different systems.

The SPDX global JSON-LD context file must be used universally for all SPDX documents in JSON-LD format that adhere to a specific SPDX version.

SPDX global JSON-LD context file is available at: <https://spdx.org/rdf/3.0.1/spdx-context.jsonld>

All SPDX documents in JSON-LD format must include a reference to the SPDX global context file at the top level. This reference is achieved using the following JSON construct:

```
"@context": "https://spdx.org/rdf/3.0.1/spdx-context.jsonld"
```

The SPDX context file defines aliases for specific JSON-LD properties to improve compatibility with the SPDX model. These aliases are:

- `spdxId`: An alias for the `@id` property.
- `type`: An alias for the `@type` property.

### 6.5.2 JSON-LD validation

An SPDX serialization in JSON-LD format is considered conformant to the SPDX specification if it adheres to the following two validation criteria:

- **Structural validation:** The JSON-LD document must structurally validate against the SPDX JSON Schema. This schema defines the expected structure of the JSON-LD document, including the required elements, data types, and permissible values.
- **Semantic validation:** The JSON-LD document must successfully validate against the SPDX OWL ontology. This ontology defines the expected relationships and constraints between SPDX elements. The SPDX OWL ontology also incorporates SHACL shape restrictions to further specify these constraints.

The SPDX JSON Schema is available at: <https://spdx.org/schema/3.0.1/spdx-json-schema.json>

The SPDX OWL ontology is available at: <https://spdx.org/rdf/3.0.1/spdx-model.ttl>

## 7 Additional information

### 7.1 Author acknowledgements

The following people authored this specification:

Adam Cohn, Adolfo García Veytia, Alan Tse, Alexios Zavras, Andrew Back, Ann Thornton, Armin Tänzer, Arthit Suriyawongkul, Ayumi Watanabe, Basil Peace, Bill Schineller, Bradlee Edmondson, Brandon Lum, Bruno Cornec, Ciaran Farrell, Daniel German, David Edelsohn, David Kemp, David A. Wheeler, Debra McGlade, Dennis Clark, Dick Brooks, Ed Warnicke, Eran Strod, Eric Thomas, Esteban Rockett, Gary O'Neill, Gopi Krishnan Rajbahadur, Guillaume Rousseau, Hassib Khanafer, Henk Birkholz, Hiroyuki Fukuchi, Itaru Hosomi, Jack Manbeck, Jaime Garcia, Jeff Licquia, Jeff Luszcz, Jeff Schutt, Jilayne Lovejoy, John Ellis, Jonas Oberg, Joshua Watt, Kamsang Salima, Karen Bennet, Karen Copenhaver, Kate Stewart, Kevin Mitchell, Kim Weins, Kirsten Newcomer, Kouki Hama, Kris Reeves, Liang Cao, Lon Hohberger, Marc-Etienne Vargenau, Mark Gisi, Marshall Clow, Martin Michlmayr, Martin

von Willebrand, Mark Atwood, Matija Šuklje, Matt Germonprez, Maximilian Huber, Meret Behrens, Michael J. Herzog, Michel Ruffin, Nicole Pappler, Nisha Kumar, Nobuyuki Tanaka, Norio Kobota, Nuno Brito, Oliver Fendt, Paul Madick, Peter Williams, Phil Robb, Philip Koltun, Philip Odenice, Philippe Ombredanne, Pierre Lapointe, Rana Rahal, Robert Martin, Robin Gandhi, Rose Judge, Sam Ellis, Sameer Ahmed, Satoru Koizumi, Scott K Peterson, Scott Lamons, Scott Sterling, Sean Barnum, Sebastian Crane, Shane Coughlan, Steve Cropper, Steve Winslow, Stuart Hughes, Takashi Ninjouji, Thomas F. Incorvia, Thomas Steenbergen, Tom Callaway, Tom Vidal, Toru Taima, Venkata Krishna, W. Trevor King, William Bartholomew, Yev Bronshteyn, Yoshiko Ouchi, Yoshiyuki Ito, Yuji Nomura, Yumi Tomita, and Zachary McFarland.

## 8 Core

### Summary

The basis for all SPDX profiles.

### Description

The Core namespace defines foundational concepts serving as the basis for all SPDX-3.0 profiles.

### Metadata

<https://spdx.org/rdf/3.0.1/terms/Core>

<i>Name:</i>	Core
--------------	------

### 8.1 Classes

#### 8.1.1 Agent

##### Summary

Agent represents anything with the potential to act on a system.

##### Description

The Agent class represents anything that has the potential to act on a system.

This could be a person, organization, software agent, etc.

This is not to be confused with tools that are used to perform tasks.

##### Metadata

<https://spdx.org/rdf/3.0.1/terms/Core/Agent>

<i>Name:</i>	Agent
<i>Instantiability:</i>	Concrete
<i>SubclassOf:</i>	Element

##### Superclasses

- /Core/Element

#### All properties (informative)

Property	Type	minCount	maxCount
----------	------	----------	----------

comment	xsd:string	0	1
creationInfo	CreationInfo	1	1
description	xsd:string	0	1
extension	/Extension/Extension	0	*
externalIdentifier	ExternalIdentifier	0	*
externalRef	ExternalRef	0	*
name	xsd:string	0	1
spdxId	xsd:anyURI	1	1
summary	xsd:string	0	1
verifiedUsing	IntegrityMethod	0	*

### 8.1.2 Annotation

#### Summary

An assertion made in relation to one or more elements.

#### Description

An Annotation is an assertion made in relation to one or more elements.

The `contentType` property describes the format of the statement property.

#### Metadata

<https://spdx.org/rdf/3.0.1/terms/Core/Annotation>

<i>Name:</i>	Annotation
<i>Instantiability:</i>	Concrete
<i>SubclassOf:</i>	Element

#### Superclasses

- /Core/Element

#### Properties

Property	Type	minCount	maxCount
annotationType	AnnotationType	1	1
contentType	MediaType	0	1
statement	xsd:string	0	1
subject	Element	1	1

#### All properties (informative)

Property	Type	minCount	maxCount
annotationType	AnnotationType	1	1
comment	xsd:string	0	1
contentType	MediaType	0	1
creationInfo	CreationInfo	1	1
description	xsd:string	0	1
extension	/Extension/Extension	0	*
externalIdentifier	ExternalIdentifier	0	*
externalRef	ExternalRef	0	*
name	xsd:string	0	1
spdxId	xsd:anyURI	1	1

statement	xsd:string	0	1
subject	Element	1	1
summary	xsd:string	0	1
verifiedUsing	IntegrityMethod	0	*

### 8.1.3 Artifact

#### Summary

A distinct article or unit within the digital domain.

#### Description

An artifact is a distinct article or unit within the digital domain, such as an electronic file, a software package, a device or an element of data.

#### Metadata

<https://spdx.org/rdf/3.0.1/terms/Core/Artifact>

<i>Name:</i>	Artifact
<i>Instantiability:</i>	Abstract
<i>SubclassOf:</i>	Element

#### Superclasses

- /Core/Element

#### Properties

Property	Type	minCount	maxCount
builtTime	DateTime	0	1
originatedBy	Agent	0	*
releaseTime	DateTime	0	1
standardName	xsd:string	0	*
suppliedBy	Agent	0	1
supportLevel	SupportType	0	*
validUntilTime	DateTime	0	1

#### All properties (informative)

Property	Type	minCount	maxCount
builtTime	DateTime	0	1
comment	xsd:string	0	1
creationInfo	CreationInfo	1	1
description	xsd:string	0	1
extension	/Extension/Extension	0	*
externalIdentifier	ExternalIdentifier	0	*
externalRef	ExternalRef	0	*
name	xsd:string	0	1
originatedBy	Agent	0	*
releaseTime	DateTime	0	1
spdxId	xsd:anyURI	1	1
standardName	xsd:string	0	*
summary	xsd:string	0	1
suppliedBy	Agent	0	1



supportLevel	SupportType	0	*
validUntilTime	DateTime	0	1
verifiedUsing	IntegrityMethod	0	*

### 8.1.4 Bom

#### Summary

A container for a grouping of SPDX-3.0 content characterizing details (provenence, composition, licensing, etc.) about a product.

#### Description

A Bill of Materials (BOM) is a container for a grouping of SPDX-3.0 content characterizing details about a product.

This could include details of the content and composition of the product, provenence details of the product and/or its composition, licensing information, known quality or security issues, etc.

#### Metadata

<https://spdx.org/rdf/3.0.1/terms/Core/Bom>

<i>Name:</i>	Bom
<i>Instantiability:</i>	Concrete
<i>SubclassOf:</i>	Bundle

#### Superclasses

- /Core/Bundle
- /Core/ElementCollection
- /Core/Element

#### All properties (informative)

Property	Type	minCount	maxCount
comment	xsd:string	0	1
context	xsd:string	0	1
creationInfo	CreationInfo	1	1
description	xsd:string	0	1
element	Element	0	*
extension	/Extension/Extension	0	*
externalIdentifier	ExternalIdentifier	0	*
externalRef	ExternalRef	0	*
name	xsd:string	0	1
profileConformance	ProfileIdentifierType	0	*
rootElement	Element	0	*
spdxId	xsd:anyURI	1	1
summary	xsd:string	0	1
verifiedUsing	IntegrityMethod	0	*

### 8.1.5 Bundle

#### Summary

A collection of Elements that have a shared context.

#### Description

A bundle is a collection of Elements that have a shared context.

**Metadata**

<https://spdx.org/rdf/3.0.1/terms/Core/Bundle>

<i>Name:</i>	Bundle
<i>Instantiability:</i>	Concrete
<i>SubclassOf:</i>	ElementCollection

**Superclasses**

- /Core/ElementCollection
- /Core/Element

**Properties**

Property	Type	minCount	maxCount
context	xsd:string	0	1

**All properties** (informative)

Property	Type	minCount	maxCount
comment	xsd:string	0	1
context	xsd:string	0	1
creationInfo	CreationInfo	1	1
description	xsd:string	0	1
element	Element	0	*
extension	/Extension/Extension	0	*
externalIdentifier	ExternalIdentifier	0	*
externalRef	ExternalRef	0	*
name	xsd:string	0	1
profileConformance	ProfileIdentifierType	0	*
rootElement	Element	0	*
spdxId	xsd:anyURI	1	1
summary	xsd:string	0	1
verifiedUsing	IntegrityMethod	0	*

**8.1.6 CreationInfo****Summary**

Provides information about the creation of the Element.

**Description**

The CreationInfo provides information about who created the Element, and when and how it was created.

The dateTime created is often the date of last change (e.g., a git commit date), not the date when the SPDX data was created, as doing so supports reproducible builds.

**Metadata**

<https://spdx.org/rdf/3.0.1/terms/Core/CreationInfo>

<i>Name:</i>	CreationInfo
<i>Instantiability:</i>	Concrete

**Properties**

Property	Type	minCount	maxCount
comment	xsd:string	0	1
created	DateTime	1	1
createdBy	Agent	1	*
createdUsing	Tool	0	*
specVersion	SemVer	1	1

**All properties** (informative)

Property	Type	minCount	maxCount
comment	xsd:string	0	1
created	DateTime	1	1
createdBy	Agent	1	*
createdUsing	Tool	0	*
specVersion	SemVer	1	1

**8.1.7 DictionaryEntry****Summary**

A key with an associated value.

**Description**

The class used for implementing a generic string mapping (also known as associative array, dictionary, or hash map) in SPDX.

Each DictionaryEntry contains a key-value pair which maps the key to its associated value.

To implement a dictionary, this class is to be used in a collection with unique keys.

**Metadata**

<https://spdx.org/rdf/3.0.1/terms/Core/DictionaryEntry>

<i>Name:</i>	DictionaryEntry
<i>Instantiability:</i>	Concrete

**Properties**

Property	Type	minCount	maxCount
key	xsd:string	1	1
value	xsd:string	0	1

**All properties** (informative)

Property	Type	minCount	maxCount
key	xsd:string	1	1
value	xsd:string	0	1

**8.1.8 Element****Summary**

Base domain class from which all other SPDX-3.0 domain classes derive.

## Description

An Element is a representation of a fundamental concept either directly inherent to the Bill of Materials (BOM) domain or indirectly related to the BOM domain and necessary for contextually characterizing BOM concepts and relationships. Within SPDX-3.0 structure this is the base class acting as a consistent, unifying, and interoperable foundation for all explicit and inter-relatable content objects.

## Metadata

<https://spdx.org/rdf/3.0.1/terms/Core/Element>

<i>Name:</i>	Element
<i>Instantiability:</i>	Abstract

## Properties

Property	Type	minCount	maxCount
comment	xsd:string	0	1
creationInfo	CreationInfo	1	1
description	xsd:string	0	1
extension	/Extension/Extension	0	*
externalIdentifier	ExternalIdentifier	0	*
externalRef	ExternalRef	0	*
name	xsd:string	0	1
spdxId	xsd:anyURI	1	1
summary	xsd:string	0	1
verifiedUsing	IntegrityMethod	0	*

### All properties (informative)

Property	Type	minCount	maxCount
comment	xsd:string	0	1
creationInfo	CreationInfo	1	1
description	xsd:string	0	1
extension	/Extension/Extension	0	*
externalIdentifier	ExternalIdentifier	0	*
externalRef	ExternalRef	0	*
name	xsd:string	0	1
spdxId	xsd:anyURI	1	1
summary	xsd:string	0	1
verifiedUsing	IntegrityMethod	0	*

### 8.1.9 ElementCollection

#### Summary

A collection of Elements, not necessarily with unifying context.

#### Description

An ElementCollection is a collection of Elements, not necessarily with unifying context.

Note that all ElementCollections must conform to the core profile even if the core profile is no specified in the profileConformance property.

If the profileConformance property is not provided, core is to be assumed as the default.

#### Constraints

- If the ElementCollection has at least 1 element, it must also have at least 1 rootElement.
- The element must not be of type SpdxDocument.
- The rootElement must not be of type SpdxDocument.

## Metadata

<https://spdx.org/rdf/3.0.1/terms/Core/ElementCollection>

<i>Name:</i>	ElementCollection
<i>Instantiability:</i>	Abstract
<i>SubclassOf:</i>	Element

## Superclasses

- /Core/Element

## Properties

Property	Type	minCount	maxCount
element	Element	0	*
profileConformance	ProfileIdentifierType	0	*
rootElement	Element	0	*

### All properties (informative)

Property	Type	minCount	maxCount
comment	xsd:string	0	1
creationInfo	CreationInfo	1	1
description	xsd:string	0	1
element	Element	0	*
extension	/Extension/Extension	0	*
externalIdentifier	ExternalIdentifier	0	*
externalRef	ExternalRef	0	*
name	xsd:string	0	1
profileConformance	ProfileIdentifierType	0	*
rootElement	Element	0	*
spdxId	xsd:anyURI	1	1
summary	xsd:string	0	1
verifiedUsing	IntegrityMethod	0	*

### 8.1.10 ExternalIdentifier

#### Summary

A reference to a resource identifier defined outside the scope of SPDX-3.0 content that uniquely identifies an Element.

#### Description

An ExternalIdentifier is a reference to a resource outside the scope of SPDX-3.0 content that provides a unique key within an established domain that can uniquely identify an Element.

#### Metadata

<https://spdx.org/rdf/3.0.1/terms/Core/ExternalIdentifier>

<i>Name:</i>	ExternalIdentifier
<i>Instantiability:</i>	Concrete

## Properties

Property	Type	minCount	maxCount
comment	xsd:string	0	1
externalIdentifierType	ExternalIdentifierType	1	1
identifier	xsd:string	1	1
identifierLocator	xsd:anyURI	0	*
issuingAuthority	xsd:string	0	1

### All properties (informative)

Property	Type	minCount	maxCount
comment	xsd:string	0	1
externalIdentifierType	ExternalIdentifierType	1	1
identifier	xsd:string	1	1
identifierLocator	xsd:anyURI	0	*
issuingAuthority	xsd:string	0	1

### 8.1.11 ExternalMap

#### Summary

A map of Element identifiers that are used within a Document but defined external to that Document.

#### Description

An external map is a map of Element identifiers that are used within a Document but defined external to that Document. The external map provides details about the externally-defined Element such as its provenance, where to retrieve it, and how to verify its integrity.

#### Metadata

<https://spdx.org/rdf/3.0.1/terms/Core/ExternalMap>

<i>Name:</i>	ExternalMap
<i>Instantiability:</i>	Concrete

## Properties

Property	Type	minCount	maxCount
definingArtifact	Artifact	0	1
externalSpdxId	xsd:anyURI	1	1
locationHint	xsd:anyURI	0	1
verifiedUsing	IntegrityMethod	0	*

### All properties (informative)

Property	Type	minCount	maxCount
definingArtifact	Artifact	0	1
externalSpdxId	xsd:anyURI	1	1
locationHint	xsd:anyURI	0	1
verifiedUsing	IntegrityMethod	0	*

### 8.1.12 ExternalRef

#### Summary

A reference to a resource outside the scope of SPDX-3.0 content related to an Element.

## Description

An External Reference points to a general resource outside the scope of the SPDX-3.0 content that provides additional context, characteristics or related information about an Element.

## Metadata

<https://spdx.org/rdf/3.0.1/terms/Core/ExternalRef>

<i>Name:</i>	ExternalRef
<i>Instantiability:</i>	Concrete

## Properties

Property	Type	minCount	maxCount
comment	xsd:string	0	1
contentType	MediaType	0	1
externalRefType	ExternalRefType	0	1
locator	xsd:string	0	*

### All properties (informative)

Property	Type	minCount	maxCount
comment	xsd:string	0	1
contentType	MediaType	0	1
externalRefType	ExternalRefType	0	1
locator	xsd:string	0	*

## 8.1.13 Hash

### Summary

A mathematically calculated representation of a grouping of data.

### Description

A hash is a grouping of characteristics unique to the result of applying a mathematical algorithm that maps data of arbitrary size to a bit string (the hash) and is a one-way function, that is, a function which is practically infeasible to invert.

This is commonly used for integrity checking of data.

Please note that different profiles may also provide additional methods for verifying the integrity of specific subclasses of Elements.

## Metadata

<https://spdx.org/rdf/3.0.1/terms/Core/Hash>

<i>Name:</i>	Hash
<i>Instantiability:</i>	Concrete
<i>SubclassOf:</i>	IntegrityMethod

## Superclasses

- /Core/IntegrityMethod

**Properties**

Property	Type	minCount	maxCount
algorithm	HashAlgorithm	1	1
hashValue	xsd:string	1	1

**All properties** (informative)

Property	Type	minCount	maxCount
algorithm	HashAlgorithm	1	1
comment	xsd:string	0	1
hashValue	xsd:string	1	1

**8.1.14 IntegrityMethod****Summary**

Provides an independently reproducible mechanism that permits verification of a specific Element.

**Description**

An IntegrityMethod provides an independently reproducible mechanism that permits verification of a specific Element that correlates to the data in this SPDX document. This identifier enables a recipient to determine if anything in the original Element has been changed and eliminates confusion over which version or modification of a specific Element is referenced.

Please note that different profiles may also provide additional methods for verifying the integrity of specific subclasses of Elements.

**Metadata**

<https://spdx.org/rdf/3.0.1/terms/Core/IntegrityMethod>

<i>Name:</i>	IntegrityMethod
<i>Instantiability:</i>	Abstract

**Properties**

Property	Type	minCount	maxCount
comment	xsd:string	0	1

**All properties** (informative)

Property	Type	minCount	maxCount
comment	xsd:string	0	1

**8.1.15 LifecycleScopedRelationship****Summary**

Provide context for a relationship that occurs in the lifecycle.

**Description**

Certain relationships are sensitive to where they occur in the lifecycle. This parameter lets us avoid a proliferation of relationships, by parameterizing this context information for a relationship.



**Metadata**

<https://spdx.org/rdf/3.0.1/terms/Core/LifecycleScopedRelationship>

<i>Name:</i>	LifecycleScopedRelationship
<i>Instantiability:</i>	Concrete
<i>SubclassOf:</i>	Relationship

**Superclasses**

- /Core/Relationship
- /Core/Element

**Properties**

Property	Type	minCount	maxCount
scope	LifecycleScopeType	0	1

**All properties** (informative)

Property	Type	minCount	maxCount
comment	xsd:string	0	1
completeness	RelationshipCompleteness	0	1
creationInfo	CreationInfo	1	1
description	xsd:string	0	1
endTime	DateTime	0	1
extension	/Extension/Extension	0	*
externalIdentifier	ExternalIdentifier	0	*
externalRef	ExternalRef	0	*
from	Element	1	1
name	xsd:string	0	1
relationshipType	RelationshipType	1	1
scope	LifecycleScopeType	0	1
spdxId	xsd:anyURI	1	1
startTime	DateTime	0	1
summary	xsd:string	0	1
to	Element	1	*
verifiedUsing	IntegrityMethod	0	*

**8.1.16 NamespaceMap****Summary**

A mapping between prefixes and namespace partial URIs.

**Description**

A namespace map allows the creator of a collection of serializable Elements to suggest shorter identifiers (“prefixes”) for specific namespace portions of Element IDs. This map is used in SPDX content serialization to provide a more human-readable and smaller serialized representation of the Elements.

For details of how NamespaceMap content is to be serialized please refer to the Model and serializations<sup>1</sup> clause and the various serialization format-specific files within the spdx-3-model repository<sup>2</sup>.

Namespace maps support a variety of relevant use cases such as:

<sup>1</sup>[../..../serializations.md](https://spdx.org/rdf/3.0.1/terms/Core/LifecycleScopedRelationship)

<sup>2</sup><https://github.com/spdx/spdx-3-model/tree/main/serialization>

1. An SPDX content producer wishing to provide clarity of their serialization of an SPDX 2.X simple style collection where all content is newly minted and a single prefix-namespace is used. The consumer of SPDX content wishes to preserve the name space mapping provided by such a producer.

In this case, the consumer would record the namespace map prefixes in the NamespaceMap such that subsequent serializations could reproduce the prefixes / namespaces in the native serialization format.

2. An SPDX content producer wishing to maintain consistent prefix use and understanding across multiple different serialization formats of the produced content.

For example, an SBOM producer wishes to share/publish the SBOM as JSON-LD and XML. The producer can specify the preferred prefix mappings in the native serialization format using information from a single NamespaceMap accessible local to the producer.

3. An SPDX content consumer/producer wishing to maintain consistent prefix use while round tripping from SPDX content received, deserialized, modified/extended in some way, and then reserialized in the same serialization form.

In this case the prefix-namespace mappings utilized in the content are transformed from the original native namespace/prefix into the in memory NamespaceMap then transformed from the NamespaceMap back into the resultant serialization native namespace / prefix format.

## Metadata

<https://spdx.org/rdf/3.0.1/terms/Core/NamespaceMap>

<i>Name:</i>	NamespaceMap
<i>Instantiability:</i>	Concrete

## Properties

Property	Type	minCount	maxCount
namespace	xsd:anyURI	1	1
prefix	xsd:string	1	1

### All properties (informative)

Property	Type	minCount	maxCount
namespace	xsd:anyURI	1	1
prefix	xsd:string	1	1

### 8.1.17 Organization

#### Summary

A group of people who work together in an organized way for a shared purpose.

#### Description

An Organization is a group of people who work together in an organized way for a shared purpose.

## Metadata

<https://spdx.org/rdf/3.0.1/terms/Core/Organization>

<i>Name:</i>	Organization
<i>Instantiability:</i>	Concrete
<i>SubclassOf:</i>	Agent

## Superclasses

- /Core/Agent
- /Core/Element

### All properties (informative)

Property	Type	minCount	maxCount
comment	xsd:string	0	1
creationInfo	CreationInfo	1	1
description	xsd:string	0	1
extension	/Extension/Extension	0	*
externalIdentifier	ExternalIdentifier	0	*
externalRef	ExternalRef	0	*
name	xsd:string	0	1
spdxId	xsd:anyURI	1	1
summary	xsd:string	0	1
verifiedUsing	IntegrityMethod	0	*

### 8.1.18 PackageVerificationCode

#### Summary

An SPDX version 2.X compatible verification method for software packages.

#### Description

This verification method is provided for compatibility with SPDX 2.X.

Use of this verification code method is discouraged except for scenarios where the `contentIdentifier` property on `Artifact` can not be used.

This verification method provides an independently reproducible mechanism identifying specific contents of a package based on the actual files (except the SPDX document itself, if it is included in the package) that make up each package and that correlates to the data in this SPDX document.

This identifier enables a recipient to determine if any file in the original package (that the analysis was done on) has been changed and permits inclusion of an SPDX document as part of a package.

Algorithm:

```

templist = ""

for all files in the package {
  if file is a packageVerificationCodeExcludedFile
    skip it /* exclude SPDX analysis file */
  else
    append "algorithm(file)/n" to templist
}

sort templist in ascending order by value

/* remove separators from ordered sequence */
valueslist = remove "/n"s from templist

if valueslist is empty
  hashValue = 0

```

```
else
  hashValue = algorithm(valueslist)
```

where `algorithm(string)` applies a hash algorithm on a string and returns the result in lowercase hexadecimal digits.

Required sort order: '0', '1', '2', '3', '4', '5', '6', '7', '8', '9', 'a', 'b', 'c', 'd', 'e', 'f' (ASCII order)

### Metadata

<https://spdx.org/rdf/3.0.1/terms/Core/PackageVerificationCode>

<i>Name:</i>	PackageVerificationCode
<i>Instantiability:</i>	Concrete
<i>SubclassOf:</i>	/Core/IntegrityMethod

### Superclasses

- /Core/IntegrityMethod

### Properties

Property	Type	minCount	maxCount
algorithm	HashAlgorithm	1	1
hashValue	xsd:string	1	1
packageVerificationCodeExcludedFile	xsd:string	0	*

#### All properties (informative)

Property	Type	minCount	maxCount
algorithm	HashAlgorithm	1	1
comment	xsd:string	0	1
hashValue	xsd:string	1	1
packageVerificationCodeExcludedFile	xsd:string	0	*

#### 8.1.19 Person

##### Summary

An individual human being.

##### Description

A Person is an individual human being.

##### Metadata

<https://spdx.org/rdf/3.0.1/terms/Core/Person>

<i>Name:</i>	Person
<i>Instantiability:</i>	Concrete
<i>SubclassOf:</i>	Agent

### Superclasses

- /Core/Agent
- /Core/Element

**All properties** (informative)

Property	Type	minCount	maxCount
comment	xsd:string	0	1
creationInfo	CreationInfo	1	1
description	xsd:string	0	1
extension	/Extension/Extension	0	*
externalIdentifier	ExternalIdentifier	0	*
externalRef	ExternalRef	0	*
name	xsd:string	0	1
spdxId	xsd:anyURI	1	1
summary	xsd:string	0	1
verifiedUsing	IntegrityMethod	0	*

**8.1.20 PositiveIntegerRange****Summary**

A tuple of two positive integers that define a range.

**Description**

PositiveIntegerRange is a tuple of two positive integers that define a range. “beginIntegerRange” must be less than or equal to “endIntegerRange”.

**Metadata**

<https://spdx.org/rdf/3.0.1/terms/Core/PositiveIntegerRange>

<i>Name:</i>	PositiveIntegerRange
<i>Instantiability:</i>	Concrete

**Properties**

Property	Type	minCount	maxCount
beginIntegerRange	xsd:positiveInteger	1	1
endIntegerRange	xsd:positiveInteger	1	1

**All properties** (informative)

Property	Type	minCount	maxCount
beginIntegerRange	xsd:positiveInteger	1	1
endIntegerRange	xsd:positiveInteger	1	1

**8.1.21 Relationship****Summary**

Describes a relationship between one or more elements.

**Description**

A Relationship is a grouping of characteristics unique to an assertion that one Element is related to one or more other Elements in some way.

To explicitly assert that no such relationships exist, the to property should contain the ‘NONE’ individual and no other elements.

A relationship that contains ‘NONE’ and additional elements in the to property is not valid.

To explicitly assert that no assertions are being made regarding the existence of such relationships, the `to` property should contain the 'NOASSERTION' individual.

## Metadata

<https://spdx.org/rdf/3.0.1/terms/Core/Relationship>

<i>Name:</i>	Relationship
<i>Instantiability:</i>	Concrete
<i>SubclassOf:</i>	Element

## Superclasses

- /Core/Element

## Properties

Property	Type	minCount	maxCount
completeness	RelationshipCompleteness	0	1
endTime	DateTime	0	1
from	Element	1	1
relationshipType	RelationshipType	1	1
startTime	DateTime	0	1
to	Element	1	*

### All properties (informative)

Property	Type	minCount	maxCount
comment	xsd:string	0	1
completeness	RelationshipCompleteness	0	1
creationInfo	CreationInfo	1	1
description	xsd:string	0	1
endTime	DateTime	0	1
extension	/Extension/Extension	0	*
externalIdentifier	ExternalIdentifier	0	*
externalRef	ExternalRef	0	*
from	Element	1	1
name	xsd:string	0	1
relationshipType	RelationshipType	1	1
spdxId	xsd:anyURI	1	1
startTime	DateTime	0	1
summary	xsd:string	0	1
to	Element	1	*
verifiedUsing	IntegrityMethod	0	*

### 8.1.22 SoftwareAgent

#### Summary

A software agent.

#### Description

A `SoftwareAgent` is a software program that is given the authority (similar to a user's authority) to act on a system.

**Metadata**

<https://spdx.org/rdf/3.0.1/terms/Core/SoftwareAgent>

<i>Name:</i>	SoftwareAgent
<i>Instantiability:</i>	Concrete
<i>SubclassOf:</i>	Agent

**Superclasses**

- /Core/Agent
- /Core/Element

**All properties** (informative)

Property	Type	minCount	maxCount
comment	xsd:string	0	1
creationInfo	CreationInfo	1	1
description	xsd:string	0	1
extension	/Extension/Extension	0	*
externalIdentifier	ExternalIdentifier	0	*
externalRef	ExternalRef	0	*
name	xsd:string	0	1
spdxId	xsd:anyURI	1	1
summary	xsd:string	0	1
verifiedUsing	IntegrityMethod	0	*

**8.1.23 SpdxDocument****Summary**

A collection of SPDX Elements that could potentially be serialized.

**Description**

The SpdxDocument provides a convenient way to express information about collections of SPDX Elements that could potentially be serialized as complete units (e.g., all in-scope SPDX data within a single JSON-LD file).

SpdxDocument is independent of any particular serialization format or instance.

Information we wish to preserve about a specific instance of serialization of this SPDX content is NOT expressed using the SpdxDocument but rather using an associated Artifact representing a particular instance of SPDX data physical serialization.

Any instance of serialization of SPDX data MUST NOT contain more than one SpdxDocument element definition.

**Metadata**

<https://spdx.org/rdf/3.0.1/terms/Core/SpdxDocument>

<i>Name:</i>	SpdxDocument
<i>Instantiability:</i>	Concrete
<i>SubclassOf:</i>	ElementCollection

**Superclasses**

- /Core/ElementCollection
- /Core/Element

**Properties**

Property	Type	minCount	maxCount
dataLicense	/SimpleLicensing/AnyLicenseInfo	0	1
import	ExternalMap	0	*
namespaceMap	NamespaceMap	0	*

**All properties** (informative)

Property	Type	minCount	maxCount
comment	xsd:string	0	1
creationInfo	CreationInfo	1	1
dataLicense	/SimpleLicensing/AnyLicenseInfo	0	1
description	xsd:string	0	1
element	Element	0	*
extension	/Extension/Extension	0	*
externalIdentifier	ExternalIdentifier	0	*
externalRef	ExternalRef	0	*
import	ExternalMap	0	*
name	xsd:string	0	1
namespaceMap	NamespaceMap	0	*
profileConformance	ProfileIdentifierType	0	*
rootElement	Element	0	*
spdxId	xsd:anyURI	1	1
summary	xsd:string	0	1
verifiedUsing	IntegrityMethod	0	*

**8.1.24 Tool****Summary**

An element of hardware and/or software utilized to carry out a particular function.

**Description**

A Tool is an element of hardware and/or software utilized to carry out a particular function.

**Metadata**

<https://spdx.org/rdf/3.0.1/terms/Core/Tool>

<i>Name:</i>	Tool
<i>Instantiability:</i>	Concrete
<i>SubclassOf:</i>	Element

**Superclasses**

- /Core/Element

**All properties** (informative)

Property	Type	minCount	maxCount
comment	xsd:string	0	1
creationInfo	CreationInfo	1	1
description	xsd:string	0	1
extension	/Extension/Extension	0	*
externalIdentifier	ExternalIdentifier	0	*



externalRef	ExternalRef	0	*
name	xsd:string	0	1
spdxId	xsd:anyURI	1	1
summary	xsd:string	0	1
verifiedUsing	IntegrityMethod	0	*

## 8.2 Properties

### 8.2.1 algorithm

#### Summary

Specifies the algorithm used for calculating the hash value.

#### Description

An algorithm specifies the algorithm that was used for calculating the hash value.

#### Metadata

<https://spdx.org/rdf/3.0.1/terms/Core/algorithm>

<i>Name:</i>	algorithm
<i>Nature:</i>	ObjectProperty
<i>Range:</i>	HashAlgorithm

#### Referenced

- /Core/Hash
- /Core/PackageVerificationCode

### 8.2.2 annotationType

#### Summary

Describes the type of annotation.

#### Description

An annotationType describes the type of an annotation.

#### Metadata

<https://spdx.org/rdf/3.0.1/terms/Core/annotationType>

<i>Name:</i>	annotationType
<i>Nature:</i>	ObjectProperty
<i>Range:</i>	AnnotationType

#### Referenced

- /Core/Annotation

### 8.2.3 beginIntegerRange

#### Summary

Defines the beginning of a range.

**Description**

beginIntegerRange is a positive integer that defines the beginning of a range.

**Metadata**

<https://spdx.org/rdf/3.0.1/terms/Core/beginIntegerRange>

<i>Name:</i>	beginIntegerRange
<i>Nature:</i>	DataProperty
<i>Range:</i>	xsd:positiveInteger

**Referenced**

- /Core/PositiveIntegerRange

**8.2.4 builtTime****Summary**

Specifies the time an artifact was built.

**Description**

A builtTime specifies the time an artifact was built.

**Metadata**

<https://spdx.org/rdf/3.0.1/terms/Core/builtTime>

<i>Name:</i>	builtTime
<i>Nature:</i>	DataProperty
<i>Range:</i>	DateTime

**Referenced**

- /Core/Artifact

**8.2.5 comment****Summary**

Provide consumers with comments by the creator of the Element about the Element.

**Description**

A comment is an optional field for creators of the Element to provide comments to the readers/reviewers of the document.

**Metadata**

<https://spdx.org/rdf/3.0.1/terms/Core/comment>

<i>Name:</i>	comment
<i>Nature:</i>	DataProperty
<i>Range:</i>	xsd:string

**Referenced**

- /Core/CreationInfo
- /Core/Element
- /Core/ExternalIdentifier
- /Core/ExternalRef
- /Core/IntegrityMethod

**8.2.6 completeness****Summary**

Provides information about the completeness of relationships.

**Description**

Completeness gives information about whether the provided relationships are complete, known to be incomplete or if no assertion is made either way.

**Metadata**

<https://spdx.org/rdf/3.0.1/terms/Core/completeness>

<i>Name:</i>	completeness
<i>Nature:</i>	ObjectProperty
<i>Range:</i>	RelationshipCompleteness

**Referenced**

- /Core/Relationship

**8.2.7 contentType****Summary**

Provides information about the content type of an Element or a Property.

**Description**

This field is a reasonable estimation of the content type of the Element or the Property, from a creator perspective.

Content type is intrinsic to the Element or the Property, independent of how it is being used.

**Metadata**

<https://spdx.org/rdf/3.0.1/terms/Core/contentType>

<i>Name:</i>	contentType
<i>Nature:</i>	DataProperty
<i>Range:</i>	MediaType

**Referenced**

- /Core/Annotation
- /Core/ExternalRef
- /Software/File

### 8.2.8 context

#### Summary

Gives information about the circumstances or unifying properties that Elements of the bundle have been assembled under.

#### Description

A context gives information about the circumstances or unifying properties that Elements of the bundle have been assembled under.

#### Metadata

<https://spdx.org/rdf/3.0.1/terms/Core/context>

<i>Name:</i>	context
<i>Nature:</i>	DataProperty
<i>Range:</i>	xsd:string

#### Referenced

- /Core/Bundle

### 8.2.9 created

#### Summary

Identifies when the Element was originally created.

#### Description

Created is a date that identifies when the Element was originally created.

The time stamp can serve as an indication as to whether the analysis needs to be updated.

This is often the date of last change (e.g., a git commit date), not the date when the SPDX data was created, as doing so supports reproducible builds.

#### Metadata

<https://spdx.org/rdf/3.0.1/terms/Core/created>

<i>Name:</i>	created
<i>Nature:</i>	DataProperty
<i>Range:</i>	DateTime

#### Referenced

- /Core/CreationInfo

### 8.2.10 createdBy

#### Summary

Identifies who or what created the Element.

#### Description

CreatedBy identifies who or what created the Element.

The generation method will assist the recipient of the Element in assessing the general reliability/accuracy of the analysis information.

### Metadata

<https://spdx.org/rdf/3.0.1/terms/Core/createdBy>

<i>Name:</i>	createdBy
<i>Nature:</i>	ObjectProperty
<i>Range:</i>	Agent

### Referenced

- /Core/CreationInfo

#### 8.2.11 createdUsing

##### Summary

Identifies the tooling that was used during the creation of the Element.

##### Description

CreatedUsing identifies the tooling that was used during the creation of the Element.

The generation method will assist the recipient of the Element in assessing the general reliability/accuracy of the analysis information.

### Metadata

<https://spdx.org/rdf/3.0.1/terms/Core/createdUsing>

<i>Name:</i>	createdUsing
<i>Nature:</i>	ObjectProperty
<i>Range:</i>	Tool

### Referenced

- /Core/CreationInfo

#### 8.2.12 creationInfo

##### Summary

Provides information about the creation of the Element.

##### Description

CreationInfo provides information about the creation of the Element.

### Metadata

<https://spdx.org/rdf/3.0.1/terms/Core/creationInfo>

<i>Name:</i>	creationInfo
<i>Nature:</i>	ObjectProperty
<i>Range:</i>	CreationInfo

### Referenced

- /Core/Element

### 8.2.13 dataLicense

#### Summary

Provides the license under which the SPDX documentation of the Element can be used.

#### Description

The data license provides the license under which the SPDX documentation of the Element can be used.

This is to alleviate any concern that content (the data or database) in an SPDX file is subject to any form of intellectual property right that could restrict the re-use of the information or the creation of another SPDX file for the same project(s).

This approach avoids intellectual property and related restrictions over the SPDX file, however individuals can still contract with each other to restrict release of specific collections of SPDX files (which map to software bill of materials) and the identification of the supplier of SPDX files.

Compliance with this document includes populating the SPDX fields therein with data related to such fields (“SPDX-Metadata”).

This document contains numerous fields where an SPDX file creator may provide relevant explanatory text in SPDX-Metadata. Without opining on the lawfulness of “database rights” (in jurisdictions where applicable), such explanatory text is copyrightable subject matter in most Berne Convention countries.

By using the SPDX specification, or any portion hereof, you hereby agree that any copyright rights (as determined by your jurisdiction) in any SPDX-Metadata, including without limitation explanatory text, shall be subject to the terms of the Creative Commons CC0 1.0 Universal license.

For SPDX-Metadata not containing any copyright rights, you hereby agree and acknowledge that the SPDX-Metadata is provided to you “as-is” and without any representations or warranties of any kind concerning the SPDX-Metadata, express, implied, statutory or otherwise, including without limitation warranties of title, merchantability, fitness for a particular purpose, non-infringement, or the absence of latent or other defects, accuracy, or the presence or absence of errors, whether or not discoverable, all to the greatest extent permissible under applicable law.

#### Metadata

<https://spdx.org/rdf/3.0.1/terms/Core/dataLicense>

<i>Name:</i>	dataLicense
<i>Nature:</i>	ObjectProperty
<i>Range:</i>	/SimpleLicensing/AnyLicenseInfo

#### Referenced

- /Core/SpdxDocument

### 8.2.14 definingArtifact

#### Summary

Artifact representing a serialization instance of SPDX data containing the definition of a particular Element.

#### Description

A definingArtifact property is used to link the Element identifier for an Element defined external to a given SpdxDocument to an Artifact Element representing the SPDX serialization instance which contains the definition for the Element.

**Metadata**

<https://spdx.org/rdf/3.0.1/terms/Core/definingArtifact>

<i>Name:</i>	definingArtifact
<i>Nature:</i>	ObjectProperty
<i>Range:</i>	Artifact

**Referenced**

- /Core/ExternalMap

**8.2.15 description****Summary**

Provides a detailed description of the Element.

**Description**

This field is a detailed description of the Element. It may also be extracted from the Element itself.

The intent is to provide recipients of the SPDX file with a detailed technical explanation of the functionality, anticipated use, and anticipated implementation of the Element.

This field may also include a description of improvements over prior versions of the Element.

**Metadata**

<https://spdx.org/rdf/3.0.1/terms/Core/description>

<i>Name:</i>	description
<i>Nature:</i>	DataProperty
<i>Range:</i>	xsd:string

**Referenced**

- /Core/Element

**8.2.16 element****Summary**

Refers to one or more Elements that are part of an ElementCollection.

**Description**

This field refers to one or more Elements that are part of an ElementCollection.

**Metadata**

<https://spdx.org/rdf/3.0.1/terms/Core/element>

<i>Name:</i>	element
<i>Nature:</i>	ObjectProperty
<i>Range:</i>	Element

**Referenced**

- /Core/ElementCollection

**8.2.17 endIntegerRange****Summary**

Defines the end of a range.

**Description**

endIntegerRange is a positive integer that defines the end of a range.

**Metadata**

<https://spdx.org/rdf/3.0.1/terms/Core/endIntegerRange>

<i>Name:</i>	endIntegerRange
<i>Nature:</i>	DataProperty
<i>Range:</i>	xsd:positiveInteger

**Referenced**

- /Core/PositiveIntegerRange

**8.2.18 endTime****Summary**

Specifies the time from which an element is no longer applicable / valid.

**Description**

An endTime specifies the time from which element is no longer applicable / valid.

**Metadata**

<https://spdx.org/rdf/3.0.1/terms/Core/endTime>

<i>Name:</i>	endTime
<i>Nature:</i>	DataProperty
<i>Range:</i>	DateTime

**Referenced**

- /Core/Relationship

**8.2.19 extension****Summary**

Specifies an Extension characterization of some aspect of an Element.

**Description**

extension specifies an Extension-based characterization of a particular aspect of an Element.

**Metadata**

<https://spdx.org/rdf/3.0.1/terms/Core/extension>

<i>Name:</i>	extension
<i>Nature:</i>	ObjectProperty
<i>Range:</i>	/Extension/Extension



## Referenced

- /Core/Element

### 8.2.20 externalIdentifier

#### Summary

Provides a reference to a resource outside the scope of SPDX-3.0 content that uniquely identifies an Element.

#### Description

ExternalIdentifier points to a resource outside the scope of SPDX-3.0 content that uniquely identifies an Element.

#### Metadata

<https://spdx.org/rdf/3.0.1/terms/Core/externalIdentifier>

<i>Name:</i>	externalIdentifier
<i>Nature:</i>	ObjectProperty
<i>Range:</i>	ExternalIdentifier

## Referenced

- /Core/Element

### 8.2.21 externalIdentifierType

#### Summary

Specifies the type of the external identifier.

#### Description

An externalIdentifierType specifies the type of the external identifier.

#### Metadata

<https://spdx.org/rdf/3.0.1/terms/Core/externalIdentifierType>

<i>Name:</i>	externalIdentifierType
<i>Nature:</i>	ObjectProperty
<i>Range:</i>	ExternalIdentifierType

## Referenced

- /Core/ExternalIdentifier

### 8.2.22 externalRef

#### Summary

Points to a resource outside the scope of the SPDX-3.0 content that provides additional characteristics of an Element.

#### Description

This field points to a resource outside the scope of the SPDX-3.0 content that provides additional characteristics of an Element.

**Metadata**

<https://spdx.org/rdf/3.0.1/terms/Core/externalRef>

<i>Name:</i>	externalRef
<i>Nature:</i>	ObjectProperty
<i>Range:</i>	ExternalRef

**Referenced**

- /Core/Element

**8.2.23 externalRefType****Summary**

Specifies the type of the external reference.

**Description**

An externalRefType specifies the type of the external reference.

**Metadata**

<https://spdx.org/rdf/3.0.1/terms/Core/externalRefType>

<i>Name:</i>	externalRefType
<i>Nature:</i>	ObjectProperty
<i>Range:</i>	ExternalRefType

**Referenced**

- /Core/ExternalRef

**8.2.24 externalSpdxId****Summary**

Identifies an external Element used within a Document but defined external to that Document.

**Description**

ExternalSpdxId identifies an external Element used within a Document but defined external to that Document.

**Metadata**

<https://spdx.org/rdf/3.0.1/terms/Core/externalSpdxId>

<i>Name:</i>	externalSpdxId
<i>Nature:</i>	DataProperty
<i>Range:</i>	xsd:anyURI

**Referenced**

- /Core/ExternalMap

**8.2.25 from****Summary**

References the Element on the left-hand side of a relationship.

**Description**

This field references the Element on the left-hand side of a relationship.

**Metadata**

<https://spdx.org/rdf/3.0.1/terms/Core/from>

<i>Name:</i>	from
<i>Nature:</i>	ObjectProperty
<i>Range:</i>	Element

**Referenced**

- /Core/Relationship

**8.2.26 hashValue****Summary**

The result of applying a hash algorithm to an Element.

**Description**

HashValue is the result of applying a hash algorithm to an Element.

**Metadata**

<https://spdx.org/rdf/3.0.1/terms/Core/hashValue>

<i>Name:</i>	hashValue
<i>Nature:</i>	DataProperty
<i>Range:</i>	xsd:string

**Referenced**

- /Core/Hash
- /Core/PackageVerificationCode

**8.2.27 identifier****Summary**

Uniquely identifies an external element.

**Description**

An identifier uniquely identifies an external element.

**Metadata**

<https://spdx.org/rdf/3.0.1/terms/Core/identifier>

<i>Name:</i>	identifier
<i>Nature:</i>	DataProperty
<i>Range:</i>	xsd:string

**Referenced**

- /Core/ExternalIdentifier

### 8.2.28 identifierLocator

#### Summary

Provides the location for more information regarding an external identifier.

#### Description

Identifiers are not always structured as URIs. An identifierLocator is a location hint (a URL) that provides contextual information relevant to the identifier.

#### Metadata

<https://spdx.org/rdf/3.0.1/terms/Core/identifierLocator>

<i>Name:</i>	identifierLocator
<i>Nature:</i>	DataProperty
<i>Range:</i>	xsd:anyURI

#### Referenced

- /Core/ExternalIdentifier

### 8.2.29 import

#### Summary

Provides an ExternalMap of Element identifiers.

#### Description

Import provides an ExternalMap of an Element identifier that is used within a document but defined external to that document.

#### Metadata

<https://spdx.org/rdf/3.0.1/terms/Core/import>

<i>Name:</i>	import
<i>Nature:</i>	ObjectProperty
<i>Range:</i>	ExternalMap

#### Referenced

- /Core/SpdxDocument

### 8.2.30 issuingAuthority

#### Summary

An entity that is authorized to issue identification credentials.

#### Description

An issuingAuthority is an entity that is authorized to issue identification credentials.

The entity may be a government, non-profit, educational institution, or commercial enterprise.

The string provides a unique identifier for the issuing authority.

## Metadata

<https://spdx.org/rdf/3.0.1/terms/Core/issuingAuthority>

<i>Name:</i> issuingAuthority
<i>Nature:</i> DataProperty
<i>Range:</i> xsd:string

## Referenced

- /Core/ExternalIdentifier

### 8.2.31 key

#### Summary

A key used in a generic key-value pair.

#### Description

A key used in generic a key-value pair.

A key-value pair can be used to implement a dictionary which associates a key with a value.

## Metadata

<https://spdx.org/rdf/3.0.1/terms/Core/key>

<i>Name:</i> key
<i>Nature:</i> DataProperty
<i>Range:</i> xsd:string

## Referenced

- /Core/DictionaryEntry

### 8.2.32 locationHint

#### Summary

Provides an indication of where to retrieve an external Element.

#### Description

A locationHint provides an indication of where to retrieve an external Element.

## Metadata

<https://spdx.org/rdf/3.0.1/terms/Core/locationHint>

<i>Name:</i> locationHint
<i>Nature:</i> DataProperty
<i>Range:</i> xsd:anyURI

## Referenced

- /Core/ExternalMap

**8.2.33 locator****Summary**

Provides the location of an external reference.

**Description**

A locator provides the location of an external reference.

**Metadata**

<https://spdx.org/rdf/3.0.1/terms/Core/locator>

<i>Name:</i>	locator
<i>Nature:</i>	DataProperty
<i>Range:</i>	xsd:string

**Referenced**

- /Core/ExternalRef

**8.2.34 name****Summary**

Identifies the name of an Element as designated by the creator.

**Description**

This field identifies the name of an Element as designated by the creator.

The name of an Element is an important convention and easier to refer to than the URI.

**Metadata**

<https://spdx.org/rdf/3.0.1/terms/Core/name>

<i>Name:</i>	name
<i>Nature:</i>	DataProperty
<i>Range:</i>	xsd:string

**Referenced**

- /Core/Element

**8.2.35 namespace****Summary**

Provides an unambiguous mechanism for conveying a URI fragment portion of an Element ID.

**Description**

A namespace provides an unambiguous mechanism for conveying a URI fragment portion of an Element ID.

**Metadata**

<https://spdx.org/rdf/3.0.1/terms/Core/namespace>

<i>Name:</i>	namespace
<i>Nature:</i>	DataProperty
<i>Range:</i>	xsd:anyURI

## Referenced

- /Core/NamespaceMap

### 8.2.36 namespaceMap

#### Summary

Provides a NamespaceMap of prefixes and associated namespace partial URIs applicable to an SpdxDocument and independent of any specific serialization format or instance.

#### Description

This field provides a NamespaceMap of prefixes and associated namespace partial URIs applicable to an SpdxDocument and independent of any specific serialization format or instance.

#### Metadata

<https://spdx.org/rdf/3.0.1/terms/Core/namespaceMap>

<i>Name:</i>	namespaceMap
<i>Nature:</i>	ObjectProperty
<i>Range:</i>	NamespaceMap

## Referenced

- /Core/SpdxDocument

### 8.2.37 originatedBy

#### Summary

Identifies from where or whom the Element originally came.

#### Description

OriginatedBy identifies from where or whom the Element originally came.

#### Metadata

<https://spdx.org/rdf/3.0.1/terms/Core/originatedBy>

<i>Name:</i>	originatedBy
<i>Nature:</i>	ObjectProperty
<i>Range:</i>	Agent

## Referenced

- /Core/Artifact

### 8.2.38 packageVerificationCodeExcludedFile

#### Summary

The relative file name of a file to be excluded from the 'PackageVerificationCode'.

**Description**

A relative filename with the root of the package archive or directory referencing a file to be excluded from the PackageVerificationCode.

In general, every filename is preceded with a ./, see RFC 3986 Uniform Resource Identifier (URI): Generic Syntax<sup>3</sup> for syntax.

**Metadata**

<https://spdx.org/rdf/3.0.1/terms/Core/packageVerificationCodeExcludedFile>

<i>Name:</i>	packageVerificationCodeExcludedFile
<i>Nature:</i>	DataProperty
<i>Range:</i>	xsd:string

**Referenced**

- /Core/PackageVerificationCode

**8.2.39 prefix****Summary**

A substitute for a URI.

**Description**

A prefix is a substitute for a URI.

**Metadata**

<https://spdx.org/rdf/3.0.1/terms/Core/prefix>

<i>Name:</i>	prefix
<i>Nature:</i>	DataProperty
<i>Range:</i>	xsd:string

**Referenced**

- /Core/NamespaceMap

**8.2.40 profileConformance****Summary**

Describes one a profile which the creator of this ElementCollection intends to conform to.

**Description**

Describes a profile to which the creator of this ElementCollection intends to conform.

The profileConformance will apply to all Elements contained within the collection as well as the collection itself. Conformance to a profile is defined by the additional restrictions documented in the profile specific documentation and schema files.

Use of this property allows the creator of an ElementCollection to communicate to consumers their intent to adhere to the profile additional restrictions.

The profileConformance has a default value of core if no other profileConformance is specified since all ElementCollections and Element must adhere to the core profile.

<sup>3</sup><https://www.rfc-editor.org/info/rfc3986>



## Metadata

<https://spdx.org/rdf/3.0.1/terms/Core/profileConformance>

<i>Name:</i>	profileConformance
<i>Nature:</i>	ObjectProperty
<i>Range:</i>	ProfileIdentifierType

## Referenced

- /Core/ElementCollection

### 8.2.41 relationshipType

#### Summary

Information about the relationship between two Elements.

#### Description

This field provides information about the relationship between two Elements.

For example, you can represent a relationship between two different Files, between a Package and a File, between two Packages, or between one SpdxDocument and another SpdxDocument.

## Metadata

<https://spdx.org/rdf/3.0.1/terms/Core/relationshipType>

<i>Name:</i>	relationshipType
<i>Nature:</i>	ObjectProperty
<i>Range:</i>	RelationshipType

## Referenced

- /Core/Relationship

### 8.2.42 releaseTime

#### Summary

Specifies the time an artifact was released.

#### Description

A releaseTime specifies the time an artifact was released.

## Metadata

<https://spdx.org/rdf/3.0.1/terms/Core/releaseTime>

<i>Name:</i>	releaseTime
<i>Nature:</i>	DataProperty
<i>Range:</i>	DateTime

## Referenced

- /Core/Artifact

### 8.2.43 rootElement

#### Summary

This property is used to denote the root Element(s) of a tree of elements contained in a BOM.

#### Description

This property is used to denote the root Element(s) of a tree of elements contained in a BOM. The tree consists of other elements directly and indirectly related through properties or Relationships from the root.

#### Metadata

<https://spdx.org/rdf/3.0.1/terms/Core/rootElement>

<i>Name:</i>	rootElement
<i>Nature:</i>	ObjectProperty
<i>Range:</i>	Element

#### Referenced

- /Core/ElementCollection

### 8.2.44 scope

#### Summary

Capture the scope of information about a specific relationship between elements.

#### Description

A scope is additional context about a relationship, that clarifies the relationship between elements.

#### Metadata

<https://spdx.org/rdf/3.0.1/terms/Core/scope>

<i>Name:</i>	scope
<i>Nature:</i>	ObjectProperty
<i>Range:</i>	LifecycleScopeType

#### Referenced

- /Core/LifecycleScopedRelationship

### 8.2.45 spdxId

#### Summary

Identifies an Element to be referenced by other Elements.

#### Description

SpdxId uniquely identifies an Element which may thereby be referenced by other Elements. These references may be internal or external. While there may be several versions of the same Element, each one needs to be able to be referred to uniquely so that relationships between Elements can be clearly articulated.

**Metadata**

<https://spdx.org/rdf/3.0.1/terms/Core/spdxId>

<i>Name:</i>	spdxId
<i>Nature:</i>	DataProperty
<i>Range:</i>	xsd:anyURI

**Referenced**

- /Core/Element

**8.2.46 specVersion****Summary**

Provides a reference number that can be used to understand how to parse and interpret an Element.

**Description**

The specVersion provides a reference number that can be used to understand how to parse and interpret an Element. It will enable both future changes to the specification and to support backward compatibility.

The major version number shall be incremented when incompatible changes between versions are made (one or more sections are created, modified or deleted). The minor version number shall be incremented when backwards compatible changes are made. The patch version number shall be incremented when backward compatible bug fixes are made.

Here, parties exchanging information in accordance with the SPDX specification need to provide 100% transparency as to which SPDX specification version such information is conforming to.

**Metadata**

<https://spdx.org/rdf/3.0.1/terms/Core/specVersion>

<i>Name:</i>	specVersion
<i>Nature:</i>	DataProperty
<i>Range:</i>	SemVer

**Referenced**

- /Core/CreationInfo

**8.2.47 standardName****Summary**

The name of a relevant standard that may apply to an artifact.

**Description**

Various standards may be relevant to useful to capture for specific artifacts.

**Metadata**

<https://spdx.org/rdf/3.0.1/terms/Core/standardName>

<i>Name:</i>	standardName
<i>Nature:</i>	DataProperty
<i>Range:</i>	xsd:string

**Referenced**

- /Core/Artifact

**8.2.48 startTime****Summary**

Specifies the time from which an element is applicable / valid.

**Description**

A startTime specifies the time from which an element is applicable / valid.

**Metadata**

<https://spdx.org/rdf/3.0.1/terms/Core/startTime>

<i>Name:</i>	startTime
<i>Nature:</i>	DataProperty
<i>Range:</i>	DateTime

**Referenced**

- /Core/Relationship

**8.2.49 statement****Summary**

Commentary on an assertion that an annotator has made.

**Description**

A statement is a commentary on an assertion that an annotator has made.

**Metadata**

<https://spdx.org/rdf/3.0.1/terms/Core/statement>

<i>Name:</i>	statement
<i>Nature:</i>	DataProperty
<i>Range:</i>	xsd:string

**Referenced**

- /Core/Annotation

**8.2.50 subject****Summary**

An Element an annotator has made an assertion about.

**Description**

A subject is an Element an annotator has made an assertion about.

**Metadata**

<https://spdx.org/rdf/3.0.1/terms/Core/subject>

<i>Name:</i>	subject
<i>Nature:</i>	ObjectProperty
<i>Range:</i>	Element

**Referenced**

- /Core/Annotation

**8.2.51 summary****Summary**

A short description of an Element.

**Description**

A summary is a short description of an Element. Here, the intent is to allow the Element creator to provide concise information about the function or use of the Element.

**Metadata**

<https://spdx.org/rdf/3.0.1/terms/Core/summary>

<i>Name:</i>	summary
<i>Nature:</i>	DataProperty
<i>Range:</i>	xsd:string

**Referenced**

- /Core/Element

**8.2.52 suppliedBy****Summary**

Identifies who or what supplied the artifact or `VulnAssessmentRelationship` referenced by the Element.

**Description**

Identify the actual distribution source for the artifact (e.g., snippet, file, package, vulnerability) or `VulnAssessmentRelationship` being referenced.

This might or might not be different from the originating distribution source for the artifact (e.g., snippet, file, package, vulnerability) or `VulnAssessmentRelationship`.

**Metadata**

<https://spdx.org/rdf/3.0.1/terms/Core/suppliedBy>

<i>Name:</i>	suppliedBy
<i>Nature:</i>	ObjectProperty
<i>Range:</i>	Agent

**Referenced**

- /Core/Artifact
- /Security/VulnAssessmentRelationship

**8.2.53 supportLevel****Summary**

Specifies the level of support associated with an artifact.

**Description**

supportLevel provides an indication of what support expectations that the supplier of an artifact is providing to the user.

**Metadata**

<https://spdx.org/rdf/3.0.1/terms/Core/supportLevel>

<i>Name:</i>	supportLevel
<i>Nature:</i>	ObjectProperty
<i>Range:</i>	SupportType

**Referenced**

- /Core/Artifact

**8.2.54 to****Summary**

References an Element on the right-hand side of a relationship.

**Description**

This field references an Element on the right-hand side of a relationship.

If it is not provided, it indicates that there are no known relationships of the given type.

**Metadata**

<https://spdx.org/rdf/3.0.1/terms/Core/to>

<i>Name:</i>	to
<i>Nature:</i>	ObjectProperty
<i>Range:</i>	Element

**Referenced**

- /Core/Relationship

**8.2.55 validUntilTime****Summary**

Specifies until when the artifact can be used before its usage needs to be reassessed.

**Description**

A validUntilTime specifies until when the artifact can be used before its usage needs to be reassessed.

### Metadata

<https://spdx.org/rdf/3.0.1/terms/Core/validUntilTime>

<i>Name:</i>	validUntilTime
<i>Nature:</i>	DataProperty
<i>Range:</i>	DateTime

### Referenced

- /Core/Artifact

### 8.2.56 value

#### Summary

A value used in a generic key-value pair.

#### Description

A value used in a generic key-value pair.

A key-value pair can be used to implement a dictionary which associates a key with a value.

### Metadata

<https://spdx.org/rdf/3.0.1/terms/Core/value>

<i>Name:</i>	value
<i>Nature:</i>	DataProperty
<i>Range:</i>	xsd:string

### Referenced

- /Core/DictionaryEntry

### 8.2.57 verifiedUsing

#### Summary

Provides an IntegrityMethod with which the integrity of an Element can be asserted.

#### Description

VerifiedUsing provides an IntegrityMethod with which the integrity of an Element can be asserted.

Please note that different profiles may also provide additional methods for verifying the integrity of specific subclasses of Elements.

### Metadata

<https://spdx.org/rdf/3.0.1/terms/Core/verifiedUsing>

<i>Name:</i>	verifiedUsing
<i>Nature:</i>	ObjectProperty
<i>Range:</i>	IntegrityMethod

### Referenced

- /Core/Element
- /Core/ExternalMap

## 8.3 Vocabularies

### 8.3.1 AnnotationType

#### Summary

Specifies the type of an annotation.

#### Description

AnnotationType specifies the type of an annotation.

#### Metadata

<https://spdx.org/rdf/3.0.1/terms/Core/AnnotationType>

<b>Name:</b> AnnotationType
-----------------------------

#### Entries

**other** Used to store extra information about an Element which is not part of a Review (e.g. extra information provided during the creation of the Element).

**review** Used when someone reviews the Element.

### 8.3.2 ExternalIdentifierType

#### Summary

Specifies the type of an external identifier.

#### Description

ExternalIdentifierType specifies the type of an external identifier.

#### Metadata

<https://spdx.org/rdf/3.0.1/terms/Core/ExternalIdentifierType>

<b>Name:</b> ExternalIdentifierType
-------------------------------------

#### Entries

**cpe22** Common Platform Enumeration Specification 2.2<sup>4</sup>

**cpe23** Common Platform Enumeration: Naming Specification Version 2.3<sup>5</sup>

**cve** Common Vulnerabilities and Exposures identifiers, an identifier for a specific software flaw defined within the official CVE Dictionary and that conforms to the CVE specification<sup>6</sup>.

**email** Email address, as defined in RFC 3696<sup>7</sup> Section 3.

<sup>4</sup>[https://cpe.mitre.org/files/cpe-specification\\_2.2.pdf](https://cpe.mitre.org/files/cpe-specification_2.2.pdf)

<sup>5</sup><https://csrc.nist.gov/publications/detail/nistir/7695/final>

<sup>6</sup>[https://csrc.nist.gov/glossary/term/cve\\_id](https://csrc.nist.gov/glossary/term/cve_id)

<sup>7</sup><https://www.rfc-editor.org/info/rfc3986>



**gitoid** Gitoid<sup>8</sup>, stands for Git Object ID<sup>9</sup>. A gitoid of type blob is a unique hash of a binary artifact. A gitoid may represent either an Artifact Identifier<sup>10</sup> for the software artifact or an Input Manifest Identifier<sup>11</sup> for the software artifact's associated Artifact Input Manifest<sup>12</sup>; this ambiguity exists because the Artifact Input Manifest is itself an artifact, and the gitoid of that artifact is its valid identifier. Gitoids calculated on software artifacts (Snippet, File, or Package Elements) should be recorded in the SPDX 3.0 SoftwareArtifact's contentIdentifier property. Gitoids calculated on the Artifact Input Manifest (Input Manifest Identifier) should be recorded in the SPDX 3.0 Element's externalIdentifier property. See OmniBOR Specification<sup>13</sup>, a minimalistic specification for describing software Artifact Dependency Graphs<sup>14</sup>.

**other** Used when the type does not match any of the other options.

**packageUrl** Package URL, as defined in the corresponding Annex<sup>15</sup> of this specification.

**securityOther** Used when there is a security related identifier of unspecified type.

**swhid** SoftWare Hash IDentifier, a persistent intrinsic identifier for digital artifacts, such as files, trees (also known as directories or folders), commits, and other objects typically found in version control systems. The format of the identifiers is defined in the SWHID specification<sup>16</sup> (ISO/IEC DIS 18670). They typically look like `swh:1:cnt:94a9ed024d3859793618152ea559a168bbcbb5e2`.

**swid** Concise Software Identification (CoSWID) tag, as defined in RFC 9393<sup>17</sup> Section 2.3.

**urlScheme** Uniform Resource Identifier (URI) Schemes<sup>18</sup>. The scheme used in order to locate a resource.

### 8.3.3 ExternalRefType

#### Summary

Specifies the type of an external reference.

#### Description

ExternalRefType specifies the type of an external reference.

#### Metadata

`https://spdx.org/rdf/3.0.1/terms/Core/ExternalRefType`

<i>Name:</i> ExternalRefType
------------------------------

#### Entries

**altDownloadLocation** A reference to an alternative download location.

**altWebPage** A reference to an alternative web page.

<sup>8</sup><https://www.iana.org/assignments/uri-schemes/prov/gitoid>

<sup>9</sup><https://git-scm.com/book/en/v2/Git-Internals-Git-Objects>

<sup>10</sup><https://github.com/omnibor/spec/blob/eb1ee5c961c16215eb8709b2975d193a2007a35d/spec/SPEC.md#artifact-identifier-types>

<sup>11</sup><https://github.com/omnibor/spec/blob/eb1ee5c961c16215eb8709b2975d193a2007a35d/spec/SPEC.md#input-manifest-identifier>

<sup>12</sup><https://github.com/omnibor/spec/blob/eb1ee5c961c16215eb8709b2975d193a2007a35d/spec/SPEC.md#artifact-input-manifest>

<sup>13</sup><https://github.com/omnibor/spec/>

<sup>14</sup><https://github.com/omnibor/spec/blob/eb1ee5c961c16215eb8709b2975d193a2007a35d/spec/SPEC.md#artifact-dependency-graph-adg>

<sup>15</sup>[../../annexes/pkg-url-specification.md](https://www.iana.org/assignments/uri-schemes/prov/pkg-url-specification.md)

<sup>16</sup><https://www.swhid.org/specification/v1.1/4.Syntax>

<sup>17</sup><https://www.rfc-editor.org/info/rfc9393>

<sup>18</sup><https://www.iana.org/assignments/uri-schemes/uri-schemes.xhtml>

- binaryArtifact** A reference to binary artifacts related to a package.
- bower** A reference to a Bower package. The package locator format, looks like `package#version`, is defined in the “install” section of Bower API documentation<sup>19</sup>.
- buildMeta** A reference build metadata related to a published package.
- buildSystem** A reference build system used to create or publish the package.
- certificationReport** A reference to a certification report for a package from an accredited/independent body.
- chat** A reference to the instant messaging system used by the maintainer for a package.
- componentAnalysisReport** A reference to a Software Composition Analysis (SCA) report.
- cwe** Common Weakness Enumeration<sup>20</sup>. A reference to a source of software flaw defined within the official CWE List<sup>21</sup> that conforms to the CWE specification<sup>22</sup>.
- documentation** A reference to the documentation for a package.
- dynamicAnalysisReport** A reference to a dynamic analysis report for a package.
- eolNotice** A reference to the End Of Sale (EOS) and/or End Of Life (EOL) information related to a package.
- exportControlAssessment** A reference to a export control assessment for a package.
- funding** A reference to funding information related to a package.
- issueTracker** A reference to the issue tracker for a package.
- license** A reference to additional license information related to an artifact.
- mailingList** A reference to the mailing list used by the maintainer for a package.
- mavenCentral** A reference to a Maven repository artifact. The artifact locator format is defined in the Maven documentation<sup>23</sup> and looks like `groupId:artifactId[:version]`.
- metrics** A reference to metrics related to package such as OpenSSF scorecards.
- npm** A reference to an npm package. The package locator format is defined in the npm documentation<sup>24</sup> and looks like `package@version`.
- nuget** A reference to a NuGet package. The package locator format is defined in the NuGet documentation<sup>25</sup> and looks like `package/version`.
- other** Used when the type does not match any of the other options.
- privacyAssessment** A reference to a privacy assessment for a package.
- productMetadata** A reference to additional product metadata such as reference within organization’s product catalog.
- purchaseOrder** A reference to a purchase order for a package.
- qualityAssessmentReport** A reference to a quality assessment for a package.

---

<sup>19</sup><https://bower.io/docs/api/#install>

<sup>20</sup>[https://csrc.nist.gov/glossary/term/common\\_weakness\\_enumeration](https://csrc.nist.gov/glossary/term/common_weakness_enumeration)

<sup>21</sup><https://cwe.mitre.org/data/>

<sup>22</sup><https://cwe.mitre.org/>

<sup>23</sup><https://maven.apache.org/guides/mini/guide-naming-conventions.html>

<sup>24</sup><https://docs.npmjs.com/cli/v10/configuring-npm/package-json>

<sup>25</sup><https://docs.nuget.org>

**releaseHistory** A reference to a published list of releases for a package.

**releaseNotes** A reference to the release notes for a package.

**riskAssessment** A reference to a risk assessment for a package.

**runtimeAnalysisReport** A reference to a runtime analysis report for a package.

**secureSoftwareAttestation** A reference to information assuring that the software is developed using security practices as defined by NIST SP 800-218 Secure Software Development Framework (SSDF) Version 1.1<sup>26</sup> or CISA Secure Software Development Attestation Form<sup>27</sup>.

**securityAdversaryModel** A reference to the security adversary model for a package.

**securityAdvisory** A reference to a published security advisory (where advisory as defined per ISO 29147:2018<sup>28</sup>) that may affect one or more elements, e.g., vendor advisories or specific NVD entries.

**securityFix** A reference to the patch or source code that fixes a vulnerability.

**securityOther** A reference to related security information of unspecified type.

**securityPenTestReport** A reference to a penetration test<sup>29</sup> report for a package.

**securityPolicy** A reference to instructions for reporting newly discovered security vulnerabilities for a package.

**securityThreatModel** A reference the security threat model<sup>30</sup> for a package.

**socialMedia** A reference to a social media channel for a package.

**sourceArtifact** A reference to an artifact containing the sources for a package.

**staticAnalysisReport** A reference to a static analysis report for a package.

**support** A reference to the software support channel or other support information for a package.

**vcs** A reference to a version control system related to a software artifact.

**vulnerabilityDisclosureReport** A reference to a Vulnerability Disclosure Report (VDR) which provides the software supplier's analysis and findings describing the impact (or lack of impact) that reported vulnerabilities have on packages or products in the supplier's SBOM as defined in NIST SP 800-161 Cybersecurity Supply Chain Risk Management Practices for Systems and Organizations<sup>31</sup>.

**vulnerabilityExploitabilityAssessment** A reference to a Vulnerability Exploitability eXchange (VEX) statement which provides information on whether a product is impacted by a specific vulnerability in an included package and, if affected, whether there are actions recommended to remediate. See also NTIA VEX one-page summary<sup>32</sup>.

### 8.3.4 HashAlgorithm

#### Summary

A mathematical algorithm that maps data of arbitrary size to a bit string.

<sup>26</sup><https://csrc.nist.gov/pubs/sp/800/218/final>

<sup>27</sup><https://www.cisa.gov/resources-tools/resources/secure-software-development-attestation-form>

<sup>28</sup><https://www.iso.org/standard/72311.html>

<sup>29</sup>[https://en.wikipedia.org/wiki/Penetration\\_test](https://en.wikipedia.org/wiki/Penetration_test)

<sup>30</sup>[https://en.wikipedia.org/wiki/Threat\\_model](https://en.wikipedia.org/wiki/Threat_model)

<sup>31</sup><https://csrc.nist.gov/pubs/sp/800/161/r1/final>

<sup>32</sup>[https://ntia.gov/files/ntia/publications/vex\\_one-page\\_summary.pdf](https://ntia.gov/files/ntia/publications/vex_one-page_summary.pdf)

## Description

A HashAlgorithm is a mathematical algorithm that maps data of arbitrary size to a bit string (the hash) and is a one-way function, that is, a function which is practically infeasible to invert.

## Metadata

<https://spdx.org/rdf/3.0.1/terms/Core/HashAlgorithm>

<i>Name:</i> HashAlgorithm
----------------------------

## Entries

**adler32** Adler-32 checksum is part of the widely used zlib compression library as defined in RFC 1950<sup>33</sup> Section 2.3.

**blake2b256** BLAKE2b algorithm with a digest size of 256, as defined in RFC 7693<sup>34</sup> Section 4.

**blake2b384** BLAKE2b algorithm with a digest size of 384, as defined in RFC 7693<sup>35</sup> Section 4.

**blake2b512** BLAKE2b algorithm with a digest size of 512, as defined in RFC 7693<sup>36</sup> Section 4.

**blake3** BLAKE3<sup>37</sup>

**crystalsDilithium** Dilithium<sup>38</sup>

**crystalsKyber** Kyber<sup>39</sup>

**falcon** FALCON<sup>40</sup>

**md2** MD2 message-digest algorithm, as defined in RFC 1319<sup>41</sup>.

**md4** MD4 message-digest algorithm, as defined in RFC 1186<sup>42</sup>.

**md5** MD5 message-digest algorithm, as defined in RFC 1321<sup>43</sup>.

**md6** MD6 hash function<sup>44</sup>

**other** any hashing algorithm that does not exist in this list of entries

**sha1** SHA-1, a secure hashing algorithm, as defined in RFC 3174<sup>45</sup>.

**sha224** SHA-2 with a digest length of 224, as defined in RFC 3874<sup>46</sup>.

**sha256** SHA-2 with a digest length of 256, as defined in RFC 6234<sup>47</sup>.

**sha384** SHA-2 with a digest length of 384, as defined in RFC 6234<sup>48</sup>.

<sup>33</sup><https://www.rfc-editor.org/info/rfc1950>

<sup>34</sup><https://www.rfc-editor.org/info/rfc7693>

<sup>35</sup><https://www.rfc-editor.org/info/rfc7693>

<sup>36</sup><https://www.rfc-editor.org/info/rfc7693>

<sup>37</sup><https://github.com/BLAKE3-team/BLAKE3-specs/blob/master/blake3.pdf>

<sup>38</sup><https://pq-crystals.org/dilithium/>

<sup>39</sup><https://pq-crystals.org/kyber/>

<sup>40</sup><https://falcon-sign.info/falcon.pdf>

<sup>41</sup><https://www.rfc-editor.org/info/rfc1319/>

<sup>42</sup><https://www.rfc-editor.org/info/rfc1186>

<sup>43</sup><https://www.rfc-editor.org/info/rfc1321>

<sup>44</sup><https://people.csail.mit.edu/rivest/pubs/RABcx08.pdf>

<sup>45</sup><https://www.rfc-editor.org/info/rfc3174>

<sup>46</sup><https://www.rfc-editor.org/info/rfc3874>

<sup>47</sup><https://www.rfc-editor.org/info/rfc6234>

<sup>48</sup><https://www.rfc-editor.org/info/rfc6234>

**sha3\_224** SHA-3 with a digest length of 224, as defined in FIPS 202<sup>49</sup>.

**sha3\_256** SHA-3 with a digest length of 256, as defined in FIPS 202<sup>50</sup>.

**sha3\_384** SHA-3 with a digest length of 384, as defined in FIPS 202<sup>51</sup>.

**sha3\_512** SHA-3 with a digest length of 512, as defined in FIPS 202<sup>52</sup>.

**sha512** SHA-2 with a digest length of 512, as defined in RFC 6234<sup>53</sup>.

### 8.3.5 LifecycleScopeType

#### Summary

Provide an enumerated set of lifecycle phases that can provide context to relationships.

#### Description

This enumeration summarizes common phases when dependency and other relationships, have different implications, based on their context. For example, a build dependency, may have different implications than a operational dependency.

#### Metadata

<https://spdx.org/rdf/3.0.1/terms/Core/LifecycleScopeType>

<i>Name:</i> LifecycleScopeType
---------------------------------

#### Entries

**build** A relationship has specific context implications during an element's build phase, during development.

**design** A relationship has specific context implications during an element's design.

**development** A relationship has specific context implications during development phase of an element.

**other** A relationship has other specific context information necessary to capture that the above set of enumerations does not handle.

**runtime** A relationship has specific context implications during the execution phase of an element.

**test** A relationship has specific context implications during an element's testing phase, during development.

### 8.3.6 PresenceType

#### Summary

Categories of presence or absence.

#### Description

This type is used to indicate if a given field is present or absent or unknown.

#### Metadata

<https://spdx.org/rdf/3.0.1/terms/Core/PresenceType>

<i>Name:</i> PresenceType
---------------------------

<sup>49</sup><https://csrc.nist.gov/pubs/fips/202/final>

<sup>50</sup><https://csrc.nist.gov/pubs/fips/202/final>

<sup>51</sup><https://csrc.nist.gov/pubs/fips/202/final>

<sup>52</sup><https://csrc.nist.gov/pubs/fips/202/final>

<sup>53</sup><https://www.rfc-editor.org/info/rfc6234>

## Entries

**no** Indicates absence of the field.

**noAssertion** Makes no assertion about the field.

**yes** Indicates presence of the field.

### 8.3.7 ProfileIdentifierType

#### Summary

Enumeration of the valid profiles.

#### Description

There are a set of profiles that have been defined by a profile team.

A profile consists of a namespace that may add properties and classes to the core profile unique to the domain covered by the profile.

The profile may also contain additional restrictions on existing properties and classes defined in other profiles.

If the creator of an SPDX collection of elements includes a profile in the list of profileConformance, they are claiming that all contained elements conform to all restrictions defined for that profile.

#### Metadata

<https://spdx.org/rdf/3.0.1/terms/Core/ProfileIdentifierType>

<i>Name:</i> ProfileIdentifierType
------------------------------------

## Entries

**ai** the element follows the AI profile specification

**build** the element follows the Build profile specification

**core** the element follows the Core profile specification

**dataset** the element follows the Dataset profile specification

**expandedLicensing** the element follows the expanded Licensing profile specification

**extension** the element follows the Extension profile specification

**lite** the element follows the Lite profile specification

**security** the element follows the Security profile specification

**simpleLicensing** the element follows the simple Licensing profile specification

**software** the element follows the Software profile specification

### 8.3.8 RelationshipCompleteness

#### Summary

Indicates whether a relationship is known to be complete, incomplete, or if no assertion is made with respect to relationship completeness.

## Description

RelationshipCompleteness indicates whether the provided relationship is known to be complete, known to be incomplete, or if no assertion is made by the relationship creator.

## Metadata

<https://spdx.org/rdf/3.0.1/terms/Core/RelationshipCompleteness>

<i>Name:</i> RelationshipCompleteness
---------------------------------------

## Entries

**complete** The relationship is known to be exhaustive.

**incomplete** The relationship is known not to be exhaustive.

**noAssertion** No assertion can be made about the completeness of the relationship.

### 8.3.9 RelationshipType

#### Summary

Information about the relationship between two Elements.

#### Description

Provides information about the relationship between two Elements. For example, you can represent a relationship between two different Files, between a Package and a File, between two Packages, or between one SpdxDocument and another SpdxDocument.

Relationship names be descriptive enough to easily deduce the correct direction from their name. The best way to do this is to make sure that the relationship name completes the sentence:

from (is) (a) RELATIONSHIP to

#### Metadata

<https://spdx.org/rdf/3.0.1/terms/Core/RelationshipType>

<i>Name:</i> RelationshipType
-------------------------------

## Entries

**affects** The from Vulnerability affects each to Element. The use of the affects type is constrained to VexAffectedVulnAssessmentRelationship classed relationships.

**amendedBy** The from Element is amended by each to Element.

**ancestorOf** The from Element is an ancestor of each to Element.

**availableFrom** The from Element is available from the additional supplier described by each to Element.

**configures** The from Element is a configuration applied to each to Element, during a LifecycleScopeType period.

**contains** The from Element contains each to Element.

**coordinatedBy** The from Vulnerability is coordinatedBy the to Agent(s) (vendor, researcher, or consumer agent).

**copiedTo** The from Element has been copied to each to Element.

- delegatedTo** The from Agent is delegating an action to the Agent of the to Relationship (which must be of type invokedBy), during a LifecycleScopeType (e.g. the to invokedBy Relationship is being done on behalf of from).
- dependsOn** The from Element depends on each to Element, during a LifecycleScopeType period.
- descendantOf** The from Element is a descendant of each to Element.
- describes** The from Element describes each to Element. To denote the root(s) of a tree of elements in a collection, the rootElement property should be used.
- doesNotAffect** The from Vulnerability has no impact on each to Element. The use of the doesNotAffect is constrained to VexNotAffectedVulnAssessmentRelationship classed relationships.
- expandsTo** The from archive expands out as an artifact described by each to Element.
- exploitCreatedBy** The from Vulnerability has had an exploit created against it by each to Agent.
- fixedBy** Designates a from Vulnerability has been fixed by the to Agent(s).
- fixedIn** A from Vulnerability has been fixed in each to Element. The use of the fixedIn type is constrained to VexFixedVulnAssessmentRelationship classed relationships.
- foundBy** Designates a from Vulnerability was originally discovered by the to Agent(s).
- generates** The from Element generates each to Element.
- hasAddedFile** Every to Element is a file added to the from Element (from hasAddedFile to).
- hasAssessmentFor** Relates a from Vulnerability and each to Element with a security assessment. To be used with VulnAssessmentRelationship types.
- hasAssociatedVulnerability** Used to associate a from Artifact with each to Vulnerability.
- hasConcludedLicense** The from SoftwareArtifact is concluded by the SPDX data creator to be governed by each to license.
- hasDataFile** The from Element treats each to Element as a data file. A data file is an artifact that stores data required or optional for the from Element's functionality. A data file can be a database file, an index file, a log file, an AI model file, a calibration data file, a temporary file, a backup file, and more. For AI training dataset, test dataset, test artifact, configuration data, build input data, and build output data, please consider using the more specific relationship types: trainedOn, testedOn, hasTest, configures, hasInput, and hasOutput, respectively. This relationship does not imply dependency.
- hasDeclaredLicense** The from SoftwareArtifact was discovered to actually contain each to license, for example as detected by use of automated tooling.
- hasDeletedFile** Every to Element is a file deleted from the from Element (from hasDeletedFile to).
- hasDependencyManifest** The from Element has manifest files that contain dependency information in each to Element.
- hasDistributionArtifact** The from Element is distributed as an artifact in each to Element (e.g. an RPM or archive file).
- hasDocumentation** The from Element is documented by each to Element.
- hasDynamicLink** The from Element dynamically links in each to Element, during a LifecycleScopeType period.
- hasEvidence** Every to Element is considered as evidence for the from Element (from hasEvidence to).
- hasExample** Every to Element is an example for the from Element (from hasExample to).



- hasHost** The `from` Build was run on the `to` Element during a `LifecycleScopeType` period (e.g. the host that the build runs on).
- hasInput** The `from` Build has each `to` Element as an input, during a `LifecycleScopeType` period.
- hasMetadata** Every `to` Element is metadata about the `from` Element (`from` `hasMetadata` `to`).
- hasOptionalComponent** Every `to` Element is an optional component of the `from` Element (`from` `hasOptionalComponent` `to`).
- hasOptionalDependency** The `from` Element optionally depends on each `to` Element, during a `LifecycleScopeType` period.
- hasOutput** The `from` Build element generates each `to` Element as an output, during a `LifecycleScopeType` period.
- hasPrerequisite** The `from` Element has a prerequisite on each `to` Element, during a `LifecycleScopeType` period.
- hasProvidedDependency** The `from` Element has a dependency on each `to` Element, dependency is not in the distributed artifact, but assumed to be provided, during a `LifecycleScopeType` period.
- hasRequirement** The `from` Element has a requirement on each `to` Element, during a `LifecycleScopeType` period.
- hasSpecification** Every `to` Element is a specification for the `from` Element (`from` `hasSpecification` `to`), during a `LifecycleScopeType` period.
- hasStaticLink** The `from` Element statically links in each `to` Element, during a `LifecycleScopeType` period.
- hasTest** Every `to` Element is a test artifact for the `from` Element (`from` `hasTest` `to`), during a `LifecycleScopeType` period.
- hasTestCase** Every `to` Element is a test case for the `from` Element (`from` `hasTestCase` `to`).
- hasVariant** Every `to` Element is a variant the `from` Element (`from` `hasVariant` `to`).
- invokedBy** The `from` Element was invoked by the `to` Agent, during a `LifecycleScopeType` period (for example, a Build element that describes a build step).
- modifiedBy** The `from` Element is modified by each `to` Element.
- other** Every `to` Element is related to the `from` Element where the relationship type is not described by any of the SPDX relationship types (this relationship is directionless).
- packagedBy** Every `to` Element is a packaged instance of the `from` Element (`from` `packagedBy` `to`).
- patchedBy** Every `to` Element is a patch for the `from` Element (`from` `patchedBy` `to`).
- publishedBy** Designates a `from` Vulnerability was made available for public use or reference by each `to` Agent.
- reportedBy** Designates a `from` Vulnerability was first reported to a project, vendor, or tracking database for formal identification by each `to` Agent.
- republishedBy** Designates a `from` Vulnerability's details were tracked, aggregated, and/or enriched to improve context (i.e. NVD) by each `to` Agent.
- serializedInArtifact** The `from` `SpdxDocument` can be found in a serialized form in each `to` `Artifact`.
- testedOn** The `from` Element has been tested on the `to` Element(s).
- trainedOn** The `from` Element has been trained on the `to` Element(s).

**underInvestigationFor** The from Vulnerability impact is being investigated for each to Element. The use of the underInvestigationFor type is constrained to VexUnderInvestigationVulnAssessmentRelationship classed relationships.

**usesTool** The from Element uses each to Element as a tool, during a LifecycleScopeType period.

### 8.3.10 SupportType

#### Summary

Indicates the type of support that is associated with an artifact.

#### Description

SupportType is an enumeration of the various types of support commonly found for artifacts in the software supply chain. Specific details of what that support entails are provided by agreements between the producer and consumer of the artifact.

#### Metadata

<https://spdx.org/rdf/3.0.1/terms/Core/SupportType>

<i>Name:</i> SupportType
--------------------------

#### Entries

**deployed** in addition to being supported by the supplier, the software is known to have been deployed and is in use. For a software as a service provider, this implies the software is now available as a service.

**development** the artifact is in active development and is not considered ready for formal support from the supplier.

**endOfSupport** there is a defined end of support for the artifact from the supplier. This may also be referred to as end of life. There is a validUntilDate that can be used to signal when support ends for the artifact.

**limitedSupport** the artifact has been released, and there is limited support available from the supplier. There is a validUntilDate that can provide additional information about the duration of support.

**noAssertion** no assertion about the type of support is made. This is considered the default if no other support type is used.

**noSupport** there is no support for the artifact from the supplier, consumer assumes any support obligations.

**support** the artifact has been released, and is supported from the supplier. There is a validUntilDate that can provide additional information about the duration of support.

## 8.4 Individuals

### 8.4.1 NoAssertionElement

#### Summary

An Individual Value for Element representing a set of Elements of unknown identify or cardinality (number).

#### Description

NoAssertionElement should be used if

- the SPDX creator has attempted to but cannot reach a reasonable objective determination;
- the SPDX creator has made no attempt to determine this field; or

- the SPDX creator has intentionally provided no information (no meaning should be implied by doing so).

For example, a Relationship with `relationshipType="ancestorOf"`, `from=Element1`, and `to=NoAssertionElement` is explicitly expressing that no assertion is being made about any potential descendents of `Element1`.

### Metadata

<https://spdx.org/rdf/3.0.1/terms/Core/NoAssertionElement>

<i>Name:</i>	NoAssertionElement
<i>Type:</i>	Element
<i>IRI:</i>	<a href="https://spdx.org/rdf/3.0.1/terms/Core/NoAssertionElement">https://spdx.org/rdf/3.0.1/terms/Core/NoAssertionElement</a>

## 8.4.2 NoneElement

### Summary

An Individual Value for Element representing a set of Elements with cardinality (number/count) of zero.

### Description

`NoneLicenseElement` should be used if the SPDX creator desires to assert that there are NO elements for the given context of use.

For example, a Relationship with `relationshipType="ancestorOf"`, `from=Element1`, and `to=NoneElement` is explicitly expressing an assertion that `Element1` has no descendents.

### Metadata

<https://spdx.org/rdf/3.0.1/terms/Core/NoneElement>

<i>Name:</i>	NoneElement
<i>Type:</i>	Element
<i>IRI:</i>	<a href="https://spdx.org/rdf/3.0.1/terms/Core/NoneElement">https://spdx.org/rdf/3.0.1/terms/Core/NoneElement</a>

## 8.5 Datatypes

### 8.5.1 DateTime

#### Summary

A string representing a specific date and time.

#### Description

A Datetime is a string representation of a specific date and time.

It has resolution of seconds and is always expressed in UTC timezone.

The specific format is one of the most commonly used ISO-8601 formats.

#### Metadata

<https://spdx.org/rdf/3.0.1/terms/Core/DateTime>

<i>Name:</i>	DateTime
<i>SubclassOf:</i>	<code>xsd:dateTimeStamp</code>

#### Format pattern

`^\d\d\d\d-\d\d-\d\dT\d\d:\d\d:\d\dZ$`

## 8.5.2 MediaType

### Summary

Standardized way of indicating the type of content of an Element or a Property. A String constrained to the RFC 2046 specification.

### Description

A MediaType is a string constrained to the RFC 2046 MIME Part Two: Media Types<sup>54</sup>. It provides a standardized way of indicating the type of content of an Element or a Property.

### Examples

- application/java-archive
- application/vcard+json
- application/vnd.oasis.opendocument.text
- image/avif
- text/csv; charset=UTF-8
- text/javascript
- text/spdx

A list of all possible media types is available at IANA Protocol Registries<sup>55</sup>.

### Metadata

<https://spdx.org/rdf/3.0.1/terms/Core/MediaType>

<i>Name:</i>	MediaType
<i>SubclassOf:</i>	xsd:string

### Format pattern

`^[^\\]+\\/[^\\]+$`

## 8.5.3 SemVer

### Summary

A string constrained to the SemVer 2.0.0 specification.

### Description

A semantic version is a string that is following the specification of Semantic Versioning 2.0.0<sup>56</sup>.

### Metadata

<https://spdx.org/rdf/3.0.1/terms/Core/SemVer>

<i>Name:</i>	SemVer
<i>SubclassOf:</i>	xsd:string

### Format pattern

`^(0|[1-9]\d*)\.(0|[1-9]\d*)\.(0|[1-9]\d*)(?:-((?:0|[1-9]\d*|\d*[a-zA-Z-][0-9a-zA-Z-]*)?(?:\.(?:0|[1-9]\d*)`

<sup>54</sup><https://www.rfc-editor.org/info/rfc2046>

<sup>55</sup><https://www.iana.org/assignments/media-types/media-types.xhtml>

<sup>56</sup><https://semver.org/>

## 9 Software

### Summary

Everything having to do with software.

### Description

The Software namespace defines concepts related to software artifacts.

### Metadata

<https://spdx.org/rdf/3.0.1/terms/Software>

<i>Name:</i> Software
-----------------------

### 9.1 Classes

#### 9.1.1 ContentIdentifier

##### Summary

A canonical, unique, immutable identifier

##### Description

A ContentIdentifier is a canonical, unique, immutable identifier of the content of a software artifact, such as a package, a file, or a snippet.

It can be used for verifying its identity and integrity.

##### Metadata

<https://spdx.org/rdf/3.0.1/terms/Software/ContentIdentifier>

<i>Name:</i>	ContentIdentifier
<i>Instantiability:</i>	Concrete
<i>SubclassOf:</i>	/Core/IntegrityMethod

##### Superclasses

- /Core/IntegrityMethod

##### Properties

Property	Type	minCount	maxCount
contentIdentifierType	ContentIdentifierType	1	1
contentIdentifierValue	xsd:anyURI	1	1

##### All properties (informative)

Property	Type	minCount	maxCount
comment	xsd:string	0	1
contentIdentifierType	ContentIdentifierType	1	1
contentIdentifierValue	xsd:anyURI	1	1

#### 9.1.2 File

##### Summary

Refers to any object that stores content on a computer.

## Description

Refers to any object that stores content on a computer. The type of content can optionally be provided in the `contentType` property.

The `fileKind` property can be set to `directory` to indicate the file represents a directory and all content stored in that directory.

## Metadata

<https://spdx.org/rdf/3.0.1/terms/Software/File>

<i>Name:</i>	File
<i>Instantiability:</i>	Concrete
<i>SubclassOf:</i>	/Software/SoftwareArtifact

## Superclasses

- /Software/SoftwareArtifact
- /Core/Artifact
- /Core/Element

## Properties

Property	Type	minCount	maxCount
/Core/contentType	/Core/MediaType	0	1
fileKind	FileKindType	0	1

## External properties cardinality updates

Property	minCount	maxCount
/Core/Element/name	1	

## All properties (informative)

Property	Type	minCount	maxCount
additionalPurpose	SoftwarePurpose	0	*
attributionText	xsd:string	0	*
builtTime	DateTime	0	1
comment	xsd:string	0	1
contentIdentifier	ContentIdentifier	0	*
contentType	/Core/MediaType	0	1
copyrightText	xsd:string	0	1
creationInfo	CreationInfo	1	1
description	xsd:string	0	1
extension	/Extension/Extension	0	*
externalIdentifier	ExternalIdentifier	0	*
externalRef	ExternalRef	0	*
fileKind	FileKindType	0	1
name	xsd:string	1	1
originatedBy	Agent	0	*
primaryPurpose	SoftwarePurpose	0	1
releaseTime	DateTime	0	1
spdxId	xsd:anyURI	1	1
standardName	xsd:string	0	*
summary	xsd:string	0	1

suppliedBy	Agent	0	1
supportLevel	SupportType	0	*
validUntilTime	DateTime	0	1
verifiedUsing	IntegrityMethod	0	*

### 9.1.3 Package

#### Summary

Refers to any unit of content that can be associated with a distribution of software.

#### Description

A package refers to any unit of content that can be associated with a distribution of software.

Typically, a package is composed of one or more files.

Any of the following non-limiting examples may be (but are not required to be) represented in SPDX as a package:

- a tarball, zip file or other archive
- a directory or sub-directory
- a separately distributed piece of software which another Package or File uses or depends upon (e.g., a Python package, a Go module, ...)
- a container image, and/or each image layer within a container image
- a collection of one or more sub-packages
- a Git repository snapshot from a particular point in time

Note that some of these could be represented in SPDX as a file as well.

#### Metadata

<https://spdx.org/rdf/3.0.1/terms/Software/Package>

<i>Name:</i>	Package
<i>Instantiability:</i>	Concrete
<i>SubclassOf:</i>	/Software/SoftwareArtifact

#### Superclasses

- /Software/SoftwareArtifact
- /Core/Artifact
- /Core/Element

#### Properties

Property	Type	minCount	maxCount
downloadLocation	xsd:anyURI	0	1
homePage	xsd:anyURI	0	1
packageUrl	xsd:anyURI	0	1
packageVersion	xsd:string	0	1
sourceInfo	xsd:string	0	1

#### External properties cardinality updates

Property	minCount	maxCount
/Core/Element/name	1	

**All properties** (informative)

Property	Type	minCount	maxCount
additionalPurpose	SoftwarePurpose	0	*
attributionText	xsd:string	0	*
builtTime	DateTime	0	1
comment	xsd:string	0	1
contentIdentifier	ContentIdentifier	0	*
copyrightText	xsd:string	0	1
creationInfo	CreationInfo	1	1
description	xsd:string	0	1
downloadLocation	xsd:anyURI	0	1
extension	/Extension/Extension	0	*
externalIdentifier	ExternalIdentifier	0	*
externalRef	ExternalRef	0	*
homePage	xsd:anyURI	0	1
name	xsd:string	1	1
originatedBy	Agent	0	*
packageUrl	xsd:anyURI	0	1
packageVersion	xsd:string	0	1
primaryPurpose	SoftwarePurpose	0	1
releaseTime	DateTime	0	1
sourceInfo	xsd:string	0	1
spdxId	xsd:anyURI	1	1
standardName	xsd:string	0	*
summary	xsd:string	0	1
suppliedBy	Agent	0	1
supportLevel	SupportType	0	*
validUntilTime	DateTime	0	1
verifiedUsing	IntegrityMethod	0	*

**9.1.4 S bom****Summary**

A collection of SPDX Elements describing a single package.

**Description**

A Software Bill of Materials (SBOM) is a collection of SPDX Elements describing a single package.

This could include details of the content and composition of the product, provenance details of the product and/or its composition, licensing information, known quality or security issues, etc.

**Metadata**

<https://spdx.org/rdf/3.0.1/terms/Software/Sbom>

<i>Name:</i>	S bom
<i>Instantiability:</i>	Concrete
<i>SubclassOf:</i>	/Core/Bom

**Superclasses**

- /Core/Bom
- /Core/Bundle
- /Core/ElementCollection
- /Core/Element



## Properties

Property	Type	minCount	maxCount
sbomType	SbomType	0	*

### All properties (informative)

Property	Type	minCount	maxCount
comment	xsd:string	0	1
context	xsd:string	0	1
creationInfo	CreationInfo	1	1
description	xsd:string	0	1
element	Element	0	*
extension	/Extension/Extension	0	*
externalIdentifier	ExternalIdentifier	0	*
externalRef	ExternalRef	0	*
name	xsd:string	0	1
profileConformance	ProfileIdentifierType	0	*
rootElement	Element	0	*
sbomType	SbomType	0	*
spdxId	xsd:anyURI	1	1
summary	xsd:string	0	1
verifiedUsing	IntegrityMethod	0	*

### 9.1.5 Snippet

#### Summary

Describes a certain part of a file.

#### Description

A Snippet describes a certain part of a file and can be used when the file is known to have some content that has been included from another original source.

Snippets are useful for denoting when part of a file may have been originally created under another license or copied from a place with a known vulnerability.

#### Metadata

<https://spdx.org/rdf/3.0.1/terms/Software/Snippet>

<i>Name:</i>	Snippet
<i>Instantiability:</i>	Concrete
<i>SubclassOf:</i>	/Software/SoftwareArtifact

#### Superclasses

- /Software/SoftwareArtifact
- /Core/Artifact
- /Core/Element

#### Properties

Property	Type	minCount	maxCount
byteRange	/Core/PositiveIntegerRange	0	1
lineRange	/Core/PositiveIntegerRange	0	1
snippetFromFile	File	1	1

**All properties** (informative)

Property	Type	minCount	maxCount
additionalPurpose	SoftwarePurpose	0	*
attributionText	xsd:string	0	*
builtTime	DateTime	0	1
byteRange	/Core/PositiveIntegerRange	0	1
comment	xsd:string	0	1
contentIdentifier	ContentIdentifier	0	*
copyrightText	xsd:string	0	1
creationInfo	CreationInfo	1	1
description	xsd:string	0	1
extension	/Extension/Extension	0	*
externalIdentifier	ExternalIdentifier	0	*
externalRef	ExternalRef	0	*
lineRange	/Core/PositiveIntegerRange	0	1
name	xsd:string	0	1
originatedBy	Agent	0	*
primaryPurpose	SoftwarePurpose	0	1
releaseTime	DateTime	0	1
snippetFromFile	File	1	1
spdxId	xsd:anyURI	1	1
standardName	xsd:string	0	*
summary	xsd:string	0	1
suppliedBy	Agent	0	1
supportLevel	SupportType	0	*
validUntilTime	DateTime	0	1
verifiedUsing	IntegrityMethod	0	*

**9.1.6 SoftwareArtifact****Summary**

A distinct article or unit related to Software.

**Description**

A software artifact is a distinct article or unit related to software such as a package, a file, or a snippet.

**Metadata**

<https://spdx.org/rdf/3.0.1/terms/Software/SoftwareArtifact>

<i>Name:</i>	SoftwareArtifact
<i>Instantiability:</i>	Abstract
<i>SubclassOf:</i>	/Core/Artifact

**Superclasses**

- /Core/Artifact
- /Core/Element

## Properties

Property	Type	minCount	maxCount
additionalPurpose	SoftwarePurpose	0	*
attributionText	xsd:string	0	*
contentIdentifier	ContentIdentifier	0	*
copyrightText	xsd:string	0	1
primaryPurpose	SoftwarePurpose	0	1

### All properties (informative)

Property	Type	minCount	maxCount
additionalPurpose	SoftwarePurpose	0	*
attributionText	xsd:string	0	*
builtTime	DateTime	0	1
comment	xsd:string	0	1
contentIdentifier	ContentIdentifier	0	*
copyrightText	xsd:string	0	1
creationInfo	CreationInfo	1	1
description	xsd:string	0	1
extension	/Extension/Extension	0	*
externalIdentifier	ExternalIdentifier	0	*
externalRef	ExternalRef	0	*
name	xsd:string	0	1
originatedBy	Agent	0	*
primaryPurpose	SoftwarePurpose	0	1
releaseTime	DateTime	0	1
spdxId	xsd:anyURI	1	1
standardName	xsd:string	0	*
summary	xsd:string	0	1
suppliedBy	Agent	0	1
supportLevel	SupportType	0	*
validUntilTime	DateTime	0	1
verifiedUsing	IntegrityMethod	0	*

## 9.2 Properties

### 9.2.1 additionalPurpose

#### Summary

Provides additional purpose information of the software artifact.

#### Description

Additional purpose provides information about the additional purposes of the software artifact in addition to the primaryPurpose.

#### Metadata

<https://spdx.org/rdf/3.0.1/terms/Software/additionalPurpose>

<i>Name:</i>	additionalPurpose
<i>Nature:</i>	ObjectProperty
<i>Range:</i>	SoftwarePurpose

## Referenced

- /Software/SoftwareArtifact

### 9.2.2 attributionText

#### Summary

Provides a place for the SPDX data creator to record acknowledgement text for a software Package, File or Snippet.

#### Description

An attributionText for a software Package, File or Snippet provides a consumer of SPDX data with acknowledgement content, to assist redistributors of the Package, File or Snippet with reproducing those acknowledgements.

For example, this field may include a statement that is required by a particular license to be reproduced in end-user documentation, advertising materials, or another form.

This field may describe where, or in which contexts, the acknowledgements need to be reproduced, but it is not required to do so. The SPDX data creator may also explain elsewhere (such as in a comment field) how they intend for data in this field to be used.

An attributionText is not meant to include the software Package, File or Snippet's actual complete license text. Use hasConcludedLicense to identify the corresponding license.

#### Metadata

<https://spdx.org/rdf/3.0.1/terms/Software/attributionText>

<i>Name:</i>	attributionText
<i>Nature:</i>	DataProperty
<i>Range:</i>	xsd:string

## Referenced

- /Software/SoftwareArtifact

### 9.2.3 byteRange

#### Summary

Defines the byte range in the original host file that the snippet information applies to.

#### Description

This field defines the byte range in the original host file that the snippet information applies to.

A range of bytes is independent of various formatting concerns, and the most accurate way of referring to the differences. The choice was made to start the numbering of the byte range at 1 to be consistent with the W3C pointer method vocabulary.

#### Metadata

<https://spdx.org/rdf/3.0.1/terms/Software/byteRange>

<i>Name:</i>	byteRange
<i>Nature:</i>	DataProperty
<i>Range:</i>	/Core/PositiveIntegerRange

## Referenced

- /Software/Snippet

### 9.2.4 contentIdentifier

#### Summary

A canonical, unique, immutable identifier of the artifact content, that may be used for verifying its identity and/or integrity.

#### Description

A contentIdentifier is a canonical, unique, immutable identifier of the content of a software artifact, such as a package, a file, or a snippet.

It may be used for verifying its identity and/or integrity.

#### Metadata

<https://spdx.org/rdf/3.0.1/terms/Software/contentIdentifier>

<i>Name:</i>	contentIdentifier
<i>Nature:</i>	DataProperty
<i>Range:</i>	ContentIdentifier

## Referenced

- /Software/SoftwareArtifact

### 9.2.5 contentIdentifierType

#### Summary

Specifies the type of the content identifier.

#### Description

A contentIdentifierType specifies the type of the content identifier.

#### Metadata

<https://spdx.org/rdf/3.0.1/terms/Software/contentIdentifierType>

<i>Name:</i>	contentIdentifierType
<i>Nature:</i>	ObjectProperty
<i>Range:</i>	ContentIdentifierType

## Referenced

- /Software/ContentIdentifier

### 9.2.6 contentIdentifierValue

#### Summary

Specifies the value of the content identifier.

#### Description

A contentIdentifierValue specifies the value of a content identifier.

**Metadata**

<https://spdx.org/rdf/3.0.1/terms/Software/contentIdentifierValue>

<i>Name:</i>	contentIdentifierValue
<i>Nature:</i>	DataProperty
<i>Range:</i>	xsd:anyURI

**Referenced**

- /Software/ContentIdentifier

**9.2.7 copyrightText****Summary**

Identifies the text of one or more copyright notices for a software Package, File or Snippet, if any.

**Description**

A copyrightText consists of the text(s) of the copyright notice(s) found for a software Package, File or Snippet, if any.

If a copyrightText contains text, then it may contain any text related to one or more copyright notices (even if not complete) for that software Package, File or Snippet.

If a copyrightText has a “NONE” value, this indicates that the software Package, File or Snippet contains no copyright notice whatsoever.

If a copyrightText has a “NOASSERTION” value, this indicates that one of the following applies:

- the SPDX data creator has attempted to but cannot reach a reasonable objective determination;
- the SPDX data creator has made no attempt to determine this field; or
- the SPDX data creator has intentionally provided no information (no meaning should be implied by doing so).

If a copyrightText is present, but consists of solely an empty string or a string with no substantive content (e.g., a string that contains only whitespace), then this should be interpreted as equivalent to a “NOASSERTION” value as described above.

**Metadata**

<https://spdx.org/rdf/3.0.1/terms/Software/copyrightText>

<i>Name:</i>	copyrightText
<i>Nature:</i>	DataProperty
<i>Range:</i>	xsd:string

**Referenced**

- /Software/SoftwareArtifact

**9.2.8 downloadLocation****Summary**

Identifies the download Uniform Resource Identifier for the package at the time that the document was created.

**Description**

A downloadLocation identifies the download Uniform Resource Identifier for the package at the time that the document was created.

Where and how to download the exact package being referenced is critical for verification and tracking data.

**Metadata**

<https://spdx.org/rdf/3.0.1/terms/Software/downloadLocation>

<i>Name:</i>	downloadLocation
<i>Nature:</i>	DataProperty
<i>Range:</i>	xsd:anyURI

**Referenced**

- /Software/Package

**9.2.9 fileKind****Summary**

Describes if a given file is a directory or non-directory kind of file.

**Description**

An SPDX file may represent a specific file or a directory of files.

In the future, this may be extended to other kinds (e.g. network based files).

**Metadata**

<https://spdx.org/rdf/3.0.1/terms/Software/fileKind>

<i>Name:</i>	fileKind
<i>Nature:</i>	ObjectProperty
<i>Range:</i>	FileKindType

**Referenced**

- /Software/File

**9.2.10 homePage****Summary**

A place for the SPDX document creator to record a website that serves as the package's home page.

**Description**

A homePage is a place for the SPDX document creator to record a website that serves as the package's home page.

This saves the recipient of the SPDX document who is looking for more info from having to search for and verify a match between the package and the associated project home page.

This link can also be used to reference further information about the package referenced by the SPDX document creator.

**Metadata**

<https://spdx.org/rdf/3.0.1/terms/Software/homePage>

<i>Name:</i>	homePage
<i>Nature:</i>	DataProperty
<i>Range:</i>	xsd:anyURI

**Referenced**

- /Software/Package

**9.2.11 lineRange****Summary**

Defines the line range in the original host file that the snippet information applies to.

**Description**

This field defines the line range in the original host file that the snippet information applies to.

If there is a disagreement between the byte range and line range, the byte range values will take precedence.

A range of lines is a convenient reference for those files where there is a known line delimiter. The choice was made to start the numbering of the lines at 1 to be consistent with the W3C pointer method vocabulary.

**Metadata**

<https://spdx.org/rdf/3.0.1/terms/Software/lineRange>

<i>Name:</i>	lineRange
<i>Nature:</i>	DataProperty
<i>Range:</i>	/Core/PositiveIntegerRange

**Referenced**

- /Software/Snippet

**9.2.12 packageUrl****Summary**

Provides a place for the SPDX data creator to record the package URL string (in accordance with the Package URL specification) for a software Package.

**Description**

A package URL (commonly pronounced and referred to as “purl”) is an attempt to standardize package representations in order to reliably identify and locate software packages. A packageUrl is a URL string which represents a package in a mostly universal and uniform way across programming languages, package managers, packaging conventions, tools, APIs and databases.

A packageUrl is composed of seven components:

`scheme:type/namespace/name@version?qualifiers#subpath`

The definition for each component can be found in the corresponding Annex<sup>57</sup> of this specification. Known type definitions can be found in the Package URL type definitions<sup>58</sup>.

<sup>57</sup> ../..../annexes/pkg-url-specification.md

<sup>58</sup> <https://github.com/package-url/purl-spec/blob/b33dda1cf4515efa8eabbbe8e9b140950805f845/PURL-TYPES.rst>



Components are designed such that they form a hierarchy from the most significant on the left to the least significant components on the right.

### Metadata

<https://spdx.org/rdf/3.0.1/terms/Software/packageUrl>

<i>Name:</i>	packageUrl
<i>Nature:</i>	DataProperty
<i>Range:</i>	xsd:anyURI

### Referenced

- /Software/Package

## 9.2.13 packageVersion

### Summary

Identify the version of a package.

### Description

A packageVersion is useful for identification purposes and for indicating later changes of the package version.

### Metadata

<https://spdx.org/rdf/3.0.1/terms/Software/packageVersion>

<i>Name:</i>	packageVersion
<i>Nature:</i>	DataProperty
<i>Range:</i>	xsd:string

### Referenced

- /Software/Package

## 9.2.14 primaryPurpose

### Summary

Provides information about the primary purpose of the software artifact.

### Description

primaryPurpose provides information about the primary purpose of the software artifact.

### Metadata

<https://spdx.org/rdf/3.0.1/terms/Software/primaryPurpose>

<i>Name:</i>	primaryPurpose
<i>Nature:</i>	ObjectProperty
<i>Range:</i>	SoftwarePurpose

### Referenced

- /Software/SoftwareArtifact

### 9.2.15 sbomType

#### Summary

Provides information about the type of an SBOM.

#### Description

This field is a reasonable estimation of the type of SBOM created from a creator perspective.

It is intended to be used to give guidance on the elements that may be contained within it.

Aligning with the guidance produced in Types of Software Bill of Material (SBOM) Documents<sup>59</sup>.

#### Metadata

<https://spdx.org/rdf/3.0.1/terms/Software/sbomType>

<i>Name:</i>	sbomType
<i>Nature:</i>	ObjectProperty
<i>Range:</i>	SbomType

#### Referenced

- /Software/Sbom

### 9.2.16 snippetFromFile

#### Summary

Defines the original host file that the snippet information applies to.

#### Description

The field identifies the file which contains the snippet.

#### Metadata

<https://spdx.org/rdf/3.0.1/terms/Software/snippetFromFile>

<i>Name:</i>	snippetFromFile
<i>Nature:</i>	ObjectProperty
<i>Range:</i>	File

#### Referenced

- /Software/Snippet

### 9.2.17 sourceInfo

#### Summary

Records any relevant background information or additional comments about the origin of the package.

<sup>59</sup><https://www.cisa.gov/sites/default/files/2023-04/sbom-types-document-508c.pdf>

## Description

SourceInfo records any relevant background information or additional comments about the origin of the package. For example, this field might include comments indicating whether the package was pulled from a source code management system or has been repackaged.

The creator can provide additional information to describe any anomalies or discoveries in the determination of the origin of the package.

## Metadata

<https://spdx.org/rdf/3.0.1/terms/Software/sourceInfo>

<i>Name:</i>	sourceInfo
<i>Nature:</i>	DataProperty
<i>Range:</i>	xsd:string

## Referenced

- /Software/Package

## 9.3 Vocabularies

### 9.3.1 ContentIdentifierType

#### Summary

Specifies the type of a content identifier.

#### Description

ContentIdentifierType specifies the type of a content identifier.

#### Metadata

<https://spdx.org/rdf/3.0.1/terms/Software/ContentIdentifierType>

<i>Name:</i>	ContentIdentifierType
--------------	-----------------------

#### Entries

**gitoid** Gitoid<sup>60</sup>, stands for Git Object ID<sup>61</sup>. A gitoid of type blob is a unique hash of a binary artifact. A gitoid may represent either an Artifact Identifier<sup>62</sup> for the software artifact or an Input Manifest Identifier<sup>63</sup> for the software artifact's associated Artifact Input Manifest<sup>64</sup>; this ambiguity exists because the Artifact Input Manifest is itself an artifact, and the gitoid of that artifact is its valid identifier. Gitoids calculated on software artifacts (Snippet, File, or Package Elements) should be recorded in the SPDX 3.0 SoftwareArtifact's contentIdentifier property. Gitoids calculated on the Artifact Input Manifest (Input Manifest Identifier) should be recorded in the SPDX 3.0 Element's externalIdentifier property. See OmniBOR Specification<sup>65</sup>, a minimalistic specification for describing software Artifact Dependency Graphs<sup>66</sup>.

<sup>60</sup><https://www.iana.org/assignments/uri-schemes/prov/gitoid>

<sup>61</sup><https://git-scm.com/book/en/v2/Git-Internals-Git-Objects>

<sup>62</sup><https://github.com/omnibor/spec/blob/eb1ee5c961c16215eb8709b2975d193a2007a35d/spec/SPEC.md#artifact-identifier-types>

<sup>63</sup><https://github.com/omnibor/spec/blob/eb1ee5c961c16215eb8709b2975d193a2007a35d/spec/SPEC.md#input-manifest-identifier>

<sup>64</sup><https://github.com/omnibor/spec/blob/eb1ee5c961c16215eb8709b2975d193a2007a35d/spec/SPEC.md#artifact-input-manifest>

<sup>65</sup><https://github.com/omnibor/spec/>

<sup>66</sup><https://github.com/omnibor/spec/blob/eb1ee5c961c16215eb8709b2975d193a2007a35d/spec/SPEC.md#artifact-dependency-graph-adg>

**swhid** SoftWare Hash IDentifier, a persistent intrinsic identifier for digital artifacts, such as files, trees (also known as directories or folders), commits, and other objects typically found in version control systems. The format of the identifiers is defined in the SWHID specification<sup>67</sup> (ISO/IEC DIS 18670). They typically look like `swh:1:cnt:94a9ed024d3859793618152ea559a168bbcbb5e2`.

### 9.3.2 FileKindType

#### Summary

Enumeration of the different kinds of SPDX file.

#### Description

An SPDX file may represent a file on disk or a directory of files.

In the future, this may be extended to other kinds (e.g. network based files).

#### Metadata

<https://spdx.org/rdf/3.0.1/terms/Software/FileKindType>

<i>Name:</i> FileKindType
---------------------------

#### Entries

**directory** The file represents a directory and all content stored in that directory.

**file** The file represents a single file (default).

### 9.3.3 S bomType

#### Summary

Provides a set of values to be used to describe the common types of SBOMs that tools may create.

#### Description

The set of SBOM types with definitions as defined in Types of Software Bill of Material (SBOM) Documents<sup>68</sup>, published on April 21, 2023.

An SBOM type describes the most likely type of an SBOM from the producer perspective, so that consumers can draw conclusions about the data inside an SBOM.

A single SBOM can have multiple SBOM document types associated with it.

#### Metadata

<https://spdx.org/rdf/3.0.1/terms/Software/SbomType>

<i>Name:</i> SbomType
-----------------------

#### Entries

**analyzed** SBOM generated through analysis of artifacts (e.g., executables, packages, containers, and virtual machine images) after its build. Such analysis generally requires a variety of heuristics. In some contexts, this may also be referred to as a “3rd party” SBOM.

<sup>67</sup><https://www.swhid.org/specification/v1.1/4.Syntax>

<sup>68</sup><https://www.cisa.gov/sites/default/files/2023-04/sbom-types-document-508c.pdf>

**build** SBOM generated as part of the process of building the software to create a releasable artifact (e.g., executable or package) from data such as source files, dependencies, built components, build process ephemeral data, and other SBOMs.

**deployed** SBOM provides an inventory of software that is present on a system. This may be an assembly of other SBOMs that combines analysis of configuration options, and examination of execution behavior in a (potentially simulated) deployment environment.

**design** SBOM of intended, planned software project or product with included components (some of which may not yet exist) for a new software artifact.

**runtime** SBOM generated through instrumenting the system running the software, to capture only components present in the system, as well as external call-outs or dynamically loaded components. In some contexts, this may also be referred to as an “Instrumented” or “Dynamic” SBOM.

**source** SBOM created directly from the development environment, source files, and included dependencies used to build an product artifact.

### 9.3.4 SoftwarePurpose

#### Summary

Provides information about the primary purpose of an Element.

#### Description

This field provides information about the primary purpose of an Element.

Software Purpose is intrinsic to how the Element is being used rather than the content of the Element.

This field is a reasonable estimate of the most likely usage of the Element from the producer and consumer perspective from which both parties can draw conclusions about the context in which the Element exists.

#### Metadata

<https://spdx.org/rdf/3.0.1/terms/Software/SoftwarePurpose>

Name: SoftwarePurpose
-----------------------

#### Entries

**application** the Element is a software application

**archive** the Element is an archived collection of one or more files (.tar, .zip, etc)

**bom** Element is a bill of materials

**configuration** Element is configuration data

**container** the Element is a container image which can be used by a container runtime application

**data** Element is data

**device** the Element refers to a chipset, processor, or electronic board

**deviceDriver** Element represents software that controls hardware devices

**diskImage** the Element refers to a disk image that can be written to a disk, booted in a VM, etc. A disk image typically contains most or all of the components necessary to boot, such as bootloaders, kernels, firmware, userspace, etc.

**documentation** Element is documentation

**evidence** the Element is the evidence that a specification or requirement has been fulfilled

**executable** Element is an Artifact that can be run on a computer

**file** the Element is a single file which can be independently distributed (configuration file, statically linked binary, Kubernetes deployment, etc)

**filesystemImage** the Element is a file system image that can be written to a disk (or virtual) partition

**firmware** the Element provides low level control over a device's hardware

**framework** the Element is a software framework

**install** the Element is used to install software on disk

**library** the Element is a software library

**manifest** the Element is a software manifest

**model** the Element is a machine learning or artificial intelligence model

**module** the Element is a module of a piece of software

**operatingSystem** the Element is an operating system

**other** the Element doesn't fit into any of the other categories

**patch** Element contains a set of changes to update, fix, or improve another Element

**platform** Element represents a runtime environment

**requirement** the Element provides a requirement needed as input for another Element

**source** the Element is a single or a collection of source files

**specification** the Element is a plan, guideline or strategy how to create, perform or analyse an application

**test** The Element is a test used to verify functionality on an software element

## 10 Security

### Summary

The Security Profile captures security related information.

### Description

The Security Profile captures security related information.

### Metadata

<https://spdx.org/rdf/3.0.1/terms/Security>

<i>Name:</i> Security
-----------------------

### 10.1 Classes

#### 10.1.1 CvssV2VulnAssessmentRelationship

### Summary

Provides a CVSS version 2.0 assessment for a vulnerability.

## Description

A `CvssV2VulnAssessmentRelationship` relationship describes the determined score and vector of a vulnerability as defined in A Complete Guide to the Common Vulnerability Scoring System Version 2.0<sup>69</sup>.

It is intended to communicate the results of using a CVSS calculator.

### Constraints

- The relationship type must be set to `hasAssessmentFor`.

### Example

```
{
  "type": "CvssV2VulnAssessmentRelationship",
  "spdxId": "urn:spdx.dev:cvssv2-cve-2020-28498",
  "relationshipType": "hasAssessmentFor",
  "security_score": "4.3",
  "security_vectorString": "(AV:N/AC:M/Au:N/C:P/I:N/A:N)",
  "from": "urn:spdx.dev:vuln-cve-2020-28498",
  "to": ["urn:product-acme-application-1.3"],
  "security_assessedElement": "urn:npm-elliptic-6.5.2",
  "externalRef": [
    {
      "type": "ExternalRef",
      "externalRefType": "securityAdvisory",
      "locator": "https://nvd.nist.gov/vuln/detail/CVE-2020-28498"
    },
    {
      "type": "ExternalRef",
      "externalRefType": "securityAdvisory",
      "locator": "https://snyk.io/vuln/SNYK-JS-ELLIPTIC-1064899"
    },
    {
      "type": "ExternalRef",
      "externalRefType": "securityFix",
      "locator": "https://github.com/indutny/elliptic/commit/441b742"
    }
  ],
  "suppliedBy": ["urn:spdx.dev:agent-my-security-vendor"],
  "publishedTime": "2023-05-06T10:06:13Z"
},
{
  "type": "Relationship",
  "spdxId": "urn:spdx.dev:vulnAgentRel-1",
  "relationshipType": "publishedBy",
  "from": "urn:spdx.dev:cvssv2-cve-2020-28498",
  "to": ["urn:spdx.dev:agent-snyk"],
  "startTime": "2021-03-08T16:06:50Z"
}
```

## Metadata

<https://spdx.org/rdf/3.0.1/terms/Security/CvssV2VulnAssessmentRelationship>

<b>Name:</b>	<code>CvssV2VulnAssessmentRelationship</code>
<b>Instantiability:</b>	Concrete
<b>SubclassOf:</b>	<code>VulnAssessmentRelationship</code>

<sup>69</sup><https://www.first.org/cvss/v2/guide>

## Superclasses

- /Security/VulnAssessmentRelationship
- /Core/Relationship
- /Core/Element

## Properties

Property	Type	minCount	maxCount
score	xsd:decimal	1	1
vectorString	xsd:string	1	1

### All properties (informative)

Property	Type	minCount	maxCount
assessedElement	/Core/Element	0	1
comment	xsd:string	0	1
completeness	RelationshipCompleteness	0	1
creationInfo	CreationInfo	1	1
description	xsd:string	0	1
endTime	DateTime	0	1
extension	/Extension/Extension	0	*
externalIdentifier	ExternalIdentifier	0	*
externalRef	ExternalRef	0	*
from	Element	1	1
modifiedTime	/Core/DateTime	0	1
name	xsd:string	0	1
publishedTime	/Core/DateTime	0	1
relationshipType	RelationshipType	1	1
score	xsd:decimal	1	1
spdxId	xsd:anyURI	1	1
startTime	DateTime	0	1
summary	xsd:string	0	1
suppliedBy	/Core/Agent	0	1
to	Element	1	*
vectorString	xsd:string	1	1
verifiedUsing	IntegrityMethod	0	*
withdrawnTime	/Core/DateTime	0	1

### 10.1.2 CvssV3VulnAssessmentRelationship

#### Summary

Provides a CVSS version 3 assessment for a vulnerability.

#### Description

A CvssV3VulnAssessmentRelationship relationship describes the determined score, severity, and vector of a vulnerability as defined in Common Vulnerability Scoring System v3.0: Specification Document<sup>70</sup> or Common Vulnerability Scoring System v3.1: Specification Document<sup>71</sup>.

It is intended to communicate the results of using a CVSS calculator.

#### Constraints

<sup>70</sup><https://www.first.org/cvss/v3.0/specification-document>

<sup>71</sup><https://www.first.org/cvss/v3.1/specification-document>



- The relationship type must be set to `hasAssessmentFor`.

### Example

```
{
  "type": "CvssV3VulnAssessmentRelationship",
  "spdxId": "urn:spdx.dev:cvssv3-cve-2020-28498",
  "relationshipType": "hasAssessmentFor",
  "security_score": "6.8",
  "security_severity": "medium",
  "security_vectorString": "CVSS:3.1/AV:N/AC:H/PR:N/UI:N/S:C/C:H/I:N/A:N",
  "from": "urn:spdx.dev:vuln-cve-2020-28498",
  "to": ["urn:product-acme-application-1.3"],
  "security_assessedElement": "urn:npm-elliptic-6.5.2",
  "externalRef": [
    {
      "type": "ExternalRef",
      "externalRefType": "securityAdvisory",
      "locator": "https://nvd.nist.gov/vuln/detail/CVE-2020-28498"
    },
    {
      "type": "ExternalRef",
      "externalRefType": "securityAdvisory",
      "locator": "https://snyk.io/vuln/SNYK-JS-ELLIPTIC-1064899"
    },
    {
      "type": "ExternalRef",
      "externalRefType": "securityFix",
      "locator": "https://github.com/indutny/elliptic/commit/441b742"
    }
  ],
  "suppliedBy": ["urn:spdx.dev:agent-my-security-vendor"],
  "publishedTime": "2023-05-06T10:06:13Z"
},
{
  "type": "Relationship",
  "spdxId": "urn:spdx.dev:vulnAgentRel-1",
  "relationshipType": "publishedBy",
  "from": "urn:spdx.dev:cvssv3-cve-2020-28498",
  "to": ["urn:spdx.dev:agent-snyk"],
  "startTime": "2021-03-08T16:06:50Z"
}
```

### Metadata

<https://spdx.org/rdf/3.0.1/terms/Security/CvssV3VulnAssessmentRelationship>

<b>Name:</b>	CvssV3VulnAssessmentRelationship
<b>Instantiability:</b>	Concrete
<b>SubclassOf:</b>	VulnAssessmentRelationship

### Superclasses

- `/Security/VulnAssessmentRelationship`
- `/Core/Relationship`
- `/Core/Element`

## Properties

Property	Type	minCount	maxCount
score	xsd:decimal	1	1
severity	CvssSeverityType	1	1
vectorString	xsd:string	1	1

### All properties (informative)

Property	Type	minCount	maxCount
assessedElement	/Core/Element	0	1
comment	xsd:string	0	1
completeness	RelationshipCompleteness	0	1
creationInfo	CreationInfo	1	1
description	xsd:string	0	1
endTime	DateTime	0	1
extension	/Extension/Extension	0	*
externalIdentifier	ExternalIdentifier	0	*
externalRef	ExternalRef	0	*
from	Element	1	1
modifiedTime	/Core/DateTime	0	1
name	xsd:string	0	1
publishedTime	/Core/DateTime	0	1
relationshipType	RelationshipType	1	1
score	xsd:decimal	1	1
severity	CvssSeverityType	1	1
spdxId	xsd:anyURI	1	1
startTime	DateTime	0	1
summary	xsd:string	0	1
suppliedBy	/Core/Agent	0	1
to	Element	1	*
vectorString	xsd:string	1	1
verifiedUsing	IntegrityMethod	0	*
withdrawnTime	/Core/DateTime	0	1

### 10.1.3 CvssV4VulnAssessmentRelationship

#### Summary

Provides a CVSS version 4 assessment for a vulnerability.

#### Description

A CvssV4VulnAssessmentRelationship relationship describes the determined score, severity, and vector of a vulnerability as defined in Common Vulnerability Scoring System version 4.0: Specification Document<sup>72</sup>.

It is intended to communicate the results of using a CVSS calculator.

#### Constraints

- The relationship type must be set to hasAssessmentFor.

#### Example

<sup>72</sup><https://www.first.org/cvss/v4.0/specification-document>

```

{
  "type": "CvssV4VulnAssessmentRelationship",
  "spdxId": "urn:spdx.dev:cvssv4-cve-2021-44228",
  "relationshipType": "hasAssessmentFor",
  "security_severity": "medium",
  "security_score": "10.0",
  "security_vectorString": "CVSS:4.0/AV:N/AC:L/AT:N/AR:N/UI:N/VCH:VI:H/VA:H/SC:H/SI:H/SA:H/E:A",
  "from": "urn:spdx.dev:vuln-cve-2021-44228",
  "to": ["urn:product-acme-application-1.3"],
  "security_assessedElement": "urn:apache-log4j-2.14.1",
  "externalRef": [
    {
      "@type": "ExternalRef",
      "externalRefType": "securityAdvisory",
      "locator": "https://nvd.nist.gov/vuln/detail/CVE-2021-44228"
    },
    {
      "@type": "ExternalRef",
      "externalRefType": "securityAdvisory",
      "locator": "https://logging.apache.org/log4j/2.x/security.html"
    },
    {
      "@type": "ExternalRef",
      "externalRefType": "securityOther",
      "locator": "https://www.first.org/cvss/v4.0/examples#Apache-log4j-Vulnerability-CVE-2021-44228"
    }
  ],
  "suppliedBy": ["urn:spdx.dev:agent-my-security-vendor"],
  "publishedTime": "2023-10-05T23:09:13Z"
},
{
  "type": "Relationship",
  "spdxId": "urn:spdx.dev:vulnAgentRel-1",
  "relationshipType": "publishedBy",
  "from": "urn:spdx.dev:cvssv4-cve-2021-44228",
  "to": ["urn:spdx.dev:agent-apache.org"],
  "startTime": "2021-12-11T18:39:00Z"
}

```

## Metadata

<https://spdx.org/rdf/3.0.1/terms/Security/CvssV4VulnAssessmentRelationship>

<i>Name:</i>	CvssV4VulnAssessmentRelationship
<i>Instantiability:</i>	Concrete
<i>SubclassOf:</i>	VulnAssessmentRelationship

## Superclasses

- /Security/VulnAssessmentRelationship
- /Core/Relationship
- /Core/Element

## Properties

Property	Type	minCount	maxCount
score	xsd:decimal	1	1
severity	CvssSeverityType	1	1
vectorString	xsd:string	1	1

**All properties** (informative)

Property	Type	minCount	maxCount
assessedElement	/Core/Element	0	1
comment	xsd:string	0	1
completeness	RelationshipCompleteness	0	1
creationInfo	CreationInfo	1	1
description	xsd:string	0	1
endTime	DateTime	0	1
extension	/Extension/Extension	0	*
externalIdentifier	ExternalIdentifier	0	*
externalRef	ExternalRef	0	*
from	Element	1	1
modifiedTime	/Core/DateTime	0	1
name	xsd:string	0	1
publishedTime	/Core/DateTime	0	1
relationshipType	RelationshipType	1	1
score	xsd:decimal	1	1
severity	CvssSeverityType	1	1
spdxId	xsd:anyURI	1	1
startTime	DateTime	0	1
summary	xsd:string	0	1
suppliedBy	/Core/Agent	0	1
to	Element	1	*
vectorString	xsd:string	1	1
verifiedUsing	IntegrityMethod	0	*
withdrawnTime	/Core/DateTime	0	1

**10.1.4 EpssVulnAssessmentRelationship****Summary**

Provides an EPSS assessment for a vulnerability.

**Description**

An EpssVulnAssessmentRelationship relationship describes the likelihood or probability that a vulnerability will be exploited in the wild, and the percentile ranking of probability relative to all other vulnerabilities' EPSS scores, using the Exploit Prediction Scoring System (EPSS) as defined at The EPSS Model<sup>73</sup>.

*Constraints*

- The relationship type must be set to hasAssessmentFor.
- The probability must be between 0 and 1.
- The percentile must be between 0 and 1.

*Example*

```
{
  "type": "EpssVulnAssessmentRelationship",
  "spdxId": "urn:spdx.dev:epss-CVE-2020-28498",
  "relationshipType": "hasAssessmentFor",
  "security_probability": "0.00105",
  "security_percentile": "0.42356",
  "from": "urn:spdx.dev:vuln-cve-2020-28498",
```

<sup>73</sup><https://www.first.org/epss/model>

```

    "to": ["urn:product-acme-application-1.3"],
    "suppliedBy": ["urn:spdx.dev:agent-jane-doe"],
    "publishedTime": "2023-10-05T00:00:30Z"
  }

```

## Metadata

<https://spdx.org/rdf/3.0.1/terms/Security/EpssVulnAssessmentRelationship>

<i>Name:</i>	EpssVulnAssessmentRelationship
<i>Instantiability:</i>	Concrete
<i>SubclassOf:</i>	VulnAssessmentRelationship

## Superclasses

- /Security/VulnAssessmentRelationship
- /Core/Relationship
- /Core/Element

## Properties

Property	Type	minCount	maxCount
percentile	xsd:decimal	1	1
probability	xsd:decimal	1	1

## External properties cardinality updates

Property	minCount	maxCount
/Security/VulnAssessmentRelationship/publishedTime	1	

## All properties (informative)

Property	Type	minCount	maxCount
assessedElement	/Core/Element	0	1
comment	xsd:string	0	1
completeness	RelationshipCompleteness	0	1
creationInfo	CreationInfo	1	1
description	xsd:string	0	1
endTime	DateTime	0	1
extension	/Extension/Extension	0	*
externalIdentifier	ExternalIdentifier	0	*
externalRef	ExternalRef	0	*
from	Element	1	1
modifiedTime	/Core/DateTime	0	1
name	xsd:string	0	1
percentile	xsd:decimal	1	1
probability	xsd:decimal	1	1
publishedTime	/Core/DateTime	1	1
relationshipType	RelationshipType	1	1
spdxId	xsd:anyURI	1	1
startTime	DateTime	0	1
summary	xsd:string	0	1
suppliedBy	/Core/Agent	0	1
to	Element	1	*
verifiedUsing	IntegrityMethod	0	*

withdrawnTime	/Core/DateTime	0	1
---------------	----------------	---	---

### 10.1.5 ExploitCatalogVulnAssessmentRelationship

#### Summary

Provides an exploit assessment of a vulnerability.

#### Description

An ExploitCatalogVulnAssessmentRelationship describes if a vulnerability is listed in any exploit catalog such as the CISA Known Exploited Vulnerabilities (KEV) Catalog<sup>74</sup>.

#### Constraints

- The relationship type must be set to hasAssessmentFor.

#### Example

```
{
  "type": "ExploitCatalogVulnAssessmentRelationship",
  "spdxId": "urn:spdx.dev:exploit-catalog-1",
  "relationshipType": "hasAssessmentFor",
  "security_catalogType": "kev",
  "locator": "https://www.cisa.gov/known-exploited-vulnerabilities-catalog",
  "security_exploited": "true",
  "from": "urn:spdx.dev:vuln-cve-2023-2136",
  "to": ["urn:product-google-chrome-112.0.5615.136"],
  "suppliedBy": ["urn:spdx.dev:agent-jane-doe"],
  "publishedTime": "2021-03-09T11:04:53Z"
}
```

#### Metadata

<https://spdx.org/rdf/3.0.1/terms/Security/ExploitCatalogVulnAssessmentRelationship>

<i>Name:</i>	ExploitCatalogVulnAssessmentRelationship
<i>Instantiability:</i>	Concrete
<i>SubclassOf:</i>	VulnAssessmentRelationship

#### Superclasses

- /Security/VulnAssessmentRelationship
- /Core/Relationship
- /Core/Element

#### Properties

Property	Type	minCount	maxCount
catalogType	ExploitCatalogType	1	1
exploited	xsd:boolean	1	1
locator	xsd:anyURI	1	1

#### All properties (informative)

<sup>74</sup><https://www.cisa.gov/known-exploited-vulnerabilities-catalog>

Property	Type	minCount	maxCount
assessedElement	/Core/Element	0	1
catalogType	ExploitCatalogType	1	1
comment	xsd:string	0	1
completeness	RelationshipCompleteness	0	1
creationInfo	CreationInfo	1	1
description	xsd:string	0	1
endTime	DateTime	0	1
exploited	xsd:boolean	1	1
extension	/Extension/Extension	0	*
externalIdentifier	ExternalIdentifier	0	*
externalRef	ExternalRef	0	*
from	Element	1	1
locator	xsd:anyURI	1	1
modifiedTime	/Core/DateTime	0	1
name	xsd:string	0	1
publishedTime	/Core/DateTime	0	1
relationshipType	RelationshipType	1	1
spdxId	xsd:anyURI	1	1
startTime	DateTime	0	1
summary	xsd:string	0	1
suppliedBy	/Core/Agent	0	1
to	Element	1	*
verifiedUsing	IntegrityMethod	0	*
withdrawnTime	/Core/DateTime	0	1

### 10.1.6 SsvcVulnAssessmentRelationship

#### Summary

Provides an SSVC assessment for a vulnerability.

#### Description

An SsvcVulnAssessmentRelationship describes the decision made using the Stakeholder-Specific Vulnerability Categorization (SSVC) decision tree as defined by CISA Stakeholder-Specific Vulnerability Categorization Guide<sup>75</sup>.

It is intended to communicate the results of using the CISA SSVC Calculator.

#### Constraints

- The relationship type must be set to hasAssessmentFor.

#### Example

```
{
  "@type": "SsvcVulnAssessmentRelationship",
  "@id": "urn:spdx.dev:ssvc-1",
  "relationshipType": "hasAssessmentFor",
  "security_decisionType": "act",
  "from": "urn:spdx.dev:vuln-cve-2020-28498",
  "to": ["urn:product-acme-application-1.3"],
  "security_assessedElement": "urn:npm-elliptic-6.5.2",
  "suppliedBy": ["urn:spdx.dev:agent-jane-doe"],
  "publishedTime": "2021-03-09T11:04:53Z"
}
```

<sup>75</sup><https://www.cisa.gov/stakeholder-specific-vulnerability-categorization-ssvc>

**Metadata**

<https://spdx.org/rdf/3.0.1/terms/Security/SsvcVulnAssessmentRelationship>

<i>Name:</i>	SsvcVulnAssessmentRelationship
<i>Instantiability:</i>	Concrete
<i>SubclassOf:</i>	VulnAssessmentRelationship

**Superclasses**

- /Security/VulnAssessmentRelationship
- /Core/Relationship
- /Core/Element

**Properties**

Property	Type	minCount	maxCount
decisionType	SsvcDecisionType	1	1

**All properties** (informative)

Property	Type	minCount	maxCount
assessedElement	/Core/Element	0	1
comment	xsd:string	0	1
completeness	RelationshipCompleteness	0	1
creationInfo	CreationInfo	1	1
decisionType	SsvcDecisionType	1	1
description	xsd:string	0	1
endTime	DateTime	0	1
extension	/Extension/Extension	0	*
externalIdentifier	ExternalIdentifier	0	*
externalRef	ExternalRef	0	*
from	Element	1	1
modifiedTime	/Core/DateTime	0	1
name	xsd:string	0	1
publishedTime	/Core/DateTime	0	1
relationshipType	RelationshipType	1	1
spdxId	xsd:anyURI	1	1
startTime	DateTime	0	1
summary	xsd:string	0	1
suppliedBy	/Core/Agent	0	1
to	Element	1	*
verifiedUsing	IntegrityMethod	0	*
withdrawnTime	/Core/DateTime	0	1

**10.1.7 VexAffectedVulnAssessmentRelationship****Summary**

Connects a vulnerability and an element designating the element as a product affected by the vulnerability.

**Description**

VexAffectedVulnAssessmentRelationship connects a vulnerability and a number of elements. The relationship marks these elements as products affected by the vulnerability. This relationship corresponds to the VEX affected status.



### Constraints

When linking elements using a `VexAffectedVulnAssessmentRelationship`, the following requirements must be observed:

- Elements linked with a `VulnVexAffectedAssessmentRelationship` are constrained to the `affects` relationship type.

### Example

```
{
  "type": "VexAffectedVulnAssessmentRelationship",
  "spdxId": "urn:spdx.dev:vex-affected-1",
  "relationshipType": "affects",
  "from": "urn:spdx.dev:vuln-cve-2020-28498",
  "to": ["urn:product-acme-application-1.3"],
  "security_assessedElement": "urn:npm-elliptic-6.5.2",
  "security_actionStatement": "Upgrade to version 1.4 of ACME application.",
  "suppliedBy": ["urn:spdx.dev:agent-jane-doe"],
  "publishedTime": "2021-03-09T11:04:53Z"
}
```

### Metadata

<https://spdx.org/rdf/3.0.1/terms/Security/VexAffectedVulnAssessmentRelationship>

<i>Name:</i>	VexAffectedVulnAssessmentRelationship
<i>Instantiability:</i>	Concrete
<i>SubclassOf:</i>	VexVulnAssessmentRelationship

### Superclasses

- /Security/VexVulnAssessmentRelationship
- /Security/VulnAssessmentRelationship
- /Core/Relationship
- /Core/Element

### Properties

Property	Type	minCount	maxCount
actionStatement	xsd:string	0	1
actionStatementTime	/Core/DateTime	0	*

#### All properties (informative)

Property	Type	minCount	maxCount
actionStatement	xsd:string	0	1
actionStatementTime	/Core/DateTime	0	*
assessedElement	/Core/Element	0	1
comment	xsd:string	0	1
completeness	RelationshipCompleteness	0	1
creationInfo	CreationInfo	1	1
description	xsd:string	0	1
endTime	DateTime	0	1
extension	/Extension/Extension	0	*
externalIdentifier	ExternalIdentifier	0	*

externalRef	ExternalRef	0	*
from	Element	1	1
modifiedTime	/Core/DateTime	0	1
name	xsd:string	0	1
publishedTime	/Core/DateTime	0	1
relationshipType	RelationshipType	1	1
spdxId	xsd:anyURI	1	1
startTime	DateTime	0	1
statusNotes	xsd:string	0	1
summary	xsd:string	0	1
suppliedBy	/Core/Agent	0	1
to	Element	1	*
verifiedUsing	IntegrityMethod	0	*
vexVersion	xsd:string	0	1
withdrawnTime	/Core/DateTime	0	1

### 10.1.8 VexFixedVulnAssessmentRelationship

#### Summary

Links a vulnerability and elements representing products (in the VEX sense) where a fix has been applied and are no longer affected.

#### Description

VexFixedVulnAssessmentRelationship links a vulnerability to a number of elements representing VEX products where a vulnerability has been fixed and are no longer affected. It represents the VEX fixed status.

#### Constraints

When linking elements using a VexFixedVulnAssessmentRelationship, the following requirements must be observed:

- Elements linked with a VulnVexFixedAssessmentRelationship are constrained to using the fixedIn relationship type.
- The from: end of the relationship must be a /Security/Vulnerability classed element.

#### Example

```
{
  "type": "VexFixedVulnAssessmentRelationship",
  "spdxId": "urn:spdx.dev:vex-fixed-in-1",
  "relationshipType": "fixedIn",
  "from": "urn:spdx.dev:vuln-cve-2020-28498",
  "to": ["urn:product-acme-application-1.3"],
  "security_assessedElement": "urn:npm-elliptic-6.5.4",
  "suppliedBy": ["urn:spdx.dev:agent-jane-doe"],
  "publishedTime": "2021-03-09T11:04:53Z"
}
```

#### Metadata

<https://spdx.org/rdf/3.0.1/terms/Security/VexFixedVulnAssessmentRelationship>

<b>Name:</b>	VexFixedVulnAssessmentRelationship
<b>Instantiability:</b>	Concrete
<b>SubclassOf:</b>	VexVulnAssessmentRelationship

## Superclasses

- /Security/VexVulnAssessmentRelationship
- /Security/VulnAssessmentRelationship
- /Core/Relationship
- /Core/Element

### All properties (informative)

Property	Type	minCount	maxCount
assessedElement	/Core/Element	0	1
comment	xsd:string	0	1
completeness	RelationshipCompleteness	0	1
creationInfo	CreationInfo	1	1
description	xsd:string	0	1
endTime	DateTime	0	1
extension	/Extension/Extension	0	*
externalIdentifier	ExternalIdentifier	0	*
externalRef	ExternalRef	0	*
from	Element	1	1
modifiedTime	/Core/DateTime	0	1
name	xsd:string	0	1
publishedTime	/Core/DateTime	0	1
relationshipType	RelationshipType	1	1
spdxId	xsd:anyURI	1	1
startTime	DateTime	0	1
statusNotes	xsd:string	0	1
summary	xsd:string	0	1
suppliedBy	/Core/Agent	0	1
to	Element	1	*
verifiedUsing	IntegrityMethod	0	*
vexVersion	xsd:string	0	1
withdrawnTime	/Core/DateTime	0	1

### 10.1.9 VexNotAffectedVulnAssessmentRelationship

#### Summary

Links a vulnerability and one or more elements designating the latter as products not affected by the vulnerability.

#### Description

VexNotAffectedVulnAssessmentRelationship connects a vulnerability and a number of elements designating them as products not affected by the vulnerability. This relationship corresponds to the VEX not\_affected status.

#### Constraints

When linking elements using a VexNotVulnAffectedAssessmentRelationship, the following requirements must be observed:

- Relating elements with a VexNotAffectedVulnAssessmentRelationship is restricted to the doesNotAffect relationship type.
- The from: end of the relationship must be a /Security/Vulnerability classed element.
- Both impactStatement and justificationType properties have a cardinality of 0..1 making them optional. Nevertheless, to produce a valid VEX not\_affected statement, one of them MUST be defined. This is specified in the Minimum Elements for VEX.

**Example**

```
{
  "type": "VexNotAffectedVulnAssessmentRelationship",
  "spdxId": "urn:spdx.dev:vex-not-affected-1",
  "relationshipType": "doesNotAffect",
  "from": "urn:spdx.dev:vuln-cve-2020-28498",
  "to": ["urn:product-acme-application-1.3"],
  "security_assessedElement": "urn:npm-elliptic-6.5.2",
  "security_justificationType": "componentNotPresent",
  "security_impactStatement": "Not using this vulnerable part of this library.",
  "suppliedBy": ["urn:spdx.dev:agent-jane-doe"],
  "publishedTime": "2021-03-09T11:04:53Z"
}
```

**Metadata**

<https://spdx.org/rdf/3.0.1/terms/Security/VexNotAffectedVulnAssessmentRelationship>

<i>Name:</i>	VexNotAffectedVulnAssessmentRelationship
<i>Instantiability:</i>	Concrete
<i>SubclassOf:</i>	VexVulnAssessmentRelationship

**Superclasses**

- /Security/VexVulnAssessmentRelationship
- /Security/VulnAssessmentRelationship
- /Core/Relationship
- /Core/Element

**Properties**

Property	Type	minCount	maxCount
impactStatement	xsd:string	0	1
impactStatementTime	/Core/DateTime	0	1
justificationType	VexJustificationType	0	1

**All properties** (informative)

Property	Type	minCount	maxCount
assessedElement	/Core/Element	0	1
comment	xsd:string	0	1
completeness	RelationshipCompleteness	0	1
creationInfo	CreationInfo	1	1
description	xsd:string	0	1
endTime	DateTime	0	1
extension	/Extension/Extension	0	*
externalIdentifier	ExternalIdentifier	0	*
externalRef	ExternalRef	0	*
from	Element	1	1
impactStatement	xsd:string	0	1
impactStatementTime	/Core/DateTime	0	1
justificationType	VexJustificationType	0	1
modifiedTime	/Core/DateTime	0	1
name	xsd:string	0	1
publishedTime	/Core/DateTime	0	1

relationshipType	RelationshipType	1	1
spdxId	xsd:anyURI	1	1
startTime	DateTime	0	1
statusNotes	xsd:string	0	1
summary	xsd:string	0	1
suppliedBy	/Core/Agent	0	1
to	Element	1	*
verifiedUsing	IntegrityMethod	0	*
vexVersion	xsd:string	0	1
withdrawnTime	/Core/DateTime	0	1

### 10.1.10 VexUnderInvestigationVulnAssessmentRelationship

#### Summary

Designates elements as products where the impact of a vulnerability is being investigated.

#### Description

VexUnderInvestigationVulnAssessmentRelationship links a vulnerability to a number of products stating the vulnerability's impact on them is being investigated. It represents the VEX under\_investigation status.

#### Constraints

When linking elements using a VexUnderInvestigationVulnAssessmentRelationship the following requirements must be observed:

- Elements linked with a VexUnderInvestigationVulnAssessmentRelationship are constrained to using the underInvestigationFor relationship type.
- The from: end of the relationship must be a /Security/Vulnerability classed element.

#### Example

```
{
  "type": "VexUnderInvestigationVulnAssessmentRelationship",
  "spdxId": "urn:spdx.dev:vex-underInvestigation-1",
  "relationshipType": "underInvestigationFor",
  "from": "urn:spdx.dev:vuln-cve-2020-28498",
  "to": ["urn:product-acme-application-1.3"],
  "security_assessedElement": "urn:npm-elliptic-6.5.2",
  "suppliedBy": ["urn:spdx.dev:agent-jane-doe"],
  "publishedTime": "2021-03-09T11:04:53Z"
}
```

#### Metadata

<https://spdx.org/rdf/3.0.1/terms/Security/VexUnderInvestigationVulnAssessmentRelationship>

<b>Name:</b>	VexUnderInvestigationVulnAssessmentRelationship
<b>Instantiability:</b>	Concrete
<b>SubclassOf:</b>	VexVulnAssessmentRelationship

#### Superclasses

- /Security/VexVulnAssessmentRelationship
- /Security/VulnAssessmentRelationship
- /Core/Relationship
- /Core/Element

**All properties** (informative)

Property	Type	minCount	maxCount
assessedElement	/Core/Element	0	1
comment	xsd:string	0	1
completeness	RelationshipCompleteness	0	1
creationInfo	CreationInfo	1	1
description	xsd:string	0	1
endTime	DateTime	0	1
extension	/Extension/Extension	0	*
externalIdentifier	ExternalIdentifier	0	*
externalRef	ExternalRef	0	*
from	Element	1	1
modifiedTime	/Core/DateTime	0	1
name	xsd:string	0	1
publishedTime	/Core/DateTime	0	1
relationshipType	RelationshipType	1	1
spdxId	xsd:anyURI	1	1
startTime	DateTime	0	1
statusNotes	xsd:string	0	1
summary	xsd:string	0	1
suppliedBy	/Core/Agent	0	1
to	Element	1	*
verifiedUsing	IntegrityMethod	0	*
vexVersion	xsd:string	0	1
withdrawnTime	/Core/DateTime	0	1

**10.1.11 VexVulnAssessmentRelationship****Summary**

Abstract ancestor class for all VEX relationships

**Description**

VexVulnAssessmentRelationship is an abstract subclass that defined the common properties shared by all the SPDX-VEX status relationships.

*Constraints*

When linking elements using a VexVulnAssessmentRelationship, the following requirements must be observed:

- The from: end must be a /Security/Vulnerability classed element
- The to: end must point to elements representing the VEX *products*.

To specify a different element where the vulnerability was detected, the VEX relationship can optionally specify *subcomponents* using the assessedElement property.

VEX inherits information from the document level down to its statements. When a statement is missing information it can be completed by reading the equivalent field from the containing document. For example, if a VEX relationship is missing data in its createdBy property, tools must consider the entity listed in the CreationInfo section of the document as the VEX author. In the same way, when a VEX relationship does not have a created property, the document's date must be considered as authoritative.

**Metadata**

<https://spdx.org/rdf/3.0.1/terms/Security/VexVulnAssessmentRelationship>

<i>Name:</i>	VexVulnAssessmentRelationship
<i>Instantiability:</i>	Abstract
<i>SubclassOf:</i>	VulnAssessmentRelationship

## Superclasses

- /Security/VulnAssessmentRelationship
- /Core/Relationship
- /Core/Element

## Properties

Property	Type	minCount	maxCount
statusNotes	xsd:string	0	1
vexVersion	xsd:string	0	1

### All properties (informative)

Property	Type	minCount	maxCount
assessedElement	/Core/Element	0	1
comment	xsd:string	0	1
completeness	RelationshipCompleteness	0	1
creationInfo	CreationInfo	1	1
description	xsd:string	0	1
endTime	DateTime	0	1
extension	/Extension/Extension	0	*
externalIdentifier	ExternalIdentifier	0	*
externalRef	ExternalRef	0	*
from	Element	1	1
modifiedTime	/Core/DateTime	0	1
name	xsd:string	0	1
publishedTime	/Core/DateTime	0	1
relationshipType	RelationshipType	1	1
spdxId	xsd:anyURI	1	1
startTime	DateTime	0	1
statusNotes	xsd:string	0	1
summary	xsd:string	0	1
suppliedBy	/Core/Agent	0	1
to	Element	1	*
verifiedUsing	IntegrityMethod	0	*
vexVersion	xsd:string	0	1
withdrawnTime	/Core/DateTime	0	1

### 10.1.12 VulnAssessmentRelationship

#### Summary

Abstract ancestor class for all vulnerability assessments

#### Description

VulnAssessmentRelationship is the ancestor class common to all vulnerability assessment relationships. It factors out the common properties shared by them.

**Metadata**

<https://spdx.org/rdf/3.0.1/terms/Security/VulnAssessmentRelationship>

<i>Name:</i>	VulnAssessmentRelationship
<i>Instantiability:</i>	Abstract
<i>SubclassOf:</i>	/Core/Relationship

**Superclasses**

- /Core/Relationship
- /Core/Element

**Properties**

Property	Type	minCount	maxCount
/Core/suppliedBy	/Core/Agent	0	1
assessedElement	/Core/Element	0	1
modifiedTime	/Core/DateTime	0	1
publishedTime	/Core/DateTime	0	1
withdrawnTime	/Core/DateTime	0	1

**All properties** (informative)

Property	Type	minCount	maxCount
assessedElement	/Core/Element	0	1
comment	xsd:string	0	1
completeness	RelationshipCompleteness	0	1
creationInfo	CreationInfo	1	1
description	xsd:string	0	1
endTime	DateTime	0	1
extension	/Extension/Extension	0	*
externalIdentifier	ExternalIdentifier	0	*
externalRef	ExternalRef	0	*
from	Element	1	1
modifiedTime	/Core/DateTime	0	1
name	xsd:string	0	1
publishedTime	/Core/DateTime	0	1
relationshipType	RelationshipType	1	1
spdxId	xsd:anyURI	1	1
startTime	DateTime	0	1
summary	xsd:string	0	1
suppliedBy	/Core/Agent	0	1
to	Element	1	*
verifiedUsing	IntegrityMethod	0	*
withdrawnTime	/Core/DateTime	0	1

**10.1.13 Vulnerability****Summary**

Specifies a vulnerability and its associated information.

**Description**

Specifies a vulnerability and its associated information.

**Example**



```

{
  "type": "Vulnerability",
  "spdxId": "urn:spdx.dev:vuln-1",
  "summary": "Use of a Broken or Risky Cryptographic Algorithm",
  "description": "The package `elliptic` before version 6.5.4 are vulnerable to ..."
  "modifiedTime": "2021-03-08T16:06:43Z",
  "publishedTime": "2021-03-08T16:02:50Z",
  "externalIdentifier": [
    {
      "type": "ExternalIdentifier",
      "externalIdentifierType": "cve",
      "identifier": "CVE-2020-2849",
      "identifierLocator": [
        "https://cve.mitre.org/cgi-bin/cvename.cgi?name=CVE-2020-28498",
        "https://www.cve.org/CVERecord?id=CVE-2020-28498"
      ],
      "issuingAuthority": "urn:spdx.dev:agent-cve.org"
    },
    {
      "type": "ExternalIdentifier",
      "externalIdentifierType": "securityOther",
      "identifier": "GHSA-r9p9-mrjm-926w",
      "identifierLocator": "https://github.com/advisories/GHSA-r9p9-mrjm-926w"
    },
    {
      "type": "ExternalIdentifier",
      "externalIdentifierType": "securityOther",
      "identifier": "SNYK-JS-ELLIPTIC-1064899",
      "identifierLocator": "https://security.snyk.io/vuln/SNYK-JS-ELLIPTIC-1064899"
    }
  ],
  "externalRef": [
    {
      "type": "ExternalRef",
      "externalRefType": "securityAdvisory",
      "locator": "https://nvd.nist.gov/vuln/detail/CVE-2020-28498"
    },
    {
      "type": "ExternalRef",
      "externalRefType": "securityAdvisory",
      "locator": "https://ubuntu.com/security/CVE-2020-28498"
    },
    {
      "type": "ExternalRef",
      "externalRefType": "securityOther",
      "locator": "https://github.com/indutny/elliptic/pull/244/commits"
    },
    {
      "type": "ExternalRef",
      "externalRefType": "securityOther",
      "locator": "https://github.com/christianlundkvist/blog/2020_05_26_secp256k1_twist_attacks.md"
    }
  ],
  "relationship": [
    {
      "type": "Relationship",
      "spdxId": "urn:spdx.dev:vulnRelationship-1",
      "relationshipType": "hasAssociatedVulnerability",
      "from": "urn:npm-elliptic-6.5.2",
      "to": ["urn:spdx.dev:vuln-1"],
      "startTime": "2021-03-08T16:06:50Z"
    }
  ]
}

```

```

},
{
  "type": "Relationship",
  "spdxId": "urn:spdx.dev:vulnAgentRel-1",
  "relationshipType": "publishedBy",
  "from": "urn:spdx.dev:vuln-1",
  "to": ["urn:spdx.dev:agent-snyk"],
  "startTime": "2021-03-08T16:06:50Z"
}

```

## Metadata

<https://spdx.org/rdf/3.0.1/terms/Security/Vulnerability>

<i>Name:</i>	Vulnerability
<i>Instantiability:</i>	Concrete
<i>SubclassOf:</i>	/Core/Artifact

## Superclasses

- /Core/Artifact
- /Core/Element

## Properties

Property	Type	minCount	maxCount
modifiedTime	/Core/DateTime	0	1
publishedTime	/Core/DateTime	0	1
withdrawnTime	/Core/DateTime	0	1

### All properties (informative)

Property	Type	minCount	maxCount
builtTime	DateTime	0	1
comment	xsd:string	0	1
creationInfo	CreationInfo	1	1
description	xsd:string	0	1
extension	/Extension/Extension	0	*
externalIdentifier	ExternalIdentifier	0	*
externalRef	ExternalRef	0	*
modifiedTime	/Core/DateTime	0	1
name	xsd:string	0	1
originatedBy	Agent	0	*
publishedTime	/Core/DateTime	0	1
releaseTime	DateTime	0	1
spdxId	xsd:anyURI	1	1
standardName	xsd:string	0	*
summary	xsd:string	0	1
suppliedBy	Agent	0	1
supportLevel	SupportType	0	*
validUntilTime	DateTime	0	1
verifiedUsing	IntegrityMethod	0	*
withdrawnTime	/Core/DateTime	0	1

## 10.2 Properties

### 10.2.1 actionStatement

#### Summary

Provides advise on how to mitigate or remediate a vulnerability when a VEX product is affected by it.

#### Description

When an element is referenced with a `VexAffectedVulnAssessmentRelationship`, the relationship **MUST** include one `actionStatement` that **SHOULD** describe actions to remediate or mitigate the vulnerability.

#### Metadata

<https://spdx.org/rdf/3.0.1/terms/Security/actionStatement>

<i>Name:</i>	actionStatement
<i>Nature:</i>	DataProperty
<i>Range:</i>	xsd:string

#### Referenced

- `/Security/VexAffectedVulnAssessmentRelationship`

### 10.2.2 actionStatementTime

#### Summary

Records the time when a recommended action was communicated in a VEX statement to mitigate a vulnerability.

#### Description

When a VEX statement communicates an affected status, the author **MUST** include an action statement with a recommended action to help mitigate the vulnerability's impact. The `actionStatementTime` property records the time when the action statement was first communicated.

#### Metadata

<https://spdx.org/rdf/3.0.1/terms/Security/actionStatementTime>

<i>Name:</i>	actionStatementTime
<i>Nature:</i>	DataProperty
<i>Range:</i>	/Core/DateTime

#### Referenced

- `/Security/VexAffectedVulnAssessmentRelationship`

### 10.2.3 assessedElement

#### Summary

Specifies an Element contained in a piece of software where a vulnerability was found.

#### Description

Specifies subpackages, files or snippets referenced by a security assessment to specify the precise location where a vulnerability was found.

**Metadata**

<https://spdx.org/rdf/3.0.1/terms/Security/assessedElement>

<i>Name:</i>	assessedElement
<i>Nature:</i>	ObjectProperty
<i>Range:</i>	/Core/Element

**Referenced**

- /Security/VulnAssessmentRelationship

**10.2.4 catalogType****Summary**

Specifies the exploit catalog type.

**Description**

A catalogType is a mandatory value and must select one of the existing entries in the ExploitCatalogType.md vocabulary.

**Metadata**

<https://spdx.org/rdf/3.0.1/terms/Security/catalogType>

<i>Name:</i>	catalogType
<i>Nature:</i>	ObjectProperty
<i>Range:</i>	ExploitCatalogType

**Referenced**

- /Security/ExploitCatalogVulnAssessmentRelationship

**10.2.5 decisionType****Summary**

Provide the enumeration of possible decisions in the [Stakeholder-Specific Vulnerability Categorization (SSVC) decision tree](<https://www.cisa.gov/stakeholder-specific-vulnerability-categorization-ssvc>).

**Description**

A decisionType is a mandatory value and must select one of the four entries in the SsvcDecisionType.md vocabulary.

**Metadata**

<https://spdx.org/rdf/3.0.1/terms/Security/decisionType>

<i>Name:</i>	decisionType
<i>Nature:</i>	ObjectProperty
<i>Range:</i>	SsvcDecisionType

**Referenced**

- /Security/SsvcVulnAssessmentRelationship

### 10.2.6 exploited

#### Summary

Describe that a CVE is known to have an exploit because it's been listed in an exploit catalog.

#### Description

This field is set when a CVE is listed in an exploit catalog.

#### Metadata

<https://spdx.org/rdf/3.0.1/terms/Security/exploited>

<i>Name:</i>	exploited
<i>Nature:</i>	DataProperty
<i>Range:</i>	xsd:boolean

#### Referenced

- /Security/ExploitCatalogVulnAssessmentRelationship

### 10.2.7 impactStatement

#### Summary

Explains why a VEX product is not affected by a vulnerability. It is an alternative in VexNotAffectedVulnAssessmentRelationship to the machine-readable justification label.

#### Description

When a VEX product element is related with a VexNotAffectedVulnAssessmentRelationship and a machine readable justification label is not provided, then an impactStatement that further explains how or why the product(s) are not affected by the vulnerability must be provided.

#### Metadata

<https://spdx.org/rdf/3.0.1/terms/Security/impactStatement>

<i>Name:</i>	impactStatement
<i>Nature:</i>	DataProperty
<i>Range:</i>	xsd:string

#### Referenced

- /Security/VexNotAffectedVulnAssessmentRelationship

### 10.2.8 impactStatementTime

#### Summary

Timestamp of impact statement.

#### Description

Specifies the time when the impact statement was recorded.

**Metadata**

<https://spdx.org/rdf/3.0.1/terms/Security/impactStatementTime>

<i>Name:</i>	impactStatementTime
<i>Nature:</i>	DataProperty
<i>Range:</i>	/Core/DateTime

**Referenced**

- /Security/VexNotAffectedVulnAssessmentRelationship

**10.2.9 justificationType****Summary**

Impact justification label to be used when linking a vulnerability to an element representing a VEX product with a VexNotAffectedVulnAssessmentRelationship relationship.

**Description**

When stating that an element is not affected by a vulnerability, the VexNotAffectedVulnAssessmentRelationship must include a justification from the machine-readable labels catalog informing the reason the element is not impacted.

impactStatement which is a string with English prose can be used instead or as complementary to the justification label, but one of both MUST be defined.

**Metadata**

<https://spdx.org/rdf/3.0.1/terms/Security/justificationType>

<i>Name:</i>	justificationType
<i>Nature:</i>	ObjectProperty
<i>Range:</i>	VexJustificationType

**Referenced**

- /Security/VexNotAffectedVulnAssessmentRelationship

**10.2.10 locator****Summary**

Provides the location of an exploit catalog.

**Description**

A locator provides the location of an exploit catalog.

**Metadata**

<https://spdx.org/rdf/3.0.1/terms/Security/locator>

<i>Name:</i>	locator
<i>Nature:</i>	DataProperty
<i>Range:</i>	xsd:anyURI

**Referenced**

- /Security/ExploitCatalogVulnAssessmentRelationship

### 10.2.11 modifiedTime

#### Summary

Specifies a time when a vulnerability assessment was modified

#### Description

Specifies a time when a vulnerability assessment was last modified.

#### Metadata

<https://spdx.org/rdf/3.0.1/terms/Security/modifiedTime>

<i>Name:</i>	modifiedTime
<i>Nature:</i>	DataProperty
<i>Range:</i>	/Core/DateTime

#### Referenced

- /Security/VulnAssessmentRelationship
- /Security/Vulnerability

### 10.2.12 percentile

#### Summary

The percentile of the current probability score.

#### Description

The percentile between 0 and 1 (0 and 100%) of the current probability score, the proportion of all scored vulnerabilities with the same or a lower probability score. The definition follows “percentile” in EPSS Data<sup>76</sup>.

#### Metadata

<https://spdx.org/rdf/3.0.1/terms/Security/percentile>

<i>Name:</i>	percentile
<i>Nature:</i>	DataProperty
<i>Range:</i>	xsd:decimal

#### Referenced

- /Security/EpssVulnAssessmentRelationship

### 10.2.13 probability

#### Summary

A probability score between 0 and 1 of a vulnerability being exploited.

#### Description

The probability score between 0 and 1 (0 and 100%) estimating the likelihood of exploitation in the wild in the next 30 days (following score publication). The definition follows “epss” in EPSS Data<sup>77</sup>.

---

<sup>76</sup>[https://www.first.org/epss/data\\_stats](https://www.first.org/epss/data_stats)

<sup>77</sup>[https://www.first.org/epss/data\\_stats](https://www.first.org/epss/data_stats)

**Metadata**

<https://spdx.org/rdf/3.0.1/terms/Security/probability>

<i>Name:</i>	probability
<i>Nature:</i>	DataProperty
<i>Range:</i>	xsd:decimal

**Referenced**

- /Security/EpssVulnAssessmentRelationship

**10.2.14 publishedTime****Summary**

Specifies the time when a vulnerability was published.

**Description**

Specifies the time when a vulnerability was first published.

**Metadata**

<https://spdx.org/rdf/3.0.1/terms/Security/publishedTime>

<i>Name:</i>	publishedTime
<i>Nature:</i>	DataProperty
<i>Range:</i>	/Core/DateTime

**Referenced**

- /Security/VulnAssessmentRelationship
- /Security/Vulnerability

**10.2.15 score****Summary**

Provides a numerical (0-10) representation of the severity of a vulnerability.

**Description**

The score provides information on the severity of a vulnerability per the Common Vulnerability Scoring System as defined by Forum of Incident Response and Security Teams<sup>78</sup>.

**Metadata**

<https://spdx.org/rdf/3.0.1/terms/Security/score>

<i>Name:</i>	score
<i>Nature:</i>	DataProperty
<i>Range:</i>	xsd:decimal

**Referenced**

- /Security/CvssV2VulnAssessmentRelationship
- /Security/CvssV3VulnAssessmentRelationship
- /Security/CvssV4VulnAssessmentRelationship

<sup>78</sup><https://www.first.org/cvss/>



### 10.2.16 severity

#### Summary

Specifies the CVSS qualitative severity rating of a vulnerability in relation to a piece of software.

#### Description

The severity field provides a human readable string of the resulting numerical CVSS score.

#### Metadata

<https://spdx.org/rdf/3.0.1/terms/Security/severity>

<i>Name:</i>	severity
<i>Nature:</i>	ObjectProperty
<i>Range:</i>	CvssSeverityType

#### Referenced

- /Security/CvssV3VulnAssessmentRelationship
- /Security/CvssV4VulnAssessmentRelationship

### 10.2.17 statusNotes

#### Summary

Conveys information about how VEX status was determined.

#### Description

A VEX statement may convey information about how status was determined and may reference other VEX information.

#### Metadata

<https://spdx.org/rdf/3.0.1/terms/Security/statusNotes>

<i>Name:</i>	statusNotes
<i>Nature:</i>	DataProperty
<i>Range:</i>	xsd:string

#### Referenced

- /Security/VexVulnAssessmentRelationship

### 10.2.18 vectorString

#### Summary

Specifies the CVSS vector string for a vulnerability.

#### Description

Specifies any combination of the CVSS Base, Temporal, Threat, Environmental, and/or Supplemental vector string values for a vulnerability.

Supports vectorStrings specified in all CVSS versions.

#### Constraints

String values for the vectorString range must only include the abbreviated form of metric names specified in CVSS specifications, e.g. Common Vulnerability Scoring System Vector String<sup>79</sup>.

### Metadata

<https://spdx.org/rdf/3.0.1/terms/Security/vectorString>

<i>Name:</i>	vectorString
<i>Nature:</i>	DataProperty
<i>Range:</i>	xsd:string

### Referenced

- /Security/CvssV2VulnAssessmentRelationship
- /Security/CvssV3VulnAssessmentRelationship
- /Security/CvssV4VulnAssessmentRelationship

## 10.2.19 vexVersion

### Summary

Specifies the version of a VEX statement.

### Description

The statement version default value is zero. When any VEX-related content changes, the version must be incremented.

### Metadata

<https://spdx.org/rdf/3.0.1/terms/Security/vexVersion>

<i>Name:</i>	vexVersion
<i>Nature:</i>	DataProperty
<i>Range:</i>	xsd:string

### Referenced

- /Security/VexVulnAssessmentRelationship

## 10.2.20 withdrawnTime

### Summary

Specified the time and date when a vulnerability was withdrawn.

### Description

Specified the time and date when a vulnerability was withdrawn.

### Metadata

<https://spdx.org/rdf/3.0.1/terms/Security/withdrawnTime>

<i>Name:</i>	withdrawnTime
<i>Nature:</i>	DataProperty
<i>Range:</i>	/Core/DateTime

<sup>79</sup><https://www.first.org/cvss/v4.0/specification-document#Vector-String>

## Referenced

- /Security/VulnAssessmentRelationship
- /Security/Vulnerability

## 10.3 Vocabularies

### 10.3.1 CvssSeverityType

#### Summary

Specifies the CVSS base, temporal, threat, or environmental severity type.

#### Description

CvssSeverityType specifies the Common Vulnerability Scoring System (CVSS) severity type, defined in the CVSS specifications as the textual representation of the numeric CVSS score.

The severity type entries are inclusive of and applicable to enumerations found in Common Vulnerability Scoring System v3.0: Specification Document<sup>80</sup> and Common Vulnerability Scoring System version 4.0: Specification Document<sup>81</sup>.

CvssSeverityType is a mandatory field because baseSeverity is required in the CVSS 3.0 schema<sup>82</sup>, CVSS 3.1 schema<sup>83</sup>, and CVSS 4.0 schema<sup>84</sup>.

The field can be used to document the base, temporal, threat, or environmental severity.

#### Metadata

<https://spdx.org/rdf/3.0.1/terms/Security/CvssSeverityType>

<b>Name:</b> CvssSeverityType
-------------------------------

#### Entries

**critical** When a CVSS score is between 9.0 - 10.0

**high** When a CVSS score is between 7.0 - 8.9

**low** When a CVSS score is between 0.1 - 3.9

**medium** When a CVSS score is between 4.0 - 6.9

**none** When a CVSS score is 0.0

### 10.3.2 ExploitCatalogType

#### Summary

Specifies the exploit catalog type.

#### Description

ExploitCatalogType specifies the type of exploit catalog that a vulnerability is listed in.

<sup>80</sup><https://www.first.org/cvss/v3.0/specification-document#Qualitative-Severity-Rating-Scale>

<sup>81</sup><https://www.first.org/cvss/v4.0/specification-document#Qualitative-Severity-Rating-Scale>

<sup>82</sup><https://www.first.org/cvss/cvss-v3.0.json>

<sup>83</sup><https://www.first.org/cvss/cvss-v3.1.json>

<sup>84</sup><https://www.first.org/cvss/cvss-v4.0.json>

**Metadata**

<https://spdx.org/rdf/3.0.1/terms/Security/ExploitCatalogType>

**Name:** ExploitCatalogType

**Entries**

**key** CISA's Known Exploited Vulnerability (KEV) Catalog

**other** Other exploit catalogs

**10.3.3 SsvcDecisionType****Summary**

Specifies the Ssvc decision type.

**Description**

SsvcDecisionType specifies the type of decision that's been made according to the Stakeholder-Specific Vulnerability Categorization (SSVC)<sup>85</sup>.

**Metadata**

<https://spdx.org/rdf/3.0.1/terms/Security/SsvcDecisionType>

**Name:** SsvcDecisionType

**Entries**

**act** The vulnerability requires attention from the organization's internal, supervisory-level and leadership-level individuals. Necessary actions include requesting assistance or information about the vulnerability, as well as publishing a notification either internally and/or externally. Typically, internal groups would meet to determine the overall response and then execute agreed upon actions. CISA recommends remediating Act vulnerabilities as soon as possible.

**attend** The vulnerability requires attention from the organization's internal, supervisory-level individuals. Necessary actions include requesting assistance or information about the vulnerability, and may involve publishing a notification either internally and/or externally. CISA recommends remediating Attend vulnerabilities sooner than standard update timelines.

**track** The vulnerability does not require action at this time. The organization would continue to track the vulnerability and reassess it if new information becomes available. CISA recommends remediating Track vulnerabilities within standard update timelines.

**trackStar** ("Track\*" in the SSVC spec) The vulnerability contains specific characteristics that may require closer monitoring for changes. CISA recommends remediating Track\* vulnerabilities within standard update timelines.

**10.3.4 VexJustificationType****Summary**

Specifies the VEX justification type.

**Description**

VexJustificationType specifies the type of Vulnerability Exploitability eXchange (VEX) justification.

<sup>85</sup><https://www.cisa.gov/stakeholder-specific-vulnerability-categorization-ssvc>

## Metadata

<https://spdx.org/rdf/3.0.1/terms/Security/VexJustificationType>

*Name:* VexJustificationType

## Entries

**componentNotPresent** The software is not affected because the vulnerable component is not in the product.

**inlineMitigationsAlreadyExist** Built-in inline controls or mitigations prevent an adversary from leveraging the vulnerability.

**vulnerableCodeCannotBeControlledByAdversary** The vulnerable component is present, and the component contains the vulnerable code. However, vulnerable code is used in such a way that an attacker cannot mount any anticipated attack.

**vulnerableCodeNotInExecutePath** The affected code is not reachable through the execution of the code, including non-anticipated states of the product.

**vulnerableCodeNotPresent** The product is not affected because the code underlying the vulnerability is not present in the product.

# 11 Licensing

## Summary

The Licensing Profile defines a minimum set of license information to facilitate compliance with typical license use cases.

## Description

The Licensing profile only contains the additional requirement that any Software Artifact must have a Relationship of type `hasConcludedLicense`.

Classes and Property restrictions are defined in the `SimpleLicensingProfile` (Classes and Properties associated with license expression strings<sup>86</sup>) and in the `ExpandedLicensingProfile` (Classes and Properties used for a fully parsed syntax tree of license expressions).

There are 2 relationship types related to licensing - `hasDeclaredLicense` and `hasConcludedLicense`.

If the `hasConcludedLicense` for a Software Artifact is not the same as its `hasDeclaredLicense`, a written explanation SHOULD be provided in the `hasConcludedLicense` relationship comment field.

A written explanation of a relationship to a `NoAssertionLicense` MAY be provided in the comment field for the relationship.

### *hasDeclaredLicense*

A `hasDeclaredLicense` identifies the license information actually found in the Software Artifact, for example as detected by use of automated tooling.

This field is not intended to capture license information obtained from an external source, such as a package's website. Such information can be included, as needed, in the `hasConcludedLicense` field.

A `hasDeclaredLicense` may be expressed differently in practice for different types of Software Artifacts. For example:

- for Packages:

---

<sup>86</sup> ../annexes/spdx-license-expressions.md

- would include license info for the Package as a whole, found in the Package itself (e.g., LICENSE file, README file, metadata in the Package, etc.)
- would not include any license information that is not in the Package itself (e.g., license information from the project’s website or from a third party repository or website)
- for Files:
  - would include license info found in the File itself (e.g., license header or notice, comments indicating the license, SPDX-License-Identifier expression)
  - would not include license info found in a different file (e.g., LICENSE file in the top directory of a repository)
- for Snippets:
  - would include license info found in the Snippet itself (e.g., license notice, comments, SPDX-License-Identifier expression)
  - would not include license info found elsewhere in the File or in a different File (e.g., comment at top of File if it is not within the Snippet, LICENSE file in the top directory of a repository)

A `hasDeclaredLicense` relationship to `NoneLicense` indicates that the corresponding Package, File or Snippet contains no license information whatsoever.

A `hasDeclaredLicense` relationship to `NoAssertionLicense` indicates that one of the following applies:

- the SPDX data creator has attempted to but cannot reach a reasonable objective determination;
- the SPDX data creator has made no attempt to determine this field; or
- the SPDX data creator has intentionally provided no information (no meaning should be implied by doing so).

If a `hasDeclaredLicense` relationship is not present, no assumptions can be made about whether or not a `hasDeclaredLicense` exists.

Note that a missing `hasDeclaredLicense` is not the same as a relationship to `NoAssertionLicense` since the latter is a “known unknown” whereas no assumptions can be made from a missing `hasDeclaredLicense` relationship.

#### *hasConcludedLicense*

A `hasConcludedLicense` is the license identified by the SPDX data creator, based on analyzing the license information in the Software Artifact and other information to arrive at a reasonably objective conclusion as to what license governs the Software Artifact.

A `hasConcludedLicense` relationship to `NoneLicense` indicates that the SPDX data creator has looked and did not find any license information for this Software Artifact.

A `hasConcludedLicense` relationship to `NoAssertionLicense` indicates that one of the following applies:

- the SPDX data creator has attempted to but cannot reach a reasonable objective determination;
- the SPDX data creator has made no attempt to determine this field; or
- the SPDX data creator has intentionally provided no information (no meaning should be implied by doing so).

If a `hasConcludedLicense` is not present, no assumptions can be made about whether or not a `hasConcludedLicense` exists.

Note that a missing `hasConcludedLicense` is not the same as a relationship to a `NoAssertionLicense` since the latter is a “known unknown” whereas no assumptions can be made from a missing `hasConcludedLicense` relationship.

**Metadata**

<https://spdx.org/rdf/3.0.1/terms/Licensing>

<i>Name:</i> Licensing
------------------------

**Profile conformance**

For an element collection to be conformant with this profile, the following has to hold:

1. for every `/Software/SoftwareArtifact` there MUST exist exactly one `/Core/Relationship` of type `hasConcludedLicense` having that element as its from property and an `/SimpleLicensing/AnyLicenseInfo` as its to property.

## 12 SimpleLicensing

**Summary**

Additional metadata relating to software licensing.

**Description**

The SimpleLicensing profile provides classes and properties to express licenses as a license expression<sup>87</sup> string.

It also provides the base abstract class, AnyLicenseInfo, used for references to license information.

The SimpleLicensingText class provides a place to record any license text found that does not match a license on the SPDX License List<sup>88</sup>.

The ExpandedLicensing profile can be used to represent the complete parsed license expressions.

**Metadata**

<https://spdx.org/rdf/3.0.1/terms/SimpleLicensing>

<i>Name:</i> SimpleLicensing
------------------------------

### 12.1 Classes

#### 12.1.1 AnyLicenseInfo

**Summary**

Abstract class representing a license combination consisting of one or more licenses.

**Description**

AnyLicenseInfo is an abstract class representing a license combination consisting of one or more licenses (optionally including additional text), which may be combined according to the SPDX license expression syntax<sup>89</sup>.

An AnyLicenseInfo is used by licensing properties of software artifacts.

It can be:

- a NoneLicense;
- a NoAssertionLicense;

<sup>87</sup> ../annexes/spdx-license-expressions.md

<sup>88</sup> <https://spdx.org/licenses/>

<sup>89</sup> ../annexes/spdx-license-expressions.md

- a single license (either on the SPDX License List<sup>90</sup> or a custom-defined license<sup>91</sup>);
- a single license with an “or later” operator applied;
- the foregoing with additional text applied; or
- a set of licenses combined by applying “AND” and “OR” operators recursively.

### Metadata

<https://spdx.org/rdf/3.0.1/terms/SimpleLicensing/AnyLicenseInfo>

<i>Name:</i>	AnyLicenseInfo
<i>Instantiability:</i>	Abstract
<i>SubclassOf:</i>	/Core/Element

### Superclasses

- /Core/Element

### All properties (informative)

Property	Type	minCount	maxCount
comment	xsd:string	0	1
creationInfo	CreationInfo	1	1
description	xsd:string	0	1
extension	/Extension/Extension	0	*
externalIdentifier	ExternalIdentifier	0	*
externalRef	ExternalRef	0	*
name	xsd:string	0	1
spdxId	xsd:anyURI	1	1
summary	xsd:string	0	1
verifiedUsing	IntegrityMethod	0	*

### 12.1.2 LicenseExpression

#### Summary

An SPDX Element containing an SPDX license expression string.

#### Description

A LicenseExpression enables the representation, in a single string, of a combination of one or more licenses, together with additions such as license exceptions.

The syntax for a LicenseExpression string is set forth in the corresponding Annex of this specification (“SPDX license expressions”<sup>92</sup>). A LicenseExpression string is not valid if it does not conform to the grammar set forth in that annex.

The ExpandedLicensing profile can be used to represent the complete parsed license expression as a combination of license objects.

#### Metadata

<https://spdx.org/rdf/3.0.1/terms/SimpleLicensing/LicenseExpression>

<i>Name:</i>	LicenseExpression
<i>Instantiability:</i>	Concrete
<i>SubclassOf:</i>	AnyLicenseInfo

<sup>90</sup><https://spdx.org/licenses/>

<sup>91</sup>[../ExpandedLicensing/Classes/CustomLicense.md](https://spdx.org/licenses/ExpandedLicensing/Classes/CustomLicense.md)

<sup>92</sup>[../ExpandedLicensing/Annexes/spdx-license-expressions.md](https://spdx.org/licenses/ExpandedLicensing/Annexes/spdx-license-expressions.md)



## Superclasses

- /SimpleLicensing/AnyLicenseInfo
- /Core/Element

## Properties

Property	Type	minCount	maxCount
customIdToUri	/Core/DictionaryEntry	0	*
licenseExpression	xsd:string	1	1
licenseListVersion	/Core/SemVer	0	1

### All properties (informative)

Property	Type	minCount	maxCount
comment	xsd:string	0	1
creationInfo	CreationInfo	1	1
customIdToUri	/Core/DictionaryEntry	0	*
description	xsd:string	0	1
extension	/Extension/Extension	0	*
externalIdentifier	ExternalIdentifier	0	*
externalRef	ExternalRef	0	*
licenseExpression	xsd:string	1	1
licenseListVersion	/Core/SemVer	0	1
name	xsd:string	0	1
spdxId	xsd:anyURI	1	1
summary	xsd:string	0	1
verifiedUsing	IntegrityMethod	0	*

### 12.1.3 SimpleLicensingText

#### Summary

A license or addition that is not listed on the SPDX License List.

#### Description

A SimpleLicensingText represents a License or Addition that is not listed on the SPDX License List<sup>93</sup>, and is therefore defined by an SPDX data creator.

#### Metadata

<https://spdx.org/rdf/3.0.1/terms/SimpleLicensing/SimpleLicensingText>

<i>Name:</i>	SimpleLicensingText
<i>Instantiability:</i>	Concrete
<i>SubclassOf:</i>	/Core/Element

## Superclasses

- /Core/Element

<sup>93</sup><https://spdx.org/licenses>

## Properties

Property	Type	minCount	maxCount
licenseText	xsd:string	1	1

### All properties (informative)

Property	Type	minCount	maxCount
comment	xsd:string	0	1
creationInfo	CreationInfo	1	1
description	xsd:string	0	1
extension	/Extension/Extension	0	*
externalIdentifier	ExternalIdentifier	0	*
externalRef	ExternalRef	0	*
licenseText	xsd:string	1	1
name	xsd:string	0	1
spdxId	xsd:anyURI	1	1
summary	xsd:string	0	1
verifiedUsing	IntegrityMethod	0	*

## 12.2 Properties

### 12.2.1 customIdToUri

#### Summary

Maps a LicenseRef or AdditionRef string for a Custom License or a Custom License Addition to its URI ID.

#### Description

Within a License Expression, references can be made to a Custom License or a Custom License Addition.

The License Expression syntax<sup>94</sup> dictates any reference starting with a “LicenseRef-” or “AdditionRef-” refers to license or addition text not found in the official SPDX License List<sup>95</sup>.

These custom licenses must be a CustomLicense, a CustomLicenseAddition, or a SimpleLicensingText which are identified with a unique URI identifier.

The key for the DictionaryEntry is the string used in the license expression and the value is the URI for the corresponding CustomLicense, CustomLicenseAddition, or SimpleLicensingText.

#### Metadata

<https://spdx.org/rdf/3.0.1/terms/SimpleLicensing/customIdToUri>

<i>Name:</i>	customIdToUri
<i>Nature:</i>	ObjectProperty
<i>Range:</i>	/Core/DictionaryEntry

#### Referenced

- /SimpleLicensing/LicenseExpression

### 12.2.2 licenseExpression

#### Summary

A string in the license expression format.

<sup>94</sup> ../..../annexes/spdx-license-expressions.md

<sup>95</sup> <https://spdx.org/licenses/>

**Description**

A licenseExpression enables the representation, in a single string, of a combination of one or more licenses, together with additions such as license exceptions.

The syntax for a LicenseExpression string is set forth in the Annex D of the SPDX Specification (“SPDX license expressions”<sup>96</sup>). A LicenseExpression string is not valid if it does not conform to the grammar set forth in that annex.

The ExpandedLicensing profile can be used to represent the complete parsed license expression as a combination of license objects.

**Metadata**

<https://spdx.org/rdf/3.0.1/terms/SimpleLicensing/licenseExpression>

<i>Name:</i>	licenseExpression
<i>Nature:</i>	DataProperty
<i>Range:</i>	xsd:string

**Referenced**

- /SimpleLicensing/LicenseExpression

**12.2.3 licenseListVersion****Summary**

The version of the SPDX License List used in the license expression.

**Description**

Recognizing that licenses are added to the SPDX License List<sup>97</sup> with each subsequent version, the intent is to provide consumers with the version of the SPDX License List used.

This anticipates that in the future, license expression might have used a version of the SPDX License List that is older than the then current one.

The specified version of the SPDX License List must include all listed licenses and exceptions referenced in the expression.

**Metadata**

<https://spdx.org/rdf/3.0.1/terms/SimpleLicensing/licenseListVersion>

<i>Name:</i>	licenseListVersion
<i>Nature:</i>	DataProperty
<i>Range:</i>	/Core/SemVer

**Referenced**

- /SimpleLicensing/LicenseExpression

**12.2.4 licenseText****Summary**

Identifies the full text of a License or Addition.

<sup>96</sup> ../..../annexes/spdx-license-expressions.md

<sup>97</sup> <https://spdx.org/licenses/>

## Description

A licenseText contains the plain text of the License or Addition, without templating or other similar markup.

Users of the licenseText for a License can apply the SPDX License List Matching Guidelines<sup>98</sup> when comparing it to another text for matching purposes.

## Metadata

<https://spdx.org/rdf/3.0.1/terms/SimpleLicensing/licenseText>

<i>Name:</i>	licenseText
<i>Nature:</i>	DataProperty
<i>Range:</i>	xsd:string

## Referenced

- /ExpandedLicensing/License
- /SimpleLicensing/SimpleLicensingText

# 13 ExpandedLicensing

## Summary

Fully expanded license expressions.

## Description

This profile supports representing a fully expanded license expression<sup>99</sup> in object form.

## Metadata

<https://spdx.org/rdf/3.0.1/terms/ExpandedLicensing>

<i>Name:</i>	ExpandedLicensing
--------------	-------------------

## 13.1 Classes

### 13.1.1 ConjunctiveLicenseSet

#### Summary

Portion of an AnyLicenseInfo representing a set of licensing information where all elements apply.

#### Description

A ConjunctiveLicenseSet indicates that *each* of its subsidiary AnyLicenseInfos apply. In other words, a ConjunctiveLicenseSet of two or more licenses represents a licensing situation where *all* of the specified licenses are to be complied with. It is represented in the SPDX License Expression Syntax by the AND operator.

It is syntactically correct to specify a ConjunctiveLicenseSet where the subsidiary AnyLicenseInfos may be “incompatible” according to a particular interpretation of the corresponding Licenses. The SPDX License Expression Syntax<sup>100</sup> does not take into account interpretation of license texts, which is left to the consumer of SPDX data to determine for themselves.

<sup>98</sup> ../../annexes/license-matching-guidelines-and-templates.md

<sup>99</sup> ../../annexes/spdx-license-expressions.md

<sup>100</sup> ../../annexes/spdx-license-expressions.md

**Metadata**

<https://spdx.org/rdf/3.0.1/terms/ExpandedLicensing/ConjunctiveLicenseSet>

<i>Name:</i>	ConjunctiveLicenseSet
<i>Instantiability:</i>	Concrete
<i>SubclassOf:</i>	/SimpleLicensing/AnyLicenseInfo

**Superclasses**

- /SimpleLicensing/AnyLicenseInfo
- /Core/Element

**Properties**

Property	Type	minCount	maxCount
member	/SimpleLicensing/AnyLicenseInfo	2	*

**All properties** (informative)

Property	Type	minCount	maxCount
comment	xsd:string	0	1
creationInfo	CreationInfo	1	1
description	xsd:string	0	1
extension	/Extension/Extension	0	*
externalIdentifier	ExternalIdentifier	0	*
externalRef	ExternalRef	0	*
member	/SimpleLicensing/AnyLicenseInfo	2	*
name	xsd:string	0	1
spdxId	xsd:anyURI	1	1
summary	xsd:string	0	1
verifiedUsing	IntegrityMethod	0	*

**13.1.2 CustomLicense****Summary**

A license that is not listed on the SPDX License List.

**Description**

A CustomLicense represents a License that is not listed on the SPDX License List<sup>101</sup>, and is therefore defined by an SPDX data creator.

**Metadata**

<https://spdx.org/rdf/3.0.1/terms/ExpandedLicensing/CustomLicense>

<i>Name:</i>	CustomLicense
<i>Instantiability:</i>	Concrete
<i>SubclassOf:</i>	License

**Superclasses**

- /ExpandedLicensing/License
- /ExpandedLicensing/ExtendableLicense

<sup>101</sup><https://spdx.org/licenses>

- /SimpleLicensing/AnyLicenseInfo
- /Core/Element

#### All properties (informative)

Property	Type	minCount	maxCount
comment	xsd:string	0	1
creationInfo	CreationInfo	1	1
description	xsd:string	0	1
extension	/Extension/Extension	0	*
externalIdentifier	ExternalIdentifier	0	*
externalRef	ExternalRef	0	*
isDeprecatedLicenseId	xsd:boolean	0	1
isFsfLibre	xsd:boolean	0	1
isOsiApproved	xsd:boolean	0	1
licenseText	xsd:string	1	1
licenseXml	xsd:string	0	1
name	xsd:string	0	1
obsoletedBy	xsd:string	0	1
seeAlso	xsd:anyURI	0	*
spdxId	xsd:anyURI	1	1
standardLicenseHeader	xsd:string	0	1
standardLicenseTemplate	xsd:string	0	1
summary	xsd:string	0	1
verifiedUsing	IntegrityMethod	0	*

### 13.1.3 CustomLicenseAddition

#### Summary

A license addition that is not listed on the SPDX Exceptions List.

#### Description

A CustomLicenseAddition represents an addition to a License that is not listed on the SPDX License Exceptions<sup>102</sup>, and is therefore defined by an SPDX data creator.

It is intended to represent additional language which is meant to be added to a License, but which is not itself a standalone License.

#### Metadata

<https://spdx.org/rdf/3.0.1/terms/ExpandedLicensing/CustomLicenseAddition>

<i>Name:</i>	CustomLicenseAddition
<i>Instantiability:</i>	Concrete
<i>SubclassOf:</i>	LicenseAddition

#### Superclasses

- /ExpandedLicensing/LicenseAddition
- /Core/Element

<sup>102</sup><https://spdx.org/licenses/exceptions-index.html>

**All properties** (informative)

Property	Type	minCount	maxCount
additionText	xsd:string	1	1
comment	xsd:string	0	1
creationInfo	CreationInfo	1	1
description	xsd:string	0	1
extension	/Extension/Extension	0	*
externalIdentifier	ExternalIdentifier	0	*
externalRef	ExternalRef	0	*
isDeprecatedAdditionId	xsd:boolean	0	1
licenseXml	xsd:string	0	1
name	xsd:string	0	1
obsoletedBy	xsd:string	0	1
seeAlso	xsd:anyURI	0	*
spdxId	xsd:anyURI	1	1
standardAdditionTemplate	xsd:string	0	1
summary	xsd:string	0	1
verifiedUsing	IntegrityMethod	0	*

**13.1.4 DisjunctiveLicenseSet****Summary**

Portion of an AnyLicenseInfo representing a set of licensing information where only one of the elements applies.

**Description**

A DisjunctiveLicenseSet indicates that *only one* of its subsidiary AnyLicenseInfos is required to apply. In other words, a DisjunctiveLicenseSet of two or more licenses represents a licensing situation where *only one* of the specified licenses are to be complied with.

A consumer of SPDX data would typically understand this to permit the recipient of the licensed content to choose which of the corresponding license they would prefer to use. It is represented in the SPDX License Expression Syntax by the OR operator.

**Metadata**

<https://spdx.org/rdf/3.0.1/terms/ExpandedLicensing/DisjunctiveLicenseSet>

<i>Name:</i>	DisjunctiveLicenseSet
<i>Instantiability:</i>	Concrete
<i>SubclassOf:</i>	/SimpleLicensing/AnyLicenseInfo

**Superclasses**

- /SimpleLicensing/AnyLicenseInfo
- /Core/Element

**Properties**

Property	Type	minCount	maxCount
member	/SimpleLicensing/AnyLicenseInfo	2	*

**All properties** (informative)

Property	Type	minCount	maxCount
----------	------	----------	----------

comment	xsd:string	0	1
creationInfo	CreationInfo	1	1
description	xsd:string	0	1
extension	/Extension/Extension	0	*
externalIdentifier	ExternalIdentifier	0	*
externalRef	ExternalRef	0	*
member	/SimpleLicensing/AnyLicenseInfo	2	*
name	xsd:string	0	1
spdxId	xsd:anyURI	1	1
summary	xsd:string	0	1
verifiedUsing	IntegrityMethod	0	*

### 13.1.5 ExtendableLicense

#### Summary

Abstract class representing a License or an OrLaterOperator.

#### Description

The WithAdditionOperator can have a License or an OrLaterOperator as the license property value. This class is used for the value.

#### Metadata

<https://spdx.org/rdf/3.0.1/terms/ExpandedLicensing/ExtendableLicense>

<i>Name:</i>	ExtendableLicense
<i>Instantiability:</i>	Abstract
<i>SubclassOf:</i>	/SimpleLicensing/AnyLicenseInfo

#### Superclasses

- /SimpleLicensing/AnyLicenseInfo
- /Core/Element

#### All properties (informative)

Property	Type	minCount	maxCount
comment	xsd:string	0	1
creationInfo	CreationInfo	1	1
description	xsd:string	0	1
extension	/Extension/Extension	0	*
externalIdentifier	ExternalIdentifier	0	*
externalRef	ExternalRef	0	*
name	xsd:string	0	1
spdxId	xsd:anyURI	1	1
summary	xsd:string	0	1
verifiedUsing	IntegrityMethod	0	*

### 13.1.6 IndividualLicensingInfo

#### Summary

A concrete subclass of AnyLicenseInfo used by Individuals in the ExpandedLicensing profile.



## Description

Individuals, such as `NoneLicense` and `NoAssertionLicense`, need to reference a concrete subclass of `AnyLicenseInfo`.

This class provides the type used by the individuals.

## Metadata

<https://spdx.org/rdf/3.0.1/terms/ExpandedLicensing/IndividualLicensingInfo>

<i>Name:</i>	IndividualLicensingInfo
<i>Instantiability:</i>	Concrete
<i>SubclassOf:</i>	/SimpleLicensing/AnyLicenseInfo

## Superclasses

- /SimpleLicensing/AnyLicenseInfo
- /Core/Element

### All properties (informative)

Property	Type	minCount	maxCount
comment	xsd:string	0	1
creationInfo	CreationInfo	1	1
description	xsd:string	0	1
extension	/Extension/Extension	0	*
externalIdentifier	ExternalIdentifier	0	*
externalRef	ExternalRef	0	*
name	xsd:string	0	1
spdxId	xsd:anyURI	1	1
summary	xsd:string	0	1
verifiedUsing	IntegrityMethod	0	*

## 13.1.7 License

### Summary

Abstract class for the portion of an `AnyLicenseInfo` representing a license.

### Description

A License represents a license text, whether listed on the SPDX License List<sup>103</sup> (`ListedLicense`) or defined by an SPDX data creator (`CustomLicense`).

### Metadata

<https://spdx.org/rdf/3.0.1/terms/ExpandedLicensing/License>

<i>Name:</i>	License
<i>Instantiability:</i>	Abstract
<i>SubclassOf:</i>	ExtendableLicense

### Superclasses

- /ExpandedLicensing/ExtendableLicense
- /SimpleLicensing/AnyLicenseInfo
- /Core/Element

<sup>103</sup><https://spdx.org/licenses/>

**Properties**

Property	Type	minCount	maxCount
/SimpleLicensing/licenseText	xsd:string	1	1
isDeprecatedLicenseId	xsd:boolean	0	1
isFsfLibre	xsd:boolean	0	1
isOsiApproved	xsd:boolean	0	1
licenseXml	xsd:string	0	1
obsoletedBy	xsd:string	0	1
seeAlso	xsd:anyURI	0	*
standardLicenseHeader	xsd:string	0	1
standardLicenseTemplate	xsd:string	0	1

**All properties** (informative)

Property	Type	minCount	maxCount
comment	xsd:string	0	1
creationInfo	CreationInfo	1	1
description	xsd:string	0	1
extension	/Extension/Extension	0	*
externalIdentifier	ExternalIdentifier	0	*
externalRef	ExternalRef	0	*
isDeprecatedLicenseId	xsd:boolean	0	1
isFsfLibre	xsd:boolean	0	1
isOsiApproved	xsd:boolean	0	1
licenseText	xsd:string	1	1
licenseXml	xsd:string	0	1
name	xsd:string	0	1
obsoletedBy	xsd:string	0	1
seeAlso	xsd:anyURI	0	*
spdxId	xsd:anyURI	1	1
standardLicenseHeader	xsd:string	0	1
standardLicenseTemplate	xsd:string	0	1
summary	xsd:string	0	1
verifiedUsing	IntegrityMethod	0	*

**13.1.8 LicenseAddition****Summary**

Abstract class for additional text intended to be added to a License, but which is not itself a standalone License.

**Description**

A LicenseAddition represents text which is intended to be added to a License as additional text, but which is not itself intended to be a standalone License.

It may be an exception which is listed on the SPDX License Exceptions<sup>104</sup> (ListedLicenseException), or may be any other additional text (as an exception or otherwise) which is defined by an SPDX data creator (CustomLicenseAddition).

**Metadata**

<https://spdx.org/rdf/3.0.1/terms/ExpandedLicensing/LicenseAddition>

<sup>104</sup><https://spdx.org/licenses/exceptions-index.html>

<i>Name:</i>	LicenseAddition
<i>Instantiability:</i>	Abstract
<i>SubclassOf:</i>	/Core/Element

## Superclasses

- /Core/Element

## Properties

Property	Type	minCount	maxCount
additionText	xsd:string	1	1
isDeprecatedAdditionId	xsd:boolean	0	1
licenseXml	xsd:string	0	1
obsoletedBy	xsd:string	0	1
seeAlso	xsd:anyURI	0	*
standardAdditionTemplate	xsd:string	0	1

### All properties (informative)

Property	Type	minCount	maxCount
additionText	xsd:string	1	1
comment	xsd:string	0	1
creationInfo	CreationInfo	1	1
description	xsd:string	0	1
extension	/Extension/Extension	0	*
externalIdentifier	ExternalIdentifier	0	*
externalRef	ExternalRef	0	*
isDeprecatedAdditionId	xsd:boolean	0	1
licenseXml	xsd:string	0	1
name	xsd:string	0	1
obsoletedBy	xsd:string	0	1
seeAlso	xsd:anyURI	0	*
spdxId	xsd:anyURI	1	1
standardAdditionTemplate	xsd:string	0	1
summary	xsd:string	0	1
verifiedUsing	IntegrityMethod	0	*

### 13.1.9 ListedLicense

#### Summary

A license that is listed on the SPDX License List.

#### Description

A ListedLicense represents a License that is listed on the SPDX License List<sup>105</sup>.

#### Metadata

<https://spdx.org/rdf/3.0.1/terms/ExpandedLicensing/ListedLicense>

<i>Name:</i>	ListedLicense
<i>Instantiability:</i>	Concrete
<i>SubclassOf:</i>	License

<sup>105</sup><https://spdx.org/licenses>

## Superclasses

- /ExpandedLicensing/License
- /ExpandedLicensing/ExtendableLicense
- /SimpleLicensing/AnyLicenseInfo
- /Core/Element

## Properties

Property	Type	minCount	maxCount
deprecatedVersion	xsd:string	0	1
listVersionAdded	xsd:string	0	1

### All properties (informative)

Property	Type	minCount	maxCount
comment	xsd:string	0	1
creationInfo	CreationInfo	1	1
deprecatedVersion	xsd:string	0	1
description	xsd:string	0	1
extension	/Extension/Extension	0	*
externalIdentifier	ExternalIdentifier	0	*
externalRef	ExternalRef	0	*
isDeprecatedLicenseId	xsd:boolean	0	1
isFsfLibre	xsd:boolean	0	1
isOsiApproved	xsd:boolean	0	1
licenseText	xsd:string	1	1
licenseXml	xsd:string	0	1
listVersionAdded	xsd:string	0	1
name	xsd:string	0	1
obsoletedBy	xsd:string	0	1
seeAlso	xsd:anyURI	0	*
spdxId	xsd:anyURI	1	1
standardLicenseHeader	xsd:string	0	1
standardLicenseTemplate	xsd:string	0	1
summary	xsd:string	0	1
verifiedUsing	IntegrityMethod	0	*

### 13.1.10 ListedLicenseException

#### Summary

A license exception that is listed on the SPDX Exceptions list.

#### Description

A ListedLicenseException represents an exception to a License (in other words, an exception to a license condition or an additional permission beyond those granted in a License) which is listed on the SPDX License Exceptions<sup>106</sup>.

#### Metadata

<https://spdx.org/rdf/3.0.1/terms/ExpandedLicensing/ListedLicenseException>

<sup>106</sup><https://spdx.org/licenses/exceptions-index.html>

<i>Name:</i>	ListedLicenseException
<i>Instantiability:</i>	Concrete
<i>SubclassOf:</i>	LicenseAddition

## Superclasses

- /ExpandedLicensing/LicenseAddition
- /Core/Element

## Properties

Property	Type	minCount	maxCount
deprecatedVersion	xsd:string	0	1
listVersionAdded	xsd:string	0	1

### All properties (informative)

Property	Type	minCount	maxCount
additionText	xsd:string	1	1
comment	xsd:string	0	1
creationInfo	CreationInfo	1	1
deprecatedVersion	xsd:string	0	1
description	xsd:string	0	1
extension	/Extension/Extension	0	*
externalIdentifier	ExternalIdentifier	0	*
externalRef	ExternalRef	0	*
isDeprecatedAdditionId	xsd:boolean	0	1
licenseXml	xsd:string	0	1
listVersionAdded	xsd:string	0	1
name	xsd:string	0	1
obsoletedBy	xsd:string	0	1
seeAlso	xsd:anyURI	0	*
spdxId	xsd:anyURI	1	1
standardAdditionTemplate	xsd:string	0	1
summary	xsd:string	0	1
verifiedUsing	IntegrityMethod	0	*

### 13.1.11 OrLaterOperator

#### Summary

Portion of an AnyLicenseInfo representing this version, or any later version, of the indicated License.

#### Description

An OrLaterOperator indicates that this portion of the AnyLicenseInfo represents either (1) the specified version of the corresponding License, or (2) any later version of that License. It is represented in the SPDX License Expression Syntax by the + operator.

It is context-dependent, and unspecified by SPDX, as to what constitutes a “later version” of any particular License. Some Licenses may not be versioned, or may not have clearly-defined ordering for versions. The consumer of SPDX data will need to determine for themselves what meaning to attribute to a “later version” operator for a particular License.

#### Metadata

<https://spdx.org/rdf/3.0.1/terms/ExpandedLicensing/OrLaterOperator>

<i>Name:</i>	OrLaterOperator
<i>Instantiability:</i>	Concrete
<i>SubclassOf:</i>	ExtendableLicense

### Superclasses

- /ExpandedLicensing/ExtendableLicense
- /SimpleLicensing/AnyLicenseInfo
- /Core/Element

### Properties

Property	Type	minCount	maxCount
subjectLicense	License	1	1

#### All properties (informative)

Property	Type	minCount	maxCount
comment	xsd:string	0	1
creationInfo	CreationInfo	1	1
description	xsd:string	0	1
extension	/Extension/Extension	0	*
externalIdentifier	ExternalIdentifier	0	*
externalRef	ExternalRef	0	*
name	xsd:string	0	1
spdxId	xsd:anyURI	1	1
subjectLicense	License	1	1
summary	xsd:string	0	1
verifiedUsing	IntegrityMethod	0	*

### 13.1.12 WithAdditionOperator

#### Summary

Portion of an AnyLicenseInfo representing a License which has additional text applied to it.

#### Description

A WithAdditionOperator indicates that the designated License is subject to the designated LicenseAddition, which might be a license exception on the SPDX License Exceptions<sup>107</sup> (ListedLicenseException) or may be other additional text (CustomLicenseAddition). It is represented in the SPDX License Expression Syntax by the WITH operator.

#### Metadata

<https://spdx.org/rdf/3.0.1/terms/ExpandedLicensing/WithAdditionOperator>

<i>Name:</i>	WithAdditionOperator
<i>Instantiability:</i>	Concrete
<i>SubclassOf:</i>	/SimpleLicensing/AnyLicenseInfo

### Superclasses

- /SimpleLicensing/AnyLicenseInfo
- /Core/Element

<sup>107</sup><https://spdx.org/licenses/exceptions-index.html>

## Properties

Property	Type	minCount	maxCount
subjectAddition	LicenseAddition	1	1
subjectExtendableLicense	ExtendableLicense	1	1

### All properties (informative)

Property	Type	minCount	maxCount
comment	xsd:string	0	1
creationInfo	CreationInfo	1	1
description	xsd:string	0	1
extension	/Extension/Extension	0	*
externalIdentifier	ExternalIdentifier	0	*
externalRef	ExternalRef	0	*
name	xsd:string	0	1
spdxId	xsd:anyURI	1	1
subjectAddition	LicenseAddition	1	1
subjectExtendableLicense	ExtendableLicense	1	1
summary	xsd:string	0	1
verifiedUsing	IntegrityMethod	0	*

## 13.2 Properties

### 13.2.1 additionText

#### Summary

Identifies the full text of a LicenseAddition.

#### Description

An additionText contains the plain text of the LicenseAddition, without templating or other similar markup.

Users of the additionText for a License can apply the SPDX License List Matching Guidelines<sup>108</sup> when comparing it to another text for matching purposes.

#### Metadata

<https://spdx.org/rdf/3.0.1/terms/ExpandedLicensing/additionText>

<i>Name:</i>	additionText
<i>Nature:</i>	DataProperty
<i>Range:</i>	xsd:string

#### Referenced

- /ExpandedLicensing/LicenseAddition

### 13.2.2 deprecatedVersion

#### Summary

Specifies the SPDX License List version in which this license or exception identifier was deprecated.

<sup>108</sup> [../..../annexes/license-matching-guidelines-and-templates.md](https://spdx.org/annexes/license-matching-guidelines-and-templates.md)

## Description

A deprecatedVersion, for a ListedLicense on the SPDX License List<sup>109</sup> or a ListedLicenseException on the SPDX License Exceptions<sup>110</sup>, specifies which version release of the License List was the first one in which it was marked as deprecated.

## Metadata

<https://spdx.org/rdf/3.0.1/terms/ExpandedLicensing/deprecatedVersion>

<i>Name:</i>	deprecatedVersion
<i>Nature:</i>	DataProperty
<i>Range:</i>	xsd:string

## Referenced

- /ExpandedLicensing/ListedLicense
- /ExpandedLicensing/ListedLicenseException

### 13.2.3 isDeprecatedAdditionId

#### Summary

Specifies whether an additional text identifier has been marked as deprecated.

#### Description

The isDeprecatedAdditionId property specifies whether an identifier for a LicenseAddition has been marked as deprecated. If the property is not defined, then it is presumed to be false (i.e., not deprecated).

If the LicenseAddition is included on the SPDX License Exceptions<sup>111</sup>, then the deprecatedVersion property indicates on which version release of the Exceptions List it was first marked as deprecated.

“Deprecated” in this context refers to deprecating the use of the *identifier*, not the underlying license addition. In other words, even if a LicenseAddition’s author or steward has stated that a particular LicenseAddition generally should not be used, that would *not* mean that the LicenseAddition’s identifier is “deprecated.” Rather, a LicenseAddition operator is typically marked as “deprecated” when it is determined that use of another identifier is preferable.

## Metadata

<https://spdx.org/rdf/3.0.1/terms/ExpandedLicensing/isDeprecatedAdditionId>

<i>Name:</i>	isDeprecatedAdditionId
<i>Nature:</i>	DataProperty
<i>Range:</i>	xsd:boolean

## Referenced

- /ExpandedLicensing/LicenseAddition

### 13.2.4 isDeprecatedLicenseId

#### Summary

Specifies whether a license or additional text identifier has been marked as deprecated.

<sup>109</sup><https://spdx.org/licenses/>

<sup>110</sup><https://spdx.org/licenses/exceptions-index.html>

<sup>111</sup><https://spdx.org/licenses/exceptions-index.html>



## Description

The `isDeprecatedLicenseId` property specifies whether an identifier for a License or LicenseAddition has been marked as deprecated. If the property is not defined, then it is presumed to be false (i.e., not deprecated).

If the License or LicenseAddition is included on the SPDX License List<sup>112</sup>, then the `deprecatedVersion` property indicates on which version release of the License List it was first marked as deprecated.

“Deprecated” in this context refers to deprecating the use of the *identifier*, not the underlying license. In other words, even if a License’s author or steward has stated that a particular License generally should not be used, that would *not* mean that the License’s identifier is “deprecated.” Rather, a License or LicenseAddition operator is typically marked as “deprecated” when it is determined that use of another identifier is preferable.

## Metadata

<https://spdx.org/rdf/3.0.1/terms/ExpandedLicensing/isDeprecatedLicenseId>

<i>Name:</i>	<code>isDeprecatedLicenseId</code>
<i>Nature:</i>	<code>DataProperty</code>
<i>Range:</i>	<code>xsd:boolean</code>

## Referenced

- [/ExpandedLicensing/License](#)

### 13.2.5 isFsfLibre

#### Summary

Specifies whether the License is listed as free by the Free Software Foundation (FSF).

#### Description

`isFsfLibre` specifies whether the Free Software Foundation (FSF)<sup>113</sup> has listed this License as “free” in their commentary on licenses, located at the time of this writing at [Various Licenses and Comments about Them](#)<sup>114</sup>.

A value of “true” indicates that the license is in the list of licenses that FSF publishes as libre.

A value of “false” indicates that the license is explicitly not in the corresponding list of FSF libre licenses (e.g., FSF has the license on a non-free list).

If the `isFsfLibre` field is not specified, the SPDX data creator makes no assertions about whether the License is listed in the FSF’s commentary.

## Metadata

<https://spdx.org/rdf/3.0.1/terms/ExpandedLicensing/isFsfLibre>

<i>Name:</i>	<code>isFsfLibre</code>
<i>Nature:</i>	<code>DataProperty</code>
<i>Range:</i>	<code>xsd:boolean</code>

## Referenced

- [/ExpandedLicensing/License](#)

<sup>112</sup><https://spdx.org/licenses/>

<sup>113</sup><https://fsf.org>

<sup>114</sup><https://www.gnu.org/licenses/license-list.en.html>

### 13.2.6 isOsiApproved

#### Summary

Specifies whether the License is listed as approved by the Open Source Initiative (OSI).

#### Description

isOsiApproved specifies whether the Open Source Initiative (OSI)<sup>115</sup> has listed this License as “approved” in their list of OSI Approved Licenses, located at the time of this writing at OSI Approved Licenses<sup>116</sup>.

A value of “true” indicates that the license is in the list of licenses that OSI publishes as approved.

A value of “false” indicates that the license is explicitly not in the corresponding list of OSI licenses (e.g., OSI has stated publicly that a license is not approved).

If the isOsiApproved field is not specified, the SPDX data creator makes no assertions about whether the License is approved by the OSI.

#### Metadata

<https://spdx.org/rdf/3.0.1/terms/ExpandedLicensing/isOsiApproved>

<i>Name:</i>	isOsiApproved
<i>Nature:</i>	DataProperty
<i>Range:</i>	xsd:boolean

#### Referenced

- /ExpandedLicensing/License

### 13.2.7 licenseXml

#### Summary

Identifies all the text and metadata associated with a license in the license XML format.

#### Description

The license XML format is defined and used by the SPDX legal team.

The formal schema definition is available at SPDX License List XML Schema<sup>117</sup>.

For a text description of the XML fields, see XML template fields<sup>118</sup>.

#### Metadata

<https://spdx.org/rdf/3.0.1/terms/ExpandedLicensing/licenseXml>

<i>Name:</i>	licenseXml
<i>Nature:</i>	DataProperty
<i>Range:</i>	xsd:string

#### Referenced

- /ExpandedLicensing/License
- /ExpandedLicensing/LicenseAddition

<sup>115</sup><https://opensource.org>

<sup>116</sup><https://opensource.org/licenses>

<sup>117</sup><https://github.com/spdx/license-list-XML/blob/v3.24.0/schema/ListedLicense.xsd>

<sup>118</sup><https://github.com/spdx/license-list-XML/blob/v3.24.0/DOCS/xml-fields.md>

### 13.2.8 listVersionAdded

#### Summary

Specifies the SPDX License List version in which this ListedLicense or ListedLicenseException identifier was first added.

#### Description

A listVersionAdded for a ListedLicense or ListedLicenseException on the SPDX License List<sup>119</sup> specifies which version release of the License List was the first one in which it was included.

#### Metadata

<https://spdx.org/rdf/3.0.1/terms/ExpandedLicensing/listVersionAdded>

<i>Name:</i>	listVersionAdded
<i>Nature:</i>	DataProperty
<i>Range:</i>	xsd:string

#### Referenced

- /ExpandedLicensing/ListedLicense
- /ExpandedLicensing/ListedLicenseException

### 13.2.9 member

#### Summary

A license expression participating in a license set.

#### Description

A member is a license expression participating in a conjunctive (of type ConjunctiveLicenseSet) or a disjunctive (of type DisjunctiveLicenseSet) license set.

#### Metadata

<https://spdx.org/rdf/3.0.1/terms/ExpandedLicensing/member>

<i>Name:</i>	member
<i>Nature:</i>	ObjectProperty
<i>Range:</i>	/SimpleLicensing/AnyLicenseInfo

#### Referenced

- /ExpandedLicensing/ConjunctiveLicenseSet
- /ExpandedLicensing/DisjunctiveLicenseSet

### 13.2.10 obsoletedBy

#### Summary

Specifies the licenseId that is preferred to be used in place of a deprecated License or LicenseAddition.

<sup>119</sup><https://spdx.org/licenses/>

**Description**

An `obsoletedBy` value for a deprecated License or LicenseAddition specifies the `licenseId` of the replacement License or LicenseAddition that is preferred to be used in its place. It should use the same format as specified for a `licenseId`.

The License's or LicenseAddition's `comment` value may include more information about the reason why the `licenseId` specified in the `obsoletedBy` value is preferred.

**Metadata**

<https://spdx.org/rdf/3.0.1/terms/ExpandedLicensing/obsoletedBy>

<i>Name:</i>	<code>obsoletedBy</code>
<i>Nature:</i>	<code>DataProperty</code>
<i>Range:</i>	<code>xsd:string</code>

**Referenced**

- [/ExpandedLicensing/License](#)
- [/ExpandedLicensing/LicenseAddition](#)

**13.2.11 seeAlso****Summary**

Contains a URL where the License or LicenseAddition can be found in use.

**Description**

A `seeAlso` defines a cross-reference with a URL where the License or LicenseAddition can be found in use by one or a few projects.

If applicable, it should include a URL where the license text is posted by the license steward, particularly if the license steward has made available a “canonical” primary URL for the license text.

If the license is OSI approved, a `seeAlso` should be included with the URL for the license's listing on the OSI website.

The `seeAlso` URL may refer to a previously-available URL for the License or LicenseAddition which is no longer active.

Where applicable, the `seeAlso` URL should include the license text in its native language. `seeAlso` URLs to English or other translations may be included where multiple, equivalent official translations exist.

**Metadata**

<https://spdx.org/rdf/3.0.1/terms/ExpandedLicensing/seeAlso>

<i>Name:</i>	<code>seeAlso</code>
<i>Nature:</i>	<code>DataProperty</code>
<i>Range:</i>	<code>xsd:anyURI</code>

**Referenced**

- [/ExpandedLicensing/License](#)
- [/ExpandedLicensing/LicenseAddition](#)

**13.2.12 standardAdditionTemplate****Summary**

Identifies the full text of a LicenseAddition, in SPDX templating format.

## Description

A `standardAdditionTemplate` contains a license addition template which describes sections of the LicenseAddition text which can be varied.

See the Legacy Text Template format section of the [SPDX License List Matching Guidelines](#)<sup>120</sup> for format information.

It is recommended to use `licenseXml`<sup>121</sup> instead, as it can capture all the text and metadata associated with a license.

## Metadata

<https://spdx.org/rdf/3.0.1/terms/ExpandedLicensing/standardAdditionTemplate>

<i>Name:</i>	<code>standardAdditionTemplate</code>
<i>Nature:</i>	<code>DataProperty</code>
<i>Range:</i>	<code>xsd:string</code>

## Referenced

- [/ExpandedLicensing/LicenseAddition](#)

### 13.2.13 `standardLicenseHeader`

#### Summary

Provides a License author's preferred text to indicate that a file is covered by the License.

#### Description

A `standardLicenseHeader` contains the plain text of the License author's preferred wording to be used, typically in a source code file's header comments or similar location, to indicate that the file is subject to the specified License.

## Metadata

<https://spdx.org/rdf/3.0.1/terms/ExpandedLicensing/standardLicenseHeader>

<i>Name:</i>	<code>standardLicenseHeader</code>
<i>Nature:</i>	<code>DataProperty</code>
<i>Range:</i>	<code>xsd:string</code>

## Referenced

- [/ExpandedLicensing/License](#)

### 13.2.14 `standardLicenseTemplate`

#### Summary

Identifies the full text of a License, in SPDX templating format.

<sup>120</sup> [../..../annexes/license-matching-guidelines-and-templates.md](#)

<sup>121</sup> [./licenseXml.md](#)

**Description**

A standardLicenseTemplate contains a license template which describes sections of the License text which can be varied.

See the Legacy Text Template format section of the SPDX License List Matching Guidelines<sup>122</sup> for format information.

It is recommended to use licenseXml<sup>123</sup> instead, as it can capture all the text and metadata associated with a license.

**Metadata**

<https://spdx.org/rdf/3.0.1/terms/ExpandedLicensing/standardLicenseTemplate>

<i>Name:</i>	standardLicenseTemplate
<i>Nature:</i>	DataProperty
<i>Range:</i>	xsd:string

**Referenced**

- /ExpandedLicensing/License

**13.2.15 subjectAddition****Summary**

A LicenseAddition participating in a 'with addition' model.

**Description**

A subjectAddition is a LicenseAddition which is subject to a 'with additional text' effect (WithAdditionOperator).

**Metadata**

<https://spdx.org/rdf/3.0.1/terms/ExpandedLicensing/subjectAddition>

<i>Name:</i>	subjectAddition
<i>Nature:</i>	ObjectProperty
<i>Range:</i>	LicenseAddition

**Referenced**

- /ExpandedLicensing/WithAdditionOperator

**13.2.16 subjectExtendableLicense****Summary**

A License participating in a 'with addition' model.

**Description**

A subjectExtendableLicense is a License which is subject to a 'with additional text' effect (WithAdditionOperator).

<sup>122</sup> ../..../annexes/license-matching-guidelines-and-templates.md

<sup>123</sup> ../licenseXml.md

## Metadata

<https://spdx.org/rdf/3.0.1/terms/ExpandedLicensing/subjectExtendableLicense>

<i>Name:</i> subjectExtendableLicense
<i>Nature:</i> ObjectProperty
<i>Range:</i> ExtendableLicense

## Referenced

- [/ExpandedLicensing/WithAdditionOperator](#)

### 13.2.17 subjectLicense

#### Summary

A License participating in an 'or later' model.

#### Description

A subjectLicense is a License which is subject an 'or later' effect (OrLaterOperator).

## Metadata

<https://spdx.org/rdf/3.0.1/terms/ExpandedLicensing/subjectLicense>

<i>Name:</i> subjectLicense
<i>Nature:</i> ObjectProperty
<i>Range:</i> License

## Referenced

- [/ExpandedLicensing/OrLaterOperator](#)

## 13.3 Individuals

### 13.3.1 NoAssertionLicense

#### Summary

An Individual Value for License when no assertion can be made about its actual value.

#### Description

NoAssertionLicense should be used if

- the SPDX creator has attempted to but cannot reach a reasonable objective determination;
- the SPDX creator has made no attempt to determine this field; or
- the SPDX creator has intentionally provided no information (no meaning should be implied by doing so).

## Metadata

<https://spdx.org/rdf/3.0.1/terms/ExpandedLicensing/NoAssertionLicense>

<i>Name:</i> NoAssertionLicense
<i>Type:</i> IndividualLicensingInfo
<i>IRI:</i> <a href="https://spdx.org/rdf/3.0.1/terms/Licensing/NoAssertion">https://spdx.org/rdf/3.0.1/terms/Licensing/NoAssertion</a>

### 13.3.2 NoneLicense

#### Summary

An Individual Value for License where the SPDX data creator determines that no license is present.

#### Description

NoneLicense should be used if the SPDX creator determines there is no license available for this Artifact.

#### Metadata

<https://spdx.org/rdf/3.0.1/terms/ExpandedLicensing/NoneLicense>

<i>Name:</i>	NoneLicense
<i>Type:</i>	IndividualLicensingInfo
<i>IRI:</i>	<a href="https://spdx.org/rdf/3.0.1/terms/Licensing/None">https://spdx.org/rdf/3.0.1/terms/Licensing/None</a>

## 14 Dataset

#### Summary

The Dataset Profile provides additional metadata, based on Software Profile, that is useful for datasets.

#### Description

The Dataset namespace defines concepts related to dataset, including its preparation process, its characteristics, and its access methods.

#### Metadata

<https://spdx.org/rdf/3.0.1/terms/Dataset>

<i>Name:</i>	Dataset
--------------	---------

#### Profile conformance

For an element collection to be conformant with this profile, the following has to hold:

1. for every /Dataset/DatasetPackage there MUST exist exactly one /Core/Relationship of type hasConcludedLicense having that element as its from property and an /SimpleLicensing/AnyLicenseInfo as its to property.
2. for every /Dataset/DatasetPackage there MUST exist exactly one /Core/Relationship of type hasDeclaredLicense having that element as its from property and an /SimpleLicensing/AnyLicenseInfo as its to property.

### 14.1 Classes

#### 14.1.1 DatasetPackage

##### Summary

Specifies a data package and its associated information.

##### Description

Metadata information that can be added to a dataset that may be used in a software or to train/test an AI package.



**Metadata**

<https://spdx.org/rdf/3.0.1/terms/Dataset/DatasetPackage>

<i>Name:</i>	DatasetPackage
<i>Instantiability:</i>	Concrete
<i>SubclassOf:</i>	/Software/Package

**Superclasses**

- /Software/Package
- /Software/SoftwareArtifact
- /Core/Artifact
- /Core/Element

**Properties**

Property	Type	minCount	maxCount
anonymizationMethodUsed	xsd:string	0	*
confidentialityLevel	ConfidentialityLevelType	0	1
dataCollectionProcess	xsd:string	0	1
dataPreprocessing	xsd:string	0	*
datasetAvailability	DatasetAvailabilityType	0	1
datasetNoise	xsd:string	0	1
datasetSize	xsd:nonNegativeInteger	0	1
datasetType	DatasetType	1	*
datasetUpdateMechanism	xsd:string	0	1
hasSensitivePersonalInformation	/Core/PresenceType	0	1
intendedUse	xsd:string	0	1
knownBias	xsd:string	0	*
sensor	/Core/DictionaryEntry	0	*

**External properties cardinality updates**

Property	minCount	maxCount
/Core/Artifact/builtTime	1	
/Core/Artifact/originatedBy	1	1
/Core/Artifact/releaseTime	1	
/Software/Package/downloadLocation	1	
/Software/SoftwareArtifact/primaryPurpose	1	

**All properties (informative)**

Property	Type	minCount	maxCount
additionalPurpose	SoftwarePurpose	0	*
anonymizationMethodUsed	xsd:string	0	*
attributionText	xsd:string	0	*
builtTime	DateTime	1	1
comment	xsd:string	0	1
confidentialityLevel	ConfidentialityLevelType	0	1
contentIdentifier	ContentIdentifier	0	*
copyrightText	xsd:string	0	1
creationInfo	CreationInfo	1	1
dataCollectionProcess	xsd:string	0	1
dataPreprocessing	xsd:string	0	*

datasetAvailability	DatasetAvailabilityType	0	1
datasetNoise	xsd:string	0	1
datasetSize	xsd:nonNegativeInteger	0	1
datasetType	DatasetType	1	*
datasetUpdateMechanism	xsd:string	0	1
description	xsd:string	0	1
downloadLocation	xsd:anyURI	1	1
extension	/Extension/Extension	0	*
externalIdentifier	ExternalIdentifier	0	*
externalRef	ExternalRef	0	*
hasSensitivePersonalInformation	/Core/PresenceType	0	1
homePage	xsd:anyURI	0	1
intendedUse	xsd:string	0	1
knownBias	xsd:string	0	*
name	xsd:string	1	1
originatedBy	Agent	1	1
packageUrl	xsd:anyURI	0	1
packageVersion	xsd:string	0	1
primaryPurpose	SoftwarePurpose	1	1
releaseTime	DateTime	1	1
sensor	/Core/DictionaryEntry	0	*
sourceInfo	xsd:string	0	1
spdxId	xsd:anyURI	1	1
standardName	xsd:string	0	*
summary	xsd:string	0	1
suppliedBy	Agent	0	1
supportLevel	SupportType	0	*
validUntilTime	DateTime	0	1
verifiedUsing	IntegrityMethod	0	*

## 14.2 Properties

### 14.2.1 anonymizationMethodUsed

#### Summary

Describes the anonymization methods used.

#### Description

A free-form text that describes the methods used to anonymize the dataset (of fields in the dataset).

#### Metadata

<https://spdx.org/rdf/3.0.1/terms/Dataset/anonymizationMethodUsed>

<i>Name:</i>	anonymizationMethodUsed
<i>Nature:</i>	DataProperty
<i>Range:</i>	xsd:string

#### Referenced

- /Dataset/DatasetPackage

### 14.2.2 confidentialityLevel

#### Summary

Describes the confidentiality level of the data points contained in the dataset.

#### Description

Describes the levels of confidentiality of the data points contained in the dataset.

#### Metadata

<https://spdx.org/rdf/3.0.1/terms/Dataset/confidentialityLevel>

<i>Name:</i>	confidentialityLevel
<i>Nature:</i>	ObjectProperty
<i>Range:</i>	ConfidentialityLevelType

#### Referenced

- /Dataset/DatasetPackage

### 14.2.3 dataCollectionProcess

#### Summary

Describes how the dataset was collected.

#### Description

A free-form text that describes how a dataset was collected.

Examples include the sources from which a dataset was scrapped and the interview protocol that was used for data collection.

#### Metadata

<https://spdx.org/rdf/3.0.1/terms/Dataset/dataCollectionProcess>

<i>Name:</i>	dataCollectionProcess
<i>Nature:</i>	DataProperty
<i>Range:</i>	xsd:string

#### Referenced

- /Dataset/DatasetPackage

### 14.2.4 dataPreprocessing

#### Summary

Describes the preprocessing steps that were applied to the raw data to create the given dataset.

#### Description

A free-form text that describes the various preprocessing steps that were applied to the raw data to create the dataset.

Examples include standardization, normalization, deduplication, tokenization, and removal of tokens.

**Metadata**

<https://spdx.org/rdf/3.0.1/terms/Dataset/dataPreprocessing>

<i>Name:</i>	dataPreprocessing
<i>Nature:</i>	DataProperty
<i>Range:</i>	xsd:string

**Referenced**

- /Dataset/DatasetPackage

**14.2.5 datasetAvailability****Summary**

The field describes the availability of a dataset.

**Description**

Some datasets are publicly available and can be downloaded directly. Others are only accessible behind a click-through, or after filling a registration form. This field will describe the dataset availability from that perspective.

**Metadata**

<https://spdx.org/rdf/3.0.1/terms/Dataset/datasetAvailability>

<i>Name:</i>	datasetAvailability
<i>Nature:</i>	ObjectProperty
<i>Range:</i>	DatasetAvailabilityType

**Referenced**

- /Dataset/DatasetPackage

**14.2.6 datasetNoise****Summary**

Describes potentially noisy elements of the dataset.

**Description**

Describes what kinds of noises a dataset might encompass.

The free-form text specifies fields or samples that might be noisy.

Alternatively, it can also be used to describe various noises that could impact the whole dataset.

**Metadata**

<https://spdx.org/rdf/3.0.1/terms/Dataset/datasetNoise>

<i>Name:</i>	datasetNoise
<i>Nature:</i>	DataProperty
<i>Range:</i>	xsd:string

**Referenced**

- /Dataset/DatasetPackage

### 14.2.7 datasetSize

#### Summary

Captures the size of the dataset.

#### Description

Captures how large a dataset is.

The size is to be measured in bytes.

#### Metadata

<https://spdx.org/rdf/3.0.1/terms/Dataset/datasetSize>

<i>Name:</i>	datasetSize
<i>Nature:</i>	DataProperty
<i>Range:</i>	xsd:nonNegativeInteger

#### Referenced

- /Dataset/DatasetPackage

### 14.2.8 datasetType

#### Summary

Describes the type of the given dataset.

#### Description

Describes the datatype contained in the dataset.

For example, a dataset can be an image dataset for computer vision applications, a text dataset such as the contents of a book or Wikipedia article, or sometimes a multimodal dataset that contains multiple types of data.

#### Metadata

<https://spdx.org/rdf/3.0.1/terms/Dataset/datasetType>

<i>Name:</i>	datasetType
<i>Nature:</i>	ObjectProperty
<i>Range:</i>	DatasetType

#### Referenced

- /Dataset/DatasetPackage

### 14.2.9 datasetUpdateMechanism

#### Summary

Describes a mechanism to update the dataset.

#### Description

A free-form text that describes a mechanism to update the dataset.

**Metadata**

<https://spdx.org/rdf/3.0.1/terms/Dataset/datasetUpdateMechanism>

<i>Name:</i>	datasetUpdateMechanism
<i>Nature:</i>	DataProperty
<i>Range:</i>	xsd:string

**Referenced**

- /Dataset/DatasetPackage

**14.2.10 hasSensitivePersonalInformation****Summary**

Describes if any sensitive personal information is present in the dataset.

**Description**

Indicates the presence of sensitive personal data or information that allows drawing conclusions about a person's identity.

Related: useSensitivePersonalInformation in /AI/AIPackage

**Metadata**

<https://spdx.org/rdf/3.0.1/terms/Dataset/hasSensitivePersonalInformation>

<i>Name:</i>	hasSensitivePersonalInformation
<i>Nature:</i>	ObjectProperty
<i>Range:</i>	/Core/PresenceType

**Referenced**

- /Dataset/DatasetPackage

**14.2.11 intendedUse****Summary**

Describes what the given dataset should be used for.

**Description**

A free-form text that describes what the given dataset should be used for.

Some datasets are collected to be used only for particular purposes.

For example, medical data collected from a specific demography might only be applicable for training machine learning models to make predictions for that demography. In such a case, the intendedUse field would capture this information. Similarly, if a dataset is collected for building a facial recognition model, the intendedUse field would specify that.

**Metadata**

<https://spdx.org/rdf/3.0.1/terms/Dataset/intendedUse>

<i>Name:</i>	intendedUse
<i>Nature:</i>	DataProperty
<i>Range:</i>	xsd:string

## Referenced

- /Dataset/DatasetPackage

### 14.2.12 knownBias

#### Summary

Records the biases that the dataset is known to encompass.

#### Description

A free-form text that describes the different biases that the dataset encompasses.

#### Metadata

<https://spdx.org/rdf/3.0.1/terms/Dataset/knownBias>

<i>Name:</i>	knownBias
<i>Nature:</i>	DataProperty
<i>Range:</i>	xsd:string

## Referenced

- /Dataset/DatasetPackage

### 14.2.13 sensor

#### Summary

Describes a sensor used for collecting the data.

#### Description

Describes a sensor that was used for collecting the data and its calibration value as a key-value pair.

#### Metadata

<https://spdx.org/rdf/3.0.1/terms/Dataset/sensor>

<i>Name:</i>	sensor
<i>Nature:</i>	ObjectProperty
<i>Range:</i>	/Core/DictionaryEntry

## Referenced

- /Dataset/DatasetPackage

## 14.3 Vocabularies

### 14.3.1 ConfidentialityLevelType

#### Summary

Categories of confidentiality level.

#### Description

Describes the different confidentiality levels as given by the Traffic Light Protocol<sup>124</sup>.

<sup>124</sup>[https://en.wikipedia.org/wiki/Traffic\\_Light\\_Protocol](https://en.wikipedia.org/wiki/Traffic_Light_Protocol)

**Metadata**

<https://spdx.org/rdf/3.0.1/terms/Dataset/ConfidentialityLevelType>

**Name:** ConfidentialityLevelType

**Entries**

**amber** Data points in the dataset can be shared only with specific organizations and their clients on a need to know basis.

**clear** Dataset may be distributed freely, without restriction.

**green** Dataset can be shared within a community of peers and partners.

**red** Data points in the dataset are highly confidential and can only be shared with named recipients.

**14.3.2 DatasetAvailabilityType****Summary**

Availability of dataset.

**Description**

Describes the possible types of availability of a dataset, indicating whether the dataset can be directly downloaded, can be assembled using a script for scraping the data, is only available after a clickthrough or a registration form.

**Metadata**

<https://spdx.org/rdf/3.0.1/terms/Dataset/DatasetAvailabilityType>

**Name:** DatasetAvailabilityType

**Entries**

**clickthrough** the dataset is not publicly available and can only be accessed after affirmatively accepting terms on a clickthrough webpage.

**directDownload** the dataset is publicly available and can be downloaded directly.

**query** the dataset is publicly available, but not all at once, and can only be accessed through queries which return parts of the dataset.

**registration** the dataset is not publicly available and an email registration is required before accessing the dataset, although without an affirmative acceptance of terms.

**scrapingScript** the dataset provider is not making available the underlying data and the dataset must be re-assembled, typically using the provided script for scraping the data.

**14.3.3 DatasetType****Summary**

Enumeration of dataset types.

**Description**

Describes the different structures of data within a given dataset. A dataset can have multiple types of data, or even a single type of data but still match multiple types, for example sensor data could also be timeseries or labeled image data could also be considered categorical.



## Metadata

<https://spdx.org/rdf/3.0.1/terms/Dataset/DatasetType>

<i>Name:</i> DatasetType
--------------------------

## Entries

**audio** data is audio based, such as a collection of music from the 80s.

**categorical** data that is classified into a discrete number of categories, such as the eye color of a population of people.

**graph** data is in the form of a graph where entries are somehow related to each other through edges, such as a social network of friends.

**image** data is a collection of images such as pictures of animals.

**noAssertion** data type is not known.

**numeric** data consists only of numeric entries.

**other** data is of a type not included in this list.

**sensor** data is recorded from a physical sensor, such as a thermometer reading or biometric device.

**structured** data is stored in tabular format or retrieved from a relational database.

**syntactic** data describes the syntax or semantics of a language or text, such as a parse tree used for natural language processing.

**text** data consists of unstructured text, such as a book, Wikipedia article (without images), or transcript.

**timeseries** data is recorded in an ordered sequence of timestamped entries, such as the price of a stock over the course of a day.

**timestamp** data is recorded with a timestamp for each entry, but not necessarily ordered or at specific intervals, such as when a taxi ride starts and ends.

**video** data is video based, such as a collection of movie clips featuring Tom Hanks.

## 15 AI

### Summary

The AI Profile is designed to provide a standardized way of documenting and sharing information about AI software packages (i.e. systems).

### Description

The AI namespace defines a set of concepts and data elements related to AI system and model artifacts. These artifacts are the tangible outputs of the AI development process, such as software packages, models, and datasets.

## Metadata

<https://spdx.org/rdf/3.0.1/terms/AI>

<i>Name:</i> AI
-----------------

## Profile conformance

For an element collection to be conformant with this profile, the following has to hold:

1. for every /AI/AIPackage there MUST exist exactly one /Core/Relationship of type hasConcludedLicense having that element as its from property and an /SimpleLicensing/AnyLicenseInfo as its to property.
2. for every /AI/AIPackage there MUST exist exactly one /Core/Relationship of type hasDeclaredLicense having that element as its from property and an /SimpleLicensing/AnyLicenseInfo as its to property.

## 15.1 Classes

### 15.1.1 AIPackage

#### Summary

Specifies an AI package and its associated information.

#### Description

Metadata information that can be added to a package to describe an AI application or trained AI model.

#### Metadata

<https://spdx.org/rdf/3.0.1/terms/AI/AIPackage>

<i>Name:</i>	AIPackage
<i>Instantiability:</i>	Concrete
<i>SubclassOf:</i>	/Software/Package

#### Superclasses

- /Software/Package
- /Software/SoftwareArtifact
- /Core/Artifact
- /Core/Element

#### Properties

Property	Type	minCount	maxCount
autonomyType	/Core/PresenceType	0	1
domain	xsd:string	0	*
energyConsumption	EnergyConsumption	0	1
hyperparameter	/Core/DictionaryEntry	0	*
informationAboutApplication	xsd:string	0	1
informationAboutTraining	xsd:string	0	1
limitation	xsd:string	0	1
metric	/Core/DictionaryEntry	0	*
metricDecisionThreshold	/Core/DictionaryEntry	0	*
modelDataPreprocessing	xsd:string	0	*
modelExplainability	xsd:string	0	*
safetyRiskAssessment	SafetyRiskAssessmentType	0	1
standardCompliance	xsd:string	0	*
typeOfModel	xsd:string	0	*
useSensitivePersonalInformation	/Core/PresenceType	0	1

**External properties cardinality updates**

Property	minCount	maxCount
/Core/Artifact/releaseTime	1	
/Core/Artifact/suppliedBy	1	
/Software/Package/downloadLocation	1	
/Software/Package/packageVersion	1	
/Software/SoftwareArtifact/primaryPurpose	1	

**All properties** (informative)

Property	Type	minCount	maxCount
additionalPurpose	SoftwarePurpose	0	*
attributionText	xsd:string	0	*
autonomyType	/Core/PresenceType	0	1
builtTime	DateTime	0	1
comment	xsd:string	0	1
contentIdentifier	ContentIdentifier	0	*
copyrightText	xsd:string	0	1
creationInfo	CreationInfo	1	1
description	xsd:string	0	1
domain	xsd:string	0	*
downloadLocation	xsd:anyURI	1	1
energyConsumption	EnergyConsumption	0	1
extension	/Extension/Extension	0	*
externalIdentifier	ExternalIdentifier	0	*
externalRef	ExternalRef	0	*
homePage	xsd:anyURI	0	1
hyperparameter	/Core/DictionaryEntry	0	*
informationAboutApplication	xsd:string	0	1
informationAboutTraining	xsd:string	0	1
limitation	xsd:string	0	1
metric	/Core/DictionaryEntry	0	*
metricDecisionThreshold	/Core/DictionaryEntry	0	*
modelDataPreprocessing	xsd:string	0	*
modelExplainability	xsd:string	0	*
name	xsd:string	1	1
originatedBy	Agent	0	*
packageUrl	xsd:anyURI	0	1
packageVersion	xsd:string	1	1
primaryPurpose	SoftwarePurpose	1	1
releaseTime	DateTime	1	1
safetyRiskAssessment	SafetyRiskAssessmentType	0	1
sourceInfo	xsd:string	0	1
spdxId	xsd:anyURI	1	1
standardCompliance	xsd:string	0	*
standardName	xsd:string	0	*
summary	xsd:string	0	1
suppliedBy	Agent	1	1
supportLevel	SupportType	0	*
typeOfModel	xsd:string	0	*
useSensitivePersonalInformation	/Core/PresenceType	0	1
validUntilTime	DateTime	0	1
verifiedUsing	IntegrityMethod	0	*

### 15.1.2 EnergyConsumption

#### Summary

A class for describing the energy consumption incurred by an AI model in different stages of its lifecycle.

#### Description

A class to denote the known or estimated energy consumption of an AI model during its training, fine-tuning, and inference stages.

#### Example

```
{
  "type": "ai_EnergyConsumption",
  "ai_trainingEnergyConsumption": [
    {
      "type": "ai_EnergyConsumptionDescription",
      "ai_energyQuantity": "36.5",
      "ai_energyUnit": "kilowattHour"
    }
  ],
  "ai_inferenceEnergyConsumption": [
    {
      "type": "ai_EnergyConsumptionDescription",
      "ai_energyQuantity": "0.042",
      "ai_energyUnit": "kilowattHour"
    }
  ]
}
```

#### Metadata

<https://spdx.org/rdf/3.0.1/terms/AI/EnergyConsumption>

<i>Name:</i>	EnergyConsumption
<i>Instantiability:</i>	Concrete

#### Properties

Property	Type	minCount	maxCount
finetuningEnergyConsumption	EnergyConsumptionDescription	0	*
inferenceEnergyConsumption	EnergyConsumptionDescription	0	*
trainingEnergyConsumption	EnergyConsumptionDescription	0	*

#### All properties (informative)

Property	Type	minCount	maxCount
finetuningEnergyConsumption	EnergyConsumptionDescription	0	*
inferenceEnergyConsumption	EnergyConsumptionDescription	0	*
trainingEnergyConsumption	EnergyConsumptionDescription	0	*

### 15.1.3 EnergyConsumptionDescription

#### Summary

The class that helps note down the quantity of energy consumption and the unit used for measurement.

## Description

This class is designed to store energy consumption data, including the quantity and the unit of measurement.

The `energyQuantity` property stores the amount of energy consumed, and the `energyUnit` property stores the unit used for measurement.

For example, 0.0042 kilowatt-hour of energy will have 0.042 as a value for property `energyQuantity`, and "kilowattHour" as a value for property `energyUnit`.

### Example

```
{
  "type": "ai_EnergyConsumptionDescription",
  "ai_energyQuantity": "0.042",
  "ai_energyUnit": "kilowattHour"
}
```

## Metadata

<https://spdx.org/rdf/3.0.1/terms/AI/EnergyConsumptionDescription>

<i>Name:</i>	EnergyConsumptionDescription
<i>Instantiability:</i>	Concrete

## Properties

Property	Type	minCount	maxCount
<code>energyQuantity</code>	<code>xsd:decimal</code>	1	1
<code>energyUnit</code>	<code>EnergyUnitType</code>	1	1

### All properties (informative)

Property	Type	minCount	maxCount
<code>energyQuantity</code>	<code>xsd:decimal</code>	1	1
<code>energyUnit</code>	<code>EnergyUnitType</code>	1	1

## 15.2 Properties

### 15.2.1 autonomyType

#### Summary

Indicates whether the system can perform a decision or action without human involvement or guidance.

#### Description

Indicates if the system is fully automated or a human is involved in any of the decisions of the AI system.

- `yes`: Indicates that the system is fully automated
- `no`: Indicates that a human is involved in any of the decisions of the AI system
- `noAssertion`: Makes no assertion about the autonomy

## Metadata

<https://spdx.org/rdf/3.0.1/terms/AI/autonomyType>

<i>Name:</i>	autonomyType
<i>Nature:</i>	ObjectProperty
<i>Range:</i>	/Core/PresenceType

## Referenced

- /AI/AIPackage

### 15.2.2 domain

#### Summary

Captures the domain in which the AI package can be used.

#### Description

A free-form text that describes the domain where the AI model contained in the AI software can be expected to operate successfully.

Examples include computer vision, natural language processing, etc.

#### Metadata

<https://spdx.org/rdf/3.0.1/terms/AI/domain>

<i>Name:</i>	domain
<i>Nature:</i>	DataProperty
<i>Range:</i>	xsd:string

## Referenced

- /AI/AIPackage

### 15.2.3 energyConsumption

#### Summary

Indicates the amount of energy consumption incurred by an AI model.

#### Description

Captures the energy consumption of an AI model, either known or estimated.

In the absence of direct measurements, an SPDX data creator may choose to estimate the energy consumption based on information about computational resources (e.g., number of floating-point operations), training time, and other relevant training details.

#### Metadata

<https://spdx.org/rdf/3.0.1/terms/AI/energyConsumption>

<i>Name:</i>	energyConsumption
<i>Nature:</i>	ObjectProperty
<i>Range:</i>	EnergyConsumption

## Referenced

- /AI/AIPackage

### 15.2.4 energyQuantity

#### Summary

Represents the energy quantity.

### Description

Provides the quantity information of the energy.

### Metadata

<https://spdx.org/rdf/3.0.1/terms/AI/energyQuantity>

<i>Name:</i>	energyQuantity
<i>Nature:</i>	DataProperty
<i>Range:</i>	xsd:decimal

### Referenced

- /AI/EnergyConsumptionDescription

## 15.2.5 energyUnit

### Summary

Specifies the unit in which energy is measured.

### Description

Provides the unit information of the energy.

### Metadata

<https://spdx.org/rdf/3.0.1/terms/AI/energyUnit>

<i>Name:</i>	energyUnit
<i>Nature:</i>	ObjectProperty
<i>Range:</i>	EnergyUnitType

### Referenced

- /AI/EnergyConsumptionDescription

## 15.2.6 finetuningEnergyConsumption

### Summary

Specifies the amount of energy consumed when finetuning the AI model that is being used in the AI system.

### Description

The field specifies the amount of energy consumed when finetuning the AI model that is being used in the AI system.

### Metadata

<https://spdx.org/rdf/3.0.1/terms/AI/finetuningEnergyConsumption>

<i>Name:</i>	finetuningEnergyConsumption
<i>Nature:</i>	ObjectProperty
<i>Range:</i>	EnergyConsumptionDescription

### Referenced

- /AI/EnergyConsumption

### 15.2.7 hyperparameter

#### Summary

Records a hyperparameter used to build the AI model contained in the AI package.

#### Description

Records a hyperparameter value.

Hyperparameters are settings defined before the training process that control the learning algorithm's behavior. They differ from model parameters, which are learned from the data during training. Developers typically set hyperparameters manually or through a process of hyperparameter tuning (also known as trial and error).

Examples of hyperparameters include learning rate, batch size, and the number of layers in a neural network.

#### Metadata

<https://spdx.org/rdf/3.0.1/terms/AI/hyperparameter>

<i>Name:</i>	hyperparameter
<i>Nature:</i>	ObjectProperty
<i>Range:</i>	/Core/DictionaryEntry

#### Referenced

- /AI/AIPackage

### 15.2.8 inferenceEnergyConsumption

#### Summary

Specifies the amount of energy consumed during inference time by an AI model that is being used in the AI system.

#### Description

The field specifies the amount of energy consumed during inference time by an AI model that is being used in the AI system.

#### Metadata

<https://spdx.org/rdf/3.0.1/terms/AI/inferenceEnergyConsumption>

<i>Name:</i>	inferenceEnergyConsumption
<i>Nature:</i>	ObjectProperty
<i>Range:</i>	EnergyConsumptionDescription

#### Referenced

- /AI/EnergyConsumption

### 15.2.9 informationAboutApplication

#### Summary

Provides relevant information about the AI software, not including the model description.



**Description**

A free-form text description of how the AI model is used within the software.

It should include any relevant information, such as pre-processing steps, third-party APIs, and other pertinent details.

It can also include:

- Functionality provided by the AI model within the software application, including: any specific tasks or decisions it is designed to perform; any pre-processing steps that are applied to the input data before it is fed into the AI model for inference, such as data cleaning, normalization, or feature extraction; and any third-party APIs or services that are used in conjunction with the AI model, such as data sources, cloud services, or other AI models.
- Description of any dependencies or requirements needed to run the AI model within the software application, including: specific hardware, software libraries, and operating systems.

**Metadata**

<https://spdx.org/rdf/3.0.1/terms/AI/informationAboutApplication>

<i>Name:</i>	informationAboutApplication
<i>Nature:</i>	DataProperty
<i>Range:</i>	xsd:string

**Referenced**

- /AI/AIPackage

**15.2.10 informationAboutTraining****Summary**

Describes relevant information about different steps of the training process.

**Description**

A detailed explanation of the training process, including the specific techniques, algorithms, and methods employed.

Examples include:

- training data used to train the AI model, along with any relevant details about its source, quality, and pre-processing steps;
- specific training algorithms employed, including stochastic gradient descent, backpropagation, and reinforcement learning;
- specific training techniques used to improve the performance or accuracy of the AI model, such as transfer learning, fine-tuning, or active learning; and
- any evaluation metrics used to assess the performance of the AI model during the training process, including accuracy, precision, recall, and F1 score.

**Metadata**

<https://spdx.org/rdf/3.0.1/terms/AI/informationAboutTraining>

<i>Name:</i>	informationAboutTraining
<i>Nature:</i>	DataProperty
<i>Range:</i>	xsd:string

**Referenced**

- /AI/AIPackage

**15.2.11 limitation****Summary**

Captures a limitation of the AI software.

**Description**

A free-form text that captures a limitation of the AI package (or of the AI models present in the AI package).

Note that this is not guaranteed to be exhaustive.

For instance, a limitation might be that the AI package cannot be used on datasets from a certain demography.

**Metadata**

<https://spdx.org/rdf/3.0.1/terms/AI/limitation>

<i>Name:</i>	limitation
<i>Nature:</i>	DataProperty
<i>Range:</i>	xsd:string

**Referenced**

- /AI/AIPackage

**15.2.12 metric****Summary**

Records the measurement of prediction quality of the AI model.

**Description**

Records the measurement with which the AI model was evaluated.

This makes statements about the prediction quality including uncertainty, accuracy, characteristics of the tested population, quality, fairness, explainability, robustness etc.

**Metadata**

<https://spdx.org/rdf/3.0.1/terms/AI/metric>

<i>Name:</i>	metric
<i>Nature:</i>	ObjectProperty
<i>Range:</i>	/Core/DictionaryEntry

**Referenced**

- /AI/AIPackage

**15.2.13 metricDecisionThreshold****Summary**

Captures the threshold that was used for computation of a metric described in the metric field.

**Description**

Each metric might be computed based on a decision threshold.

For instance, precision or recall is typically computed by checking if the probability of the outcome is larger than 0.5.

Each decision threshold should match with a metric field defined in the AI package.

**Metadata**

<https://spdx.org/rdf/3.0.1/terms/AI/metricDecisionThreshold>

<i>Name:</i>	metricDecisionThreshold
<i>Nature:</i>	ObjectProperty
<i>Range:</i>	/Core/DictionaryEntry

**Referenced**

- /AI/AIPackage

**15.2.14 modelDataPreprocessing****Summary**

Describes all the preprocessing steps applied to the training data before the model training.

**Description**

A free-form text that describes the preprocessing steps applied to the training data before training of the model(s) contained in the AI software.

**Metadata**

<https://spdx.org/rdf/3.0.1/terms/AI/modelDataPreprocessing>

<i>Name:</i>	modelDataPreprocessing
<i>Nature:</i>	DataProperty
<i>Range:</i>	xsd:string

**Referenced**

- /AI/AIPackage

**15.2.15 modelExplainability****Summary**

Describes methods that can be used to explain the results from the AI model.

**Description**

A free-form text that lists the different explainability mechanisms and how they can be used to explain the results from the AI model.

The mechanisms can be model-agnostic methods, such as SHapley Additive exPlanations (SHAP)<sup>125</sup> and Local Interpretable Model-agnostic Explanations (LIME)<sup>126</sup>, and model-specific methods that applied to a limited category of models.

<sup>125</sup><https://shap.readthedocs.io/>

<sup>126</sup><https://github.com/marcotcr/lime>

**Metadata**

<https://spdx.org/rdf/3.0.1/terms/AI/modelExplainability>

<i>Name:</i>	modelExplainability
<i>Nature:</i>	DataProperty
<i>Range:</i>	xsd:string

**Referenced**

- /AI/AIPackage

**15.2.16 safetyRiskAssessment****Summary**

Records the results of general safety risk assessment of the AI system.

**Description**

Records the results of general safety risk assessment of the AI system.

Using categorization according to the EU general risk assessment methodology<sup>127</sup>. The methodology implements Article 20 of Regulation (EC) No 765/2008 and is intended to assist authorities when they assess general product safety compliance.

It is important to note that this categorization differs from the one proposed in the EU AI Act's provisional agreement.

**Metadata**

<https://spdx.org/rdf/3.0.1/terms/AI/safetyRiskAssessment>

<i>Name:</i>	safetyRiskAssessment
<i>Nature:</i>	ObjectProperty
<i>Range:</i>	SafetyRiskAssessmentType

**Referenced**

- /AI/AIPackage

**15.2.17 standardCompliance****Summary**

Captures a standard that is being complied with.

**Description**

A free-form text that captures a standard that the AI software complies with.

This includes both published and unpublished standards, such as those developed by ISO, IEEE, and ETSI.

The standard may, but is not necessarily required to, satisfy a legal or regulatory requirement.

**Metadata**

<https://spdx.org/rdf/3.0.1/terms/AI/standardCompliance>

<i>Name:</i>	standardCompliance
<i>Nature:</i>	DataProperty
<i>Range:</i>	xsd:string

<sup>127</sup><https://ec.europa.eu/docsroom/documents/17107>

## Referenced

- /AI/AIPackage

### 15.2.18 trainingEnergyConsumption

#### Summary

Specifies the amount of energy consumed when training the AI model that is being used in the AI system.

#### Description

The field specifies the amount of energy consumed when training the AI model that is being used in the AI system.

#### Metadata

<https://spdx.org/rdf/3.0.1/terms/AI/trainingEnergyConsumption>

<i>Name:</i>	trainingEnergyConsumption
<i>Nature:</i>	ObjectProperty
<i>Range:</i>	EnergyConsumptionDescription

## Referenced

- /AI/EnergyConsumption

### 15.2.19 typeOfModel

#### Summary

Records the type of the model used in the AI software.

#### Description

A free-form text that records the type of the AI model(s) used in the software.

For instance, if it is a supervised model, unsupervised model, reinforcement learning model or a combination of those.

#### Metadata

<https://spdx.org/rdf/3.0.1/terms/AI/typeOfModel>

<i>Name:</i>	typeOfModel
<i>Nature:</i>	DataProperty
<i>Range:</i>	xsd:string

## Referenced

- /AI/AIPackage

### 15.2.20 useSensitivePersonalInformation

#### Summary

Records if sensitive personal information is used during model training or could be used during the inference.

**Description**

Notes if sensitive personal information is used in the training or inference of the AI models.

This might include biometric data, addresses or other data that can be used to infer a person's identity.

Related: `hasSensitivePersonalInformation` in `/Dataset/DatasetPackage`

**Metadata**

<https://spdx.org/rdf/3.0.1/terms/AI/useSensitivePersonalInformation>

<i>Name:</i>	<code>useSensitivePersonalInformation</code>
<i>Nature:</i>	<code>ObjectProperty</code>
<i>Range:</i>	<code>/Core/PresenceType</code>

**Referenced**

- `/AI/AIPackage`

**15.3 Vocabularies****15.3.1 EnergyUnitType****Summary**

Specifies the unit of energy consumption.

**Description**

List the different acceptable units for measuring energy consumption.

If the unit in which the energy consumption has been recorded is not listed here, please select “other”.

**Metadata**

<https://spdx.org/rdf/3.0.1/terms/AI/EnergyUnitType>

<i>Name:</i>	<code>EnergyUnitType</code>
--------------	-----------------------------

**Entries**

**kilowattHour** Kilowatt-hour.

**megajoule** Megajoule.

**other** Any other units of energy measurement.

**15.3.2 SafetyRiskAssessmentType****Summary**

Specifies the safety risk level.

**Description**

Lists the different general safety risk levels that can be used to describe the general safety risk of an AI system.

Using categorization according to the EU general risk assessment methodology<sup>128</sup>. The methodology implements Article 20 of Regulation (EC) No 765/2008 and is intended to assist authorities when they assess general product safety compliance.

<sup>128</sup><https://ec.europa.eu/docsroom/documents/17107>

## Metadata

<https://spdx.org/rdf/3.0.1/terms/AI/SafetyRiskAssessmentType>

<i>Name:</i> SafetyRiskAssessmentType
---------------------------------------

## Entries

**high** The second-highest level of risk posed by an AI system.

**low** Low/no risk is posed by an AI system.

**medium** The third-highest level of risk posed by an AI system.

**serious** The highest level of risk posed by an AI system.

## 16 Build

### Summary

The Build Profile defines the set of information required to describe an instance of a Software Build.

### Description

A Software Build is defined here as the act of converting software inputs into software artifacts using software build tools. Inputs can include source code, config files, artifacts that are build environments, and build tools. Outputs can include intermediate artifacts to other build inputs or the final artifacts.

The Build profile provides a subclass of Element called Build.

It also provides a minimum set of required Relationship Types from the Core profile:

- **hasInput:** Describes the relationship from the Build element to its inputs.
- **hasOutput:** Describes the relationship from the Build element to its outputs.
- **invokedBy:** Describes the relationship from the Build element to the Agent that invoked it.

In addition, the following Relationship Types may be used to describe a Build.

- **hasHost:** Describes the relationship from the Build element to the build stage or host.
- **configures:** Describes the relationship from a configuration to the Build element.
- **ancestorOf:** Describes a relationship from a Build element to Build elements that describe its child builds.
- **decendentOf:** Describes a relationship from a child Build element to its parent.
- **usesTool:** Describes a relationship from a Build element to a build tool.

All relationships in the Build Profile are scoped to the “build” LifecycleScopeType period.

The **hasInput** relationship can be applied to a config file or a build tool if the nature of these inputs are not known at the creation of an SPDX document.

## Metadata

<https://spdx.org/rdf/3.0.1/terms/Build>

<i>Name:</i> Build
--------------------

## 16.1 Classes

### 16.1.1 Build

#### Summary

Class that describes a build instance of software/artifacts.

#### Description

A build is a representation of the process in which a piece of software or artifact is built. It encapsulates information related to a build process and provides an element from which relationships can be created to describe the build's inputs, outputs, and related entities (e.g. builders, identities, etc.).

Definitions of “buildType”, “configSourceEntrypoint”, “configSourceUri”, “parameters” and “environment” follow those defined in SLSA Provenance v0.2<sup>129</sup>.

ExternalIdentifier of type “urlScheme” may be used to identify build logs. In this case, the comment of the ExternalIdentifier should be “LogReference”.

Note that buildStartTime and buildEndTime are optional, and may be omitted to simplify creating reproducible builds.

#### Metadata

<https://spdx.org/rdf/3.0.1/terms/Build/Build>

<i>Name:</i>	Build
<i>Instantiability:</i>	Concrete
<i>SubclassOf:</i>	/Core/Element

#### Superclasses

- /Core/Element

#### Properties

Property	Type	minCount	maxCount
buildEndTime	/Core/DateTime	0	1
buildId	xsd:string	0	1
buildStartTime	/Core/DateTime	0	1
buildType	xsd:anyURI	1	1
configSourceDigest	/Core/Hash	0	*
configSourceEntrypoint	xsd:string	0	*
configSourceUri	xsd:anyURI	0	*
environment	/Core/DictionaryEntry	0	*
parameter	/Core/DictionaryEntry	0	*

#### All properties (informative)

Property	Type	minCount	maxCount
buildEndTime	/Core/DateTime	0	1
buildId	xsd:string	0	1
buildStartTime	/Core/DateTime	0	1
buildType	xsd:anyURI	1	1
comment	xsd:string	0	1
configSourceDigest	/Core/Hash	0	*

<sup>129</sup><https://slsa.dev/provenance/v0.2>



configSourceEntrypoint	xsd:string	0	*
configSourceUri	xsd:anyURI	0	*
creationInfo	CreationInfo	1	1
description	xsd:string	0	1
environment	/Core/DictionaryEntry	0	*
extension	/Extension/Extension	0	*
externalIdentifier	ExternalIdentifier	0	*
externalRef	ExternalRef	0	*
name	xsd:string	0	1
parameter	/Core/DictionaryEntry	0	*
spdxId	xsd:anyURI	1	1
summary	xsd:string	0	1
verifiedUsing	IntegrityMethod	0	*

## 16.2 Properties

### 16.2.1 buildEndTime

#### Summary

Property that describes the time at which a build stops.

#### Description

buildEndTime describes the time at which a build stops or finishes.

This value is typically recorded by the builder.

#### Metadata

<https://spdx.org/rdf/3.0.1/terms/Build/buildEndTime>

<i>Name:</i>	buildEndTime
<i>Nature:</i>	DataProperty
<i>Range:</i>	/Core/DateTime

#### Referenced

- /Build/Build

### 16.2.2 buildId

#### Summary

A buildId is a locally unique identifier used by a builder to identify a unique instance of a build produced by it.

#### Description

A buildId is a locally unique identifier to identify a unique instance of a build.

This identifier differs based on build toolchain, platform, or naming convention used by an organization or standard.

#### Metadata

<https://spdx.org/rdf/3.0.1/terms/Build/buildId>

<i>Name:</i>	buildId
<i>Nature:</i>	DataProperty
<i>Range:</i>	xsd:string

**Referenced**

- /Build/Build

**16.2.3 buildStartTime****Summary**

Property describing the start time of a build.

**Description**

buildStartTime is the time at which a build is triggered.

The builder typically records this value.

**Metadata**

<https://spdx.org/rdf/3.0.1/terms/Build/buildStartTime>

<i>Name:</i>	buildStartTime
<i>Nature:</i>	DataProperty
<i>Range:</i>	/Core/DateTime

**Referenced**

- /Build/Build

**16.2.4 buildType****Summary**

A buildType is a hint that is used to indicate the toolchain, platform, or infrastructure that the build was invoked on.

**Description**

A buildType is a URI expressing the toolchain, platform, or infrastructure that the build was invoked on.

For example, if the build was invoked on GitHub's CI platform using GitHub Actions, the buildType can be expressed as <https://github.com/actions>. In contrast, if the build was invoked on a local machine, the buildType can be expressed as <file://username@host/path/to/build>.

**Metadata**

<https://spdx.org/rdf/3.0.1/terms/Build/buildType>

<i>Name:</i>	buildType
<i>Nature:</i>	DataProperty
<i>Range:</i>	xsd:anyURI

**Referenced**

- /Build/Build

**16.2.5 configSourceDigest****Summary**

Property that describes the digest of the build configuration file used to invoke a build.

## Description

configSourceDigest is the checksum of the build configuration file used by a builder to execute a build.

This Property uses the Core model's Hash<sup>130</sup> class.

## Metadata

<https://spdx.org/rdf/3.0.1/terms/Build/configSourceDigest>

<i>Name:</i>	configSourceDigest
<i>Nature:</i>	ObjectProperty
<i>Range:</i>	/Core/Hash

## Referenced

- /Build/Build

### 16.2.6 configSourceEntrypoint

#### Summary

Property describes the invocation entrypoint of a build.

#### Description

A build entrypoint is the invoked executable of a build which always runs when the build is triggered.

For example, when a build is triggered by running a shell script, the entrypoint is `script.sh`.

In terms of a declared build, the entrypoint is the position in a configuration file or a build declaration which is always run when the build is triggered.

For example, in the following configuration file, the entrypoint of the build is `publish`.

```
name: Publish packages to PyPI

on:
  create:
  tags: "*"

jobs:
  publish:
    runs-on: ubuntu-latest
    if: startsWith(github.ref, 'refs/tags/')
    steps:
...

```

## Metadata

<https://spdx.org/rdf/3.0.1/terms/Build/configSourceEntrypoint>

<i>Name:</i>	configSourceEntrypoint
<i>Nature:</i>	DataProperty
<i>Range:</i>	xsd:string

## Referenced

- /Build/Build

---

<sup>130</sup> ../../Core/Classes/Hash.md

### 16.2.7 configSourceUri

#### Summary

Property that describes the URI of the build configuration source file.

#### Description

If a build configuration exists for the toolchain or platform performing the build, the configSourceUri of a build is the URI of that build configuration.

For example, a build triggered by a GitHub Action is defined by a build configuration YAML file. In this case, the configSourceUri is the URL of that YAML file.

#### Metadata

<https://spdx.org/rdf/3.0.1/terms/Build/configSourceUri>

<i>Name:</i>	configSourceUri
<i>Nature:</i>	DataProperty
<i>Range:</i>	xsd:anyURI

#### Referenced

- /Build/Build

### 16.2.8 environment

#### Summary

Property describing the session in which a build is invoked.

#### Description

environment is a map of environment variables and values that are set during a build session.

This is different from the parameter<sup>131</sup> property in that it describes the environment variables set before a build is invoked rather than the variables provided to the builder.

#### Metadata

<https://spdx.org/rdf/3.0.1/terms/Build/environment>

<i>Name:</i>	environment
<i>Nature:</i>	ObjectProperty
<i>Range:</i>	/Core/DictionaryEntry

#### Referenced

- /Build/Build

### 16.2.9 parameter

#### Summary

Property describing a parameter used in an instance of a build.

---

<sup>131</sup>parameter.md

## Description

parameter is a key-value of a build parameter and its value that was provided to the builder for a build instance. This is different from the environment<sup>132</sup> property in that the key and value are provided as command line arguments or a configuration file to the builder.

## Metadata

<https://spdx.org/rdf/3.0.1/terms/Build/parameter>

<i>Name:</i>	parameter
<i>Nature:</i>	ObjectProperty
<i>Range:</i>	/Core/DictionaryEntry

## Referenced

- /Build/Build

# 17 Lite

## Summary

The SPDX Lite profile defines a simple view of SPDX data, from the point of view of use cases in some industries.

## Description

The SPDX Lite profile consists of mandatory and recommended information.

The mandatory data in SPDX Lite is basic but useful for complying with licenses. It is easy to understand licensing information by reading an SPDX Lite file.

SPDX Lite aims at a balance between the full SPDX data model and actual workflows in some industries.

An SPDX Lite document can also be used in parallel with other SPDX documents in software supply chains.

## Metadata

<https://spdx.org/rdf/3.0.1/terms/Lite>

<i>Name:</i>	Lite
--------------	------

## Profile conformance

In addition to the following mandatory requirements, please refer to the corresponding Annex for elements that should be included as part of a document conforming to the Lite profile.

For a /Software/Package to be conformant with this profile, the following has to hold:

1. The mincount for `copyrightText` is 1
2. The mincount for `packageVersion` is 1
3. The mincount for `suppliedBy` is 1
4. At least one of `downloadLocation` or `packageUrl` must be present

Additionally:

1. for every /Software/Package there MUST exist exactly one /Core/Relationship of type `hasConcludedLicense` having that element as its from property and an /SimpleLicensing/AnyLicenseInfo as its to property.

---

<sup>132</sup>environment.md

- for every `/Software/Package` there MUST exist exactly one `/Core/Relationship` of type `hasDeclaredLicense` having that element as its `from` property and an `/SimpleLicensing/AnyLicenseInfo` as its `to` property.

For a `/Core/SpdxDocument` to be conformant with this profile, the following has to hold: 1. The mincount for `element` is 1 1. The mincount for `rootElement` is 1

For a `/Software/Sbom` to be conformant with this profile, the following has to hold: 1. The mincount for `element` is 1 1. The mincount for `rootElement` is 1

Finally, for a `/Core/Agent` to be conformant with this profile, the following has to hold:

- The mincount for `name` is 1

## 18 Extension

### Summary

Everything having to do with SPDX extensions.

### Description

The `Extension` namespace defines the abstract `Extension` class serving as the base for all defined extension sub-classes.

### Metadata

<https://spdx.org/rdf/3.0.1/terms/Extension>

<i>Name:</i>	Extension
--------------	-----------

### 18.1 Classes

#### 18.1.1 CdxPropertiesExtension

### Summary

A type of extension consisting of a list of name value pairs.

### Description

This extension provides a more structured extension using a name-value approach.

Unlike key-value stores, `cdxProperties` support duplicate names, each potentially having different values.

This is intended to be compatible with the CycloneDX property properties.

### Metadata

<https://spdx.org/rdf/3.0.1/terms/Extension/CdxPropertiesExtension>

<i>Name:</i>	CdxPropertiesExtension
<i>Instantiability:</i>	Concrete
<i>SubclassOf:</i>	Extension

### Superclasses

- `/Extension/Extension`

**Properties**

Property	Type	minCount	maxCount
cdxProperty	CdxPropertyEntry	1	*

**All properties** (informative)

Property	Type	minCount	maxCount
cdxProperty	CdxPropertyEntry	1	*

**18.1.2 CdxPropertyEntry****Summary**

A property name with an associated value.

**Description**

Each CdxPropertyEntry contains a name-value pair which maps the name to its associated value.

Unlike key-value stores, cdxProperties support duplicate names, each potentially having different values.

This class can be used to implement CycloneDX compatible properties.

**Metadata**

<https://spdx.org/rdf/3.0.1/terms/Extension/CdxPropertyEntry>

<i>Name:</i>	CdxPropertyEntry
<i>Instantiability:</i>	Concrete

**Properties**

Property	Type	minCount	maxCount
cdxPropName	xsd:string	1	1
cdxPropValue	xsd:string	0	1

**All properties** (informative)

Property	Type	minCount	maxCount
cdxPropName	xsd:string	1	1
cdxPropValue	xsd:string	0	1

**18.1.3 Extension****Summary**

A characterization of some aspect of an Element that is associated with the Element in a generalized fashion.

**Description**

An Extension is a characterization of some aspect of an Element that is associated with the Element in a generalized fashion.

Rather than being associated with a particular Element through the typical use of a purpose-specific object property an Extension is associated with the Element it characterizes using a single common generalized object property.

This approach serves multiple purposes:

1. Support profile-based extended characterization of Elements. Enables specification and expression of Element characterization extensions within any profile and namespace of SPDX without requiring changes to other profiles or namespaces and without requiring local subclassing of remote classes (which could inhibit ecosystem interoperability in some cases).
2. Support extension of SPDX by adopting individuals or communities with Element characterization details uniquely specialized to their particular context. Enables adopting individuals or communities to utilize SPDX expressive capabilities along with expressing more arcane Element characterization details specific to them and not appropriate for standardization across SPDX.
3. Support structured capture of expressive solutions for gaps in SPDX coverage from real-world use. Enables adopting individuals or communities to express Element characterization details they require that are not currently defined in SPDX but likely should be. Enables a practical pipeline that
  - identifies gaps in SPDX that should be filled,
  - expresses solutions to those gaps in a way that allows the identifying adopters to use the extended solutions with SPDX and does not conflict with current SPDX,
  - can be clearly detected among the SPDX content exchange ecosystem,
  - provides a clear and structured definition of gap solution that can be used as submission for revision to SPDX standard

## Metadata

<https://spdx.org/rdf/3.0.1/terms/Extension/Extension>

<i>Name:</i>	Extension
<i>Instantiability:</i>	Abstract

## 18.2 Properties

### 18.2.1 cdxPropName

#### Summary

A name used in a CdxExtension name-value pair.

#### Description

A cdxPropName is used in a CdxExtension name-value pair.

Unlike key-value stores, cdxProperties support duplicate names, each potentially having different values.

## Metadata

<https://spdx.org/rdf/3.0.1/terms/Extension/cdxPropName>

<i>Name:</i>	cdxPropName
<i>Nature:</i>	DataProperty
<i>Range:</i>	xsd:string

## Referenced

- /Extension/CdxPropertyEntry

### 18.2.2 cdxPropValue

#### Summary

A value used in a CdxExtension name-value pair.



**Description**

A `cdxPropValue` is used in a `CdxExtension` name-value pair.

Unlike key-value stores, `cdxProperties` support duplicate names, each potentially having different values.

**Metadata**

<https://spdx.org/rdf/3.0.1/terms/Extension/cdxPropValue>

<i>Name:</i>	<code>cdxPropValue</code>
<i>Nature:</i>	<code>DataProperty</code>
<i>Range:</i>	<code>xsd:string</code>

**Referenced**

- `/Extension/CdxPropertyEntry`

**18.2.3 cdxProperty****Summary**

Provides a map of a property names to a values.

**Description**

This field provides a mapping of a name to a value.

This is intended to be compatible with the CycloneDX property “properties”.

Unlike key-value stores, `properties` support duplicate names, each potentially having different values.

**Metadata**

<https://spdx.org/rdf/3.0.1/terms/Extension/cdxProperty>

<i>Name:</i>	<code>cdxProperty</code>
<i>Nature:</i>	<code>ObjectProperty</code>
<i>Range:</i>	<code>CdxPropertyEntry</code>

**Referenced**

- `/Extension/CdxPropertiesExtension`

# Annex A


## RDF model definition and diagrams (Informative)

### Model definition

The SPDX RDF ontology is expressed in RDF/OWL/SHACL format and is published in online at [SPDX 3.0.1 Model<sup>1</sup>](https://spdx.org/rdf/3.0.1/spdx-model.ttl)

### Diagrams


#### Core and Software Profiles




<sup>1</sup><https://spdx.org/rdf/3.0.1/spdx-model.ttl>




## Licensing Profile




# Security Profile




## Dataset Profile



## AI Profile



## Build Profile







# Annex B

## SPDX license expressions (Normative)

### Overview

Often a single license can be used to represent the licensing terms of a source code or binary file, but there are situations where a single license identifier is not sufficient. A common example is when software is offered under a choice of one or more licenses (e.g., GPL-2.0-only OR BSD-3-Clause). Another example is when a set of licenses is needed to represent a binary program constructed by compiling and linking two (or more) different source files each governed by different licenses (e.g., LGPL-2.1-only AND BSD-3-Clause).

SPDX License Expressions provide a way for one to construct expressions that more accurately represent the licensing terms typically found in open source software source code. A license expression could be a single license identifier found on the SPDX License List; a user defined license reference denoted by the LicenseRef-[idString]; a license identifier combined with an SPDX exception; or some combination of license identifiers, license references and exceptions constructed using a small set of defined operators (e.g., AND, OR, WITH and +). We provide the definition of what constitutes a valid SPDX License Expression in this section.

The exact syntax of license expressions is described below in ABNF, as defined in RFC5234<sup>1</sup> and expanded in RFC7405<sup>2</sup>.

```
idstring = 1*(ALPHA / DIGIT / "-" / "." )

license-id = <short form license identifier from SPDX License List>

license-exception-id = <short form license exception identifier from SPDX License List>

license-ref = [%s"DocumentRef-"(idstring)":" ]%s"LicenseRef-"(idstring)

addition-ref = [%s"DocumentRef-"(idstring)":" ]%s"AdditionRef-"(idstring)

simple-expression = license-id / license-id"+" / license-ref

addition-expression = license-exception-id / addition-ref

compound-expression = (simple-expression /

    simple-expression ( %s"WITH" / %s"with" ) addition-expression /

    compound-expression ( %s"AND" / %s"and" ) compound-expression /

    compound-expression ( %s"OR" / %s"or" ) compound-expression /

    "(" compound-expression ")" )
```

---

<sup>1</sup><http://tools.ietf.org/html/rfc5234>

<sup>2</sup><http://tools.ietf.org/html/rfc7405>

`license-expression = (simple-expression / compound-expression)`

In the following sections we describe in more detail `<license-expression>` construct, a licensing expression string that enables a more accurate representation of the licensing terms of modern-day software.

A valid `<license-expression>` string consists of either:

- (i) a simple license expression, such as a single license identifier; or
- (ii) a more complex expression constructed by combining smaller valid expressions using Boolean license operators.

There **MUST NOT** be white space between a license-id and any following `+`. This supports easy parsing and backwards compatibility. There **MUST** be white space on either side of the operator `“WITH”`. There **MUST** be white space and/or parentheses on either side of the operators `AND` and `OR`.

In the `tag: value` format, a license expression **MUST** be on a single line, and **MUST NOT** include a line break in the middle of the expression.

## Case sensitivity

License expression operators (`AND`, `and`, `OR`, `or`, `WITH` and `with`) should be matched in a *case-sensitive* manner, i.e., letters must be all upper case or all lower case.

License identifiers (including license exception identifiers) used in SPDX documents or source code files should be matched in a *case-insensitive* manner. In other words, `MIT`, `Mit` and `mit` should all be treated as the same identifier and referring to the same license.

However, please be aware that it is often important to match with the case of the canonical identifier on the SPDX License List<sup>3</sup>. This is because the canonical identifier’s case is used in the URL of the license’s or exception’s entry on the List, and because the canonical identifier is translated to a URI in RDF documents.

For user defined license identifiers, only the variable part (after `LicenseRef-`) is case insensitive. This means, for example, that `LicenseRef-Name` and `LicenseRef-name` should be treated as the same identifier and considered to refer to the same license, while `licenseref-name` is not a valid license identifier.

The same applies to `AdditionRef-` user defined identifiers.

## Simple license expressions

A simple `<license-expression>` is composed one of the following:

- An SPDX License List Short Form Identifier. For example: `CDDL-1.0`
- An SPDX License List Short Form Identifier with a unary `“+”` operator suffix to represent the current version of the license or any later version. For example: `CDDL-1.0+`
- An SPDX user defined license reference: `[“DocumentRef-”1*(idstring)“:”]“LicenseRef-”1*(idstring)`

Some examples:

`LicenseRef-23`

`LicenseRef-MIT-Style-1`

`DocumentRef-spx-tool-1.2:LicenseRef-MIT-Style-2`

<sup>3</sup><https://spdx.org/licenses>



The current set of valid license identifiers can be found in [spdx.org/licenses](https://spdx.org/licenses)<sup>4</sup>.

## Composite license expressions

### Introduction

More expressive composite license expressions can be constructed using “OR”, “AND”, and “WITH” operators similar to constructing mathematical expressions using arithmetic operators.

For the `tag:value` format, any license expression that consists of more than one license identifier and/or LicenseRef, may optionally be encapsulated by parentheses: “( )”.

Nested parentheses can also be used to specify an order of precedence which is discussed in more detail in D.4.5.

### Disjunctive “OR” operator

If presented with a choice between two or more licenses, use the disjunctive binary “OR” operator to construct a new license expression, where both the left and right operands are valid license expression values.

For example, when given a choice between the LGPL-2.1-only or MIT licenses, a valid expression would be:

```
LGPL-2.1-only OR MIT
```

The “OR” operator is commutative, meaning that the above expression should be considered equivalent to:

```
MIT OR LGPL-2.1-only
```

An example representing a choice between three different licenses would be:

```
LGPL-2.1-only OR MIT OR BSD-3-Clause
```

It is allowed to use the operator in lower case form `or`.

### Conjunctive “AND” operator

If required to simultaneously comply with two or more licenses, use the conjunctive binary “AND” operator to construct a new license expression, where both the left and right operands are a valid license expression values.

For example, when one is required to comply with both the LGPL-2.1-only or MIT licenses, a valid expression would be:

```
LGPL-2.1-only AND MIT
```

The “AND” operator is commutative, meaning that the above expression should be considered equivalent to:

```
MIT AND LGPL-2.1-only
```

An example where all three different licenses apply would be:

```
LGPL-2.1-only AND MIT AND BSD-2-Clause
```

It is allowed to use the operator in lower case form `and`.

---

<sup>4</sup><https://spdx.org/licenses>

## Additive “WITH” operator

Sometimes license texts are found with additional text, which might or might not modify the original license terms.

In this case, use the binary “WITH” operator to construct a new license expression to represent the special situation. A valid `<license-expression>` is where the left operand is a `<simple-expression>` value and the right operand is a `<addition-expression>` that represents the additional text.

The `<addition-expression>` can be either a `<license-exception-id>` from the SPDX License List, or a user defined addition reference in the form `[“DocumentRef-”(idstring)“:”]“AdditonRef-”(idstring)`

For example, when the Bison exception is to be applied to GPL-2.0-or-later, the expression would be:

```
GPL-2.0-or-later WITH Bison-exception-2.2
```

The current set of valid license exceptions identifiers can be found in [spdx.org/licenses](https://spdx.org/licenses)<sup>5</sup>.

It is allowed to use the operator in lower case form `with`.

## Order of precedence and parentheses

The order of application of the operators in an expression matters (similar to mathematical operators). The default operator order of precedence of a `<license-expression>` is:

```
+
WITH
AND
OR
```

where a lower order operator is applied before a higher order operator.

For example, the following expression:

```
LGPL-2.1-only OR BSD-3-Clause AND MIT
```

represents a license choice between either LGPL-2.1-only and the expression BSD-3-Clause AND MIT because the AND operator takes precedence over (is applied before) the OR operator.

When required to express an order of precedence that is different from the default order a `<license-expression>` can be encapsulated in pairs of parentheses: `()`, to indicate that the operators found inside the parentheses takes precedence over operators outside. This is also similar to the use of parentheses in an algebraic expression e.g.,  $(5+7)/2$ .

For instance, the following expression:

```
MIT AND (LGPL-2.1-or-later OR BSD-3-Clause)
```

states the OR operator should be applied before the AND operator. That is, one should first select between the LGPL-2.1-or-later or the BSD-3-Clause license before applying the MIT license.

## License expressions in RDF

A conjunctive license can be expressed in RDF via a `<spdx:ConjunctiveLicenseSet>` element, with an `spdx:member` property for each element in the conjunctive license. Two or more members are required.

---

<sup>5</sup><https://spdx.org/licenses>

```

<spdx:ConjunctiveLicenseSet>
  <spdx:member rdf:resource="http://spdx.org/licenses/GPL-2.0-only"/>
  <spdx:ExtractedLicensingInfo rdf:about
    ="http://example.org#LicenseRef-EternalSurrender">
    <spdx:extractedText>
      In exchange for using this software, you agree to give
      its author all your worldly possessions. You will not
      hold the author liable for all the damage this software
      will inevitably cause not only to your person and
      property, but to the entire fabric of the cosmos.
    </spdx:extractedText>
    <spdx:licenseId>LicenseRef-EternalSurrender</spdx:licenseId>
  </spdx:ExtractedLicensingInfo>
</spdx:ConjunctiveLicenseSet>

```

A disjunctive license can be expressed in RDF via a `<spdx:DisjunctiveLicenseSet>` element, with an `spdx:member` property for each element in the disjunctive license. Two or more members are required.

```

<spdx:DisjunctiveLicenseSet>
  <spdx:member rdf:resource="http://spdx.org/licenses/GPL-2.0-only"/>
  <spdx:member>
    <spdx:ExtractedLicensingInfo rdf:about
      ="http://example.org#LicenseRef-EternalSurrender">
      <spdx:extractedText>
        In exchange for using this software, you agree to
        give its author all your worldly possessions. You
        will not hold the author liable for all the damage
        this software will inevitably cause not only to
        your person and property, but to the entire fabric
        of the cosmos.
      </spdx:extractedText>
      <spdx:licenseId>LicenseRef-EternalSurrender</spdx:licenseId>
    </spdx:ExtractedLicensingInfo>
  </spdx:member>
</spdx:DisjunctiveLicenseSet>

```

A License Exception can be expressed in RDF via a `<spdx:LicenseException>` element. This element has the following unique mandatory (unless specified otherwise) attributes:

- `comment` - An `rdfs:comment` element describing the nature of the exception.
- `seeAlso` (optional, one or more)- An `rdfs:seeAlso` element referencing external sources of information on the exception.
- `example` (optional) - Text describing examples of this exception.
- `name` - The full human readable name of the item.
- `licenseExceptionId` - The identifier of an exception in the SPDX License List to which the exception applies.
- `licenseExceptionText` - Full text of the license exception.

```

<rdfs:Description rdf:about
  ="http://example.org#SPDXRef-ButIdDontWantToException">
  <rdfs:comment>This exception may be invalid in some
    jurisdictions.</rdfs:comment>
  <rdfs:seeAlso>http://dilbert.com/strip/1997-01-15</rdfs:seeAlso>
  <spdx:example>So this one time, I had a license exception
    ...</spdx:example>
  <spdx:licenseExceptionText>
    A user of this software may decline to follow any subset of
    the terms of this license upon finding any or all such terms

```

```
    unfavorable.
  </spdx:licenseExceptionText>
  <spdx:name>&quot;But I Don&apos;t Want To&quot; Exception</spdx:name>
  <spdx:licenseExceptionId>SPDXRef-ButIdDontWantToException</spdx:licenseExceptionId>
  <rdf:type rdf:resource
    = "http://spdx.org/rdf/terms#LicenseException" />
</rdf:Description>
```



## Annex C

# SPDX License List matching guidelines and templates (Normative)

## SPDX License List matching guidelines

The SPDX License List Matching Guidelines provide guidelines to be used for the purposes of matching licenses and license exceptions against those included on the SPDX License List<sup>1</sup>. There is no intent here to make a judgment or interpretation, but merely to ensure that when one SPDX user identifies a license as “BSD-3-Clause,” for example, it is indeed the same license as what someone else identifies as “BSD-3-Clause” and the same license as what is listed on the SPDX License List. As noted here, some of the matching guidelines are implemented in the XML files of the SPDX License List repository.

## How these guidelines are applied

### Purpose

To ensure consistent results by different SPDX document creators when matching license information that will be included in the License Information in File field. SPDX document creators or tools may match on the license or exception text itself, the official license header, or the SPDX License List short identifier.

### Guideline: official license headers

The matching guidelines apply to license and exception text, as well as official license headers. Official license headers are defined by the SPDX License List as specific text specified within the license itself to be put in the header of files. (see explanation of SPDX License List fields<sup>2</sup> for more info).

The following XML tag is used to implement this guideline: `<standardLicenseHeader>`

## Substantive text

### Purpose

To ensure that when matching licenses and exceptions to the SPDX License List, there is an appropriate balance between matching against the substantive text and disregarding parts of the text that do not alter the substantive text or legal meaning. Further guidelines of what can be disregarded or considered replaceable for purposes of matching are listed below here and in the subsequent specific guidelines. A conservative approach is taken in regard to rules relating to disregarded or replaceable text.

---

<sup>1</sup><https://spdx.org/licenses/>

<sup>2</sup><https://github.com/spdx/license-list-XML/blob/v3.24.0/DOCS/license-fields.md>

**Guideline: verbatim text**

License and exception text should be the same verbatim text (except for the guidelines stated here). The text should be in the same order, e.g., differently ordered paragraphs would not be considered a match.

**Guideline: no additional text**

Matched text should only include that found in the vetted license or exception text. Where a license or exception found includes additional text or clauses, this should not be considered a match.

**Guideline: replaceable text**

Some licenses include text that refers to the specific copyright holder or author, yet the rest of the license is exactly the same. The intent here is to avoid the inclusion of a specific name in one part of the license resulting in a non-match where the license is otherwise an exact match to the legally substantive terms (e.g., the third clause and disclaimer in the BSD licenses, or the third, fourth, and fifth clauses of Apache-1.1). In these cases, there should be a positive license match.

The text indicated as such can be replaced with similar values (e.g., a different name or generic term; different date) and still be considered a positive match. This rule also applies to text-matching in official license headers (see Guideline: official license headers).

The following XML tag is used to implement this guideline. `<alt>` with 2 attributes:

- `match` - a POSIX extended regular expression (ERE) to match the replaceable text
- `name` - an identifier for the variable text unique to the license XML document

The original text is enclosed within the beginning and ending alt tags.

For example: `<alt match="( ?i:copyright.{0,200})." name="copyright1">Copyright The Linux Foundation</alt>`

The original replaceable text appears on the SPDX License List webpage in red text.

**Guideline: omissible text**

Some licenses have text that can simply be ignored. The intent here is to avoid the inclusion of certain text that is superfluous or irrelevant in regards to the substantive license text resulting in a non-match where the license is otherwise an exact match (e.g., directions on how to apply the license or other similar exhibits). In these cases, there should be a positive license match.

The license should be considered a match if the text indicated is present and matches OR the text indicated is missing altogether.

The following XML tag is used to implement this guideline: `<optional>`

Forexample: `<optional>Apache License Version 2.0, January 2004 http://www.apache.org/licenses/</optional>`

Omissible text appears on the SPDX License List webpage in blue text.

**Whitespace****Purpose**

To avoid the possibility of a non-match due to different spacing of words, line breaks, or paragraphs.

**Guideline**

All whitespace should be treated as a single blank space.

XML files do not require specific markup to implement this guideline.

## Capitalization

### Purpose

To avoid the possibility of a non-match due to lowercase or uppercase letters in otherwise the same words.

### Guideline

All uppercase and lowercase letters should be treated as lowercase letters.

XML files do not require specific markup to implement this guideline.

## Punctuation

### Purpose

Because punctuation can change the meaning of a sentence, punctuation needs to be included in the matching process.

XML files do not require specific markup to implement this guideline, unless to indicate an exception to the guideline.

### Guideline: punctuation

Punctuation should be matched, unless otherwise stated in these guidelines or unless specific markup is added.

### Guideline: hyphens, dashes

Any hyphen, dash, en dash, em dash, or other variation should be considered equivalent.

### Guideline: Quotes

Any variation of quotations (single, double, curly, etc.) should be considered equivalent.

## Code Comment Indicators or Separators

### Purpose

To avoid the possibility of a non-match due to the existence or absence of code comment indicators placed within the license text, e.g., at the start of each line of text, or repetitive characters to establish a separation of text, e.g., ---, ==\_, \_\_\_, or \*\*\*.

### Guideline

Any kind of code comment indicator or prefix which occurs at the beginning of each line in a matchable section should be ignored for matching purposes.

XML files do not require specific markup to implement this guideline.

### Guideline

A non-letter character repeated 3 or more times to establish a visual separation should be ignored for matching purposes.

XML files do not require specific markup to implement this guideline.



## Bullets and numbering

### Purpose

To avoid the possibility of a non-match due to the otherwise same license using bullets instead of numbers, number instead of letter, or no bullets instead of bullet, etc., for a list of clauses.

### Guideline

Where a line starts with a bullet, number, letter, or some form of a list item (determined where list item is followed by a space, then the text of the sentence), ignore the list item for matching purposes.

The following XML tag is used to implement this guideline: `<bullet>`

For example: `<bullet>1.0</bullet>`

## Varietal word spelling

### Purpose

English uses different spelling for some words. By identifying the spelling variations for words found or likely to be found in licenses, we avoid the possibility of a non-match due to the same word being spelled differently. This list is not meant to be an exhaustive list of all spelling variations, but meant to capture the words most likely to be found in open source software licenses.

### Guideline

The words in each line of the text file available at the equivalent words list<sup>3</sup> are considered equivalent and interchangeable.

XML files do not require specific markup to implement this guideline.

## Copyright symbol

### Purpose

By having a rule regarding the use of “©”, “(c)”, or “copyright”, we avoid the possibility of a mismatch based on these variations.

### Guideline

“©”, “(c)”, or “Copyright” should be considered equivalent and interchangeable.

XML files do not require specific markup to implement this guideline. The copyright symbol is part of the copyright notice, see implementation of that guideline in Copyright notice.

## Copyright notice

### Purpose

To avoid a license mismatch merely because the copyright notice (usually found above the actual license or exception text) is different. The copyright notice is important information to be recorded elsewhere in the SPDX document, but for the purposes of matching a license to the SPDX License List, it should be ignored because it is not part of the substantive license text.

---

<sup>3</sup><https://spdx.org/licenses/equivalentwords.txt>

**Guideline**

Ignore copyright notices. A copyright notice consists of the following elements, for example: “2012 Copyright, John Doe. All rights reserved.” or “(c) 2012 John Doe.”

The following XML tag is used to implement this guideline: `<copyrightText>`

For example: `<copyrightText>Copyright 2022 The Linux Foundation</copyrightText>`

**License name or title****Purpose**

To avoid a license mismatch merely because the name or title of the license is different than how the license is usually referred to or different than the SPDX full name. This also avoids a mismatch if the title or name of the license is simply not included.

**Guideline**

Ignore the license name or title for matching purposes, so long as what ignored is the title only and there is no additional substantive text added here.

The following XML tag is used to implement this guideline: `<titleText>`

For example: `<titleText>Attribution Assurance License</titleText>`

**Extraneous text at the end of a license****Purpose**

To avoid a license mismatch merely because extraneous text that appears at the end of the terms of a license is different or missing. This also avoids a mismatch if the extraneous text merely serves as a license notice example and includes a specific copyright holder’s name.

**Guideline**

Ignore any text that occurs after the obvious end of the license and does not include substantive text of the license, for example: text that occurs after a statement such as, “END OF TERMS AND CONDITIONS,” or an exhibit or appendix that includes an example or instructions on how to apply the license to your code. Do not apply this guideline or ignore text that is comprised of additional license terms (e.g., permitted additional terms under GPL-3.0, section 7).

To implement this guideline, use the `<optional>` XML element tag as described in Guideline: omissible text.

**HTTP protocol****Purpose**

To avoid a license mismatch due to a difference in a hyperlink protocol (e.g. HTTP vs. HTTPS).

**Guideline**

`http://` and `https://` should be considered equivalent.

XML files do not require specific markup to implement this guideline.



## SPDX License List

### Template access

The license XML can be accessed in the license-list-data repository under the license-list-XML directory. Although the license list XML files can also be found in the license-list-XML<sup>4</sup> repository, users are encouraged to use the published versions in the license-list-data<sup>5</sup> repository. The license-list-data repository is tagged by release. Only tagged released versions of the license list are considered stable.

### License List XML format

A full schema for the License List XML can be found at SPDX License List XML Schema<sup>6</sup>.

### Legacy Text Template format

Prior to the XML format, a text template was used to express variable and optional text in licenses. This text template is still supported, however, users are encouraged to use the more expressive XML format.

A legacy template is composed of text with zero or more rules embedded in it.

A rule is a variable section of a license wrapped between double angle brackets `<<>>` and is composed of 4 fields. Each field is separated with a semi-colon `;`. Rules cannot be embedded within other rules. Rule fields begin with a case sensitive tag followed by an equal sign `=`.

Rule fields:

- **type:** indicates whether the text is replaceable or omissible as per Substantive text guidelines.
  - Indicated by `<<var; . . . >>` or
  - Indicated by `<<beginOptional; . . . >>` and `<<endOptional>>` respectively.
  - This field is the first field and is required.
- **name:** name of the field in the template.
  - This field is unique within each license template.
  - This field is required.
- **original:** the original text of the rule.
  - This field is required for a rule type: `<<var; . . . >>`
- **match:** a POSIX extended regular expression (ERE).
  - This field is required for a rule type: `<<var; . . . >>`

The POSIX ERE<sup>7</sup> in the match field has the following restrictions and extensions:

- Semicolons are escaped with `\;`
- POSIX Bracket Extensions are not allowed

For example: `<<var;name=organizationClause3;original=the copyright holder;match=.+>>`

<sup>4</sup><https://github.com/spdx/license-list-XML>

<sup>5</sup><https://github.com/spdx/license-list-data>

<sup>6</sup><https://github.com/spdx/license-list-XML/blob/v3.24.0/schema/ListedLicense.xsd>

<sup>7</sup><http://pubs.opengroup.org/onlinepubs/9699919799/>



# Annex D

## SPDX Lite (Normative)

### Explanation of the Lite profile

The Lite profile is designed to make it quick and easy to start a Software Bill of Materials in situations where a company may have limited capacity for introducing new items into their processes. The Lite profile captures the minimum set of information required for license compliance in the software supply chain. It contains information about the creation of the SBOM, package lists with licensing and other related information, and their relationships.

All elements in Lite profile are essential for complying with licenses. It is easy to use a SPDX document with the Lite profile for anyone who does not have enough knowledge about licensing information and easy to import license information from former versions of SPDX Lite format files. The Lite profile offers the flexibility to be used either alone or in combination with other SPDX profiles as a SPDX document in the software supply chain.

### Mandatory and recommended properties

The Lite profile specifies that some properties **MUST** be present and some others **SHOULD** be present, as much as possible.

The following lists collect and present this information for every class present in the SPDX data, in a concise and easy-to-follow format. The lists of properties are in alphabetical order, for easy reference.

#### /Core/SpdxDocument

- Mandatory
  1. creationInfo
  2. element (may be multiple), **MUST** have at least one /Core/Sbom object
  3. rootElement (may be multiple), **SHOULD** be objects of type /Core/Sbom
  4. spdxId
- Recommended
  1. comment
  2. dataLicense
  3. name
  4. namespaceMap (may be multiple)
  5. verifiedUsing (may be multiple), **SHOULD** be objects of type /Core/Hash

#### /Software/Sbom

- Mandatory
  1. creationInfo
  2. element (may be multiple), **MUST** have at least one /Software/Package object

3. rootElement (may be multiple), SHOULD be objects of type /Software/Package
4. spdxId

- Recommended

1. sbomType (may be multiple)

### **/Software/Package**

- Mandatory

1. copyrightText
2. creationInfo
3. name
4. packageVersion
5. spdxId
6. suppliedBy, SHOULD be an object of type /Core/Agent

- Recommended

1. attributionText (may be multiple)
2. builtTime
3. comment
4. downloadLocation
5. homepage
6. originatedBy (may be multiple), SHOULD be objects of type /Core/Agent
7. packageUrl
8. releaseTime
9. supportLevel (may be multiple)
10. validUntilTime
11. verifiedUsing (may be multiple), SHOULD be objects of type /Core/Hash

However, there MUST be at least a “downloadLocation” or “packageUrl” property.

Additionally:

1. for every /Software/Package object MUST exist exactly one /Core/Relationship object of type concludedLicense having that element as its from property and an /SimpleLicensing/AnyLicenseInfo as its toproperty.
2. for every /Software/Package object MUST exist exactly one /Core/Relationship object of type declaredLicense having that element as its from property and /SimpleLicensing/AnyLicenseInfo object as its toproperty.

### **/Core/Hash**

- Mandatory

1. algorithm
2. hashValue

- Recommended

1. comment

**/SimpleLicensing/LicenseExpression**

- Mandatory
  1. creationInfo
  2. licenseExpression
  3. spdxId
- Recommended
  1. licenseListVersion

**/SimpleLicensing/SimpleLicensingText**

- Mandatory
  1. creationInfo
  2. licenseText
  3. spdxId
- Recommended
  1. comment

**/Core/Agent (createdBy, suppliedBy, originatedBy)**

- Mandatory
  1. creationInfo, SHOULD be “BlankNode”
  2. name
  3. spdxId
- Recommended
  1. externalIdentifier (may be multiple)

**/Core/CreationInfo**

- Mandatory
  1. created
  2. createdBy (may be multiple), SHOULD be objects of type /Core/Agent
  3. specVersion, MUST be a fixed string, “3.0.0”.
- Recommended
  1. comment

**/Core/ExternalIdentifier**

- Mandatory
  1. externalIdentifierType
  2. identifier

**/Core/NameSpaceMap**

- Mandatory
  1. namespace
  2. prefix

## **/Core/Relationship**

- Mandatory
  1. creationInfo
  2. from
  3. relationshipType
  4. spdxId
- 1. to (may be multiple)

# Annex E

## Package URL specification v1 (Normative)

### Introduction

The Package URL core specification defines a versioned and formalized format, syntax, and rules used to represent and validate package URLs.

A package URL or *purl* is an attempt to standardize existing approaches to reliably identify the location of software packages.

A *purl* is a URL string used to identify the location of a software package in a mostly universal and uniform way across programming languages, package managers, packaging conventions, tools, APIs and databases.

Such a package URL is useful to reliably reference the same software package using a simple and expressive syntax and conventions based on familiar URLs.

### Syntax definition

*purl* stands for **package URL**.

A *purl* is a URL composed of seven components:

```
scheme:type/namespace/name@version?qualifiers#subpath
```

Components are separated by a specific character for unambiguous parsing.

The definition for each components is:

- **scheme**: this is the URL scheme with the constant value of “pkg”. One of the primary reason for this single scheme is to facilitate the future official registration of the “pkg” scheme for package URLs. Required.
- **type**: the package type or package protocol such as maven, npm, nuget, gem, pypi, etc. Required.
- **namespace**: some name prefix such as a Maven groupid, a Docker image owner, a GitHub user or organization. Optional and type-specific.
- **name**: the name of the package. Required.
- **version**: the version of the package. Optional.
- **qualifiers**: extra qualifying data for a package such as an OS, architecture, a distribution, etc. Optional and type-specific.
- **subpath**: extra subpath within a package, relative to the package root. Optional.

Components are designed such that they form a hierarchy from the most significant on the left to the least significant components on the right.

A *purl* is a valid URL and URI that conforms to the URL definitions and specifications in RFC 3986 <https://datatracker.ietf.org/doc/html/rfc3986>.

A *purl* must not contain a URL Authority i.e. there is no support for username, password, host and port components. A namespace segment may sometimes look like a host but its interpretation is specific to a type.

The *purl* components are mapped to the following URL components:

- *purl* scheme: this is a URL scheme with a constant value: `pkg`
- *purl* type, namespace, name and version components: these are collectively mapped to a URL path
- *purl* qualifiers: this maps to a URL query
- *purl* subpath: this is a URL fragment

## Character encoding

For clarity and simplicity a *purl* is always an ASCII string. To ensure that there is no ambiguity when parsing a *purl*, separator characters and non-ASCII characters must be encoded in UTF-8, and then percent-encoded as defined in RFC 3986 <https://datatracker.ietf.org/doc/html/rfc3986>.

Use these rules for percent-encoding and decoding *purl* components:

- the type must NOT be encoded and must NOT contain separators
- the #, ?, @ and : characters must NOT be encoded when used as separators. They may need to be encoded elsewhere
- the : scheme and type separator does not need to and must NOT be encoded. It is unambiguous unencoded everywhere
- the / used as type/namespace/name and subpath segments separator does not need to and must NOT be percent-encoded. It is unambiguous unencoded everywhere
- the @ version separator must be encoded as %40 elsewhere
- the ? qualifiers separator must be encoded as %3F elsewhere
- the = qualifiers key/value separator must NOT be encoded
- the # subpath separator must be encoded as %23 elsewhere
- All non-ASCII characters must be encoded as UTF-8 and then percent-encoded

It is OK to percent-encode any *purl* components, except for the type. Producers and consumers of *purl* data must always percent-decode and percent-encode components and component segments as explained in the “How to produce and consume *purl* data” section.

## Rules for each component

A *purl* string is an ASCII URL string composed of seven components.

Some components are allowed to use other characters beyond ASCII: these components must then be UTF-8-encoded strings and percent-encoded as defined in the “Character encoding” section.

The rules for each component are:

### Rules for scheme

- The scheme is a constant with the value “`pkg`”
- Since a *purl* never contains a URL Authority, its scheme must not be suffixed with double slash as in `pkg://` and should use instead `pkg:`.
- *purl* parsers must accept URLs such as `pkg://` and must ignore the `://`.
- *purl* builders must not create invalid URLs with such double slash `://`.
- The scheme is followed by a `:` separator.
- For example, the two purls `pkg:gem/ruby-advisory-db-check@0.12.4` and `pkg://gem/ruby-advisory-db-check@0.12.4` are strictly equivalent. The first is in canonical form while the second is an acceptable *purl* but is an invalid URI/URL per RFC3986.

## Rules for type

- The package type is composed only of ASCII letters and numbers, . , + and - (period, plus, and dash).
- The type cannot start with a number.
- The type cannot contain spaces.
- The type must not be percent-encoded.
- The type is case insensitive, with the canonical form being lowercase.

## Rules for namespace

- The optional namespace contains zero or more segments, separated by slash / .
- Leading and trailing slashes / are not significant and should be stripped in the canonical form. They are not part of the namespace.
- Each namespace segment must be a percent-encoded string.
- When percent-decoded, a segment must not contain a slash / and must not be empty.
- A URL host or Authority must NOT be used as a namespace. Use instead a `repository_url` qualifier. Note however that for some types, the namespace may look like a host.

## Rules for name

- The name is prefixed by a slash / separator when the namespace is not empty.
- This slash / is not part of the name.
- A name must be a percent-encoded string.

## Rules for version

- The version is prefixed by a at-sign @ separator when not empty.
- This at-sign @ is not part of the version.
- A version must be a percent-encoded string.
- A version is a plain and opaque string. Some package types use versioning conventions such as semver for NPMs or nevra conventions for RPMS. A type may define a procedure to compare and sort versions, but there is no reliable and uniform way to do such comparison consistently.

## Rules for qualifiers

- The qualifiers string is prefixed by a ? separator when not empty.
- This ? is not part of the qualifiers.
- This is a string composed of zero or more key=value pairs each separated by an ampersand &. A key and value are separated by an equal = character.
- These & are not part of the key=value pairs.
- Each key must be unique within the keys of the qualifiers string.
- A value cannot be an empty string; a key=value pair with an empty value is the same as no key/value at all for this key.
- Each key must be composed only of ASCII letters and numbers, . , - and \\_ (period, dash and underscore).
- A key cannot start with a number.
- A key must NOT be percent-encoded.
- A key is case insensitive, with the canonical form being lowercase.
- A key cannot contain spaces.
- A value must be a percent-encoded string.
- The = separator is neither part of the key nor of the value.

## Rules for subpath

- The subpath string is prefixed by a # separator when not empty.
- This # is not part of the subpath.
- The subpath contains zero or more segments, separated by slash / .





- Leading and trailing slashes / are not significant and should be stripped in the canonical form.
- Each subpath segment must be a percent-encoded string.
- When percent-decoded, a segment must not contain a /, must not be any of . . or . , and must not be empty.
- The subpath must be interpreted as relative to the root of the package.

## Known types

There are several known *purl* package type definitions. The current list of known types is: `alpm`, `apk`, `bitbucket`, `bitnami`, `cargo`, `cocoapods`, `composer`, `conan`, `conda`, `cpan`, `cran`, `deb`, `docker`, `gem`, `generic`, `github`, `golang`, `hackage`, `hex`, `huggingface`, `luarocks`, `maven`, `mlflow`, `npm`, `nuget`, `oci`, `pub`, `pypi`, `qpkg`, `rpm`, `swid`, and `swift`.

The list, with definitions for each type, is maintained in the file named `PURL-TYPES.rst` in the online repository <https://github.com/package-url/purl-spec>.

## Known qualifiers key/value pairs

Qualifiers should be limited to the bare minimum for proper package identification, to ensure that a *purl* stays compact and readable in most cases. Separate external attributes stored outside of a *purl* are the preferred mechanism to convey extra long and optional information. API, database or web form.

The following keys are valid for use in all package types:

- `repository_url` is an extra URL for an alternative, non-default package repository or registry. The default repository or registry of each type is documented in the “Known types” section.
- `download_url` is an extra URL for a direct package web download URL.
- `vcs_url` is an extra URL for a package version control system URL.
- `file_name` is an extra file name of a package archive.
- `checksum` is a qualifier for one or more checksums stored as a comma-separated list. Each item in the list is in form of `algorithm:hex_value` (all lowercase), such as `sha1:ad9503c3e994a4f611a4892f2e67ac82df727086`.

## How to produce and consume *purl* data

The following provides rules to be followed when building or deconstructing *purl* instances.

### How to build *purl* string from its components

Building a *purl* ASCII string works from left to right, from type to subpath.

To build a *purl* string from its components:

1. Start a *purl* string with the “`pkg:`” scheme as a lowercase ASCII string
2. Append the type string to the *purl* as a lowercase ASCII string
3. Append / to the *purl*
4. If the namespace is not empty:
  1. Strip the namespace from leading and trailing /
  2. Split on / as segments
  3. Apply type-specific normalization to each segment, if needed
  4. Encode each segment in UTF-8-encoding
  5. Percent-encode each segment
  6. Join the segments with /
  7. Append this to the *purl*

8. Append */* to the *purl*
5. Strip the name from leading and trailing */*
6. Apply type-specific normalization to the name, if needed
7. Encode the name in UTF-8-encoding
8. Percent-encode the name
9. Append the percent-encoded name to the *purl*
10. If the version is not empty:
  1. Append *@* to the *purl*
  2. Encode the version in UTF-8-encoding
  3. Percent-encode the version
  4. Append the percent-encoded version to the *purl*
11. If the qualifiers are not empty and not composed only of key/value pairs where the value is empty:
  1. Append *?* to the *purl*
  2. Discard any pair where the value is empty
  3. Encode each value in UTF-8-encoding
  4. If the key is `checksum` and there are more than one checksums, join the list with *,* to create the qualifier value
  5. Create each qualifier string by joining the lowercased key, the equal = sign, and the percent-encoded value
  6. Sort this list of qualifier strings lexicographically
  7. Join this list of sorted qualifier strings with *&*
  8. Append this string to the *purl*
12. If the subpath is not empty and not composed only of empty, *.*, and *..* segments:
  1. Append *#* to the *purl*
  2. Strip the subpath from leading and trailing */*
  3. Split the subpath on */* as a list of segments
  4. Discard empty, *.*, and *..* segments
  5. Encode each segment in UTF-8-encoding
  6. Percent-encode each segment
  7. Join the segments with */*
  8. Append this string to the *purl*

### How to parse a *purl* string to its components

Parsing a *purl* ASCII string into its components works by splitting the string on different characters.

To parse a *purl* string in its components:

1. Split the *purl* string once from right on *#*, if present; the left side is the remainder.
2. If the right side is not empty, it contains subpath information:
  1. Strip it from leading and trailing */*.
  2. Split this on */* in a list of segments.
  3. Discard empty, *.*, and *..* segments.
  4. Percent-decode each segment.

5. UTF-8-decode each of these.
  6. Join segments with /.
  7. This is the subpath.
3. Split the remainder once from right on ?, if present; the left side is the remainder.
  4. If the right side is not empty, it contains qualifiers information:
    1. Split it on & in a list of key=value pairs.
    2. Split each pair once from left on = in key and value parts.
    3. The key is the lowercase left side.
    4. Percent-decode the rightside.
    5. UTF-8-decode this to get the value.
    6. Discard any key/value pairs where the value is empty.
    7. If the key is checksum, split the value on , to create a list of checksums.
    8. This list of keys/values is the qualifiers.
  5. Split the remainder once from left on :; the right side is the remainder.
  6. The left side lowercased is the scheme. It should be exactly “pkg:”.
  7. Strip the remainder from leading and trailing /.
  8. Split this once from left on /; the right side is the remainder.
  9. The left side lowercased is the type.
  10. Split the remainder once from right on @, if present; the left side is the remainder.
  11. If the right side is not empty, it contains version information:
    1. Percent-decode the string.
    2. UTF-8-decode this.
    3. This is the version.
  12. Split the remainder once from right on /, if present; the left side is the remainder.
  13. The right side contains name information.
  14. Percent-decode the name string.
  15. UTF-8-decode this.
  16. Apply type-specific normalization, if needed.
  17. This is the name.
  18. If the remainder is not empty, it contains namespace information:
    1. Split the remainder on / to a list of segments.
    2. Discard any empty segment.
    3. Percent-decode each segment.
    4. UTF-8-decode each of these.
    5. Apply type-specific normalization to each segment, if needed.
    6. Join segments with /.
    7. This is the namespace.

## Examples

The following list includes some valid *purl* examples:

- pkg:bitbucket/irkenfeld/pygments-main@244fd47e07d1014f0aed9c
- pkg:deb/debian/curl@7.50.3-1?arch=i386&distro=jessie
- pkg:gem/ruby-advisory-db-check@0.12.4
- pkg:github/package-url/purl-spec@244fd47e07d1004f0aed9c
- pkg:golang/google.golang.org/genproto#googleapis/api/annotations
- pkg:maven/org.apache.xmlgraphics/batik-anim@1.9.1?packaging=sources
- pkg:npm/foobar@12.3.1
- pkg:nuget/EnterpriseLibrary.Common@6.0.1304
- pkg:pypi/django@1.11.1
- pkg:rpm/fedora/curl@7.50.3-1.fc25?arch=i386&distro=fedora-25

## Original license

This specification is based on the texts published in the <https://github.com/package-url/purl-spec> online repository. The original license and attribution are reproduced below:

Copyright (c) the purl authors

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the “Software”), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED “AS IS”, WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.



## Annex F

# History with OMG, Motivation and Rational (Informative)

The OMG and CISQ involvement in developing this specification had its start due to a need that came from the several years of work in the Department of Commerce’s National Telecommunications and Information Administration (NTIA) in creating an Initiative to Improve Software Component Transparency in July of 2018 [6]. That effort actually was the culmination of several earlier attempts to get software transparency, updatability and bill of materials as requirements in safety critical sectors like automotive and healthcare as early as 2013/2014 [2, 3] with many talks and papers written for and against them and discussions. With the launch of the NTIA Software Component Transparency Initiative there was a major increase in the energy and coordination of those proposing software bill of materials (SBOM) as a key element of communication across the different participants in software supply chains. These meetings, which started with a public meeting in Washington DC consisted primarily of vendors of software and customers of those vendors. It was this mix of participants that struck us that these efforts were missing an important community member if they were to make SBOMs successful and useful – they seemed to be missing the organizations who create the tools for developing software.

To address this gap, over the winter and spring of 2019, we crafted a market analysis of the software development tooling ecosystem and documented usage scenarios to drive the functionality needed for an SBOM standard usable by tools to talk to other tools and bring speed and agility into the discussion of software transparency and assurance about the information itself. This information was used to present to the Systems Assurance Platform Task Force (PTF) and the Architecture Driven Modernization PTF in March and June of 2019. The paper “Standardizing SBOM within the SW Development Tooling Ecosystem”, which captured this work, was later published by MITRE [1] and included 8 core usage scenarios for SBOMs as well as a discussion of the various roles were in the software creation tooling ecosystem. This paper and its various pre-publication drafts were used as a discussion starter to garner interest and participation in the Tool-to-Tool (3T) Software Bill of Materials Exchange effort [4]. The 3T-SBOM Exchange effort was co-sponsored by CISQ and OMG and launched in the fall of 2019 with three to four weekly meetings working the various facets of SBOMs. Over the next two years the 3T-SBOM community, which included over 30 organizations that develop and integrate software creation tooling and infrastructure, developed a 3T-SBOM core model (shown in Figure 13) in September of 2020 that had seven basic concepts connected together to address the usage scenarios outlined for the project.

While the 3T-SBOM community was working to develop their model, the work within the NTIA Software Component Transparency effort also met in numerous weekly virtual meetings to discuss the various aspects of SBOMs, their use, the roles of different players in the lifecycle of an SBOM and the need to educate the world about SBOMs. This was captured in the NTIA Software Bill Of Materials web page. [7]

In late 2020 and much of 2021 the world of software security turned its attention to the software supply chain attack on the Solar Winds Corporation [5] and the need to prevent similar types of attacks in the future. The United States Government responded to this and other similar attacks by issuing Executive Order 14028 in May 2021 [12] calling for stronger software security practices for products used by the government and that the software have SBOMs with them. The Executive Order required that “Within 60 days of the date of this order, the Secretary of Commerce, in coordination with the Assistant Secretary for Communications and Information and the Administrator of the National Telecommunications and Information Administration, shall publish minimum




Figure G.1: 3T-SBOM draft core model (circa Sep 2020)

elements for an SBOM.” This was done leveraging the community work that NTIA had been doing with industry for the past 34 months and set the new requirements for SBOM capabilities. [11]

Over the 2019-2020 timespan, some of the organization in the 3T-SBOM community were also working within the Linux Foundation’s Software Package Data Exchange (SPDX®) open-source effort to evolve their previous work. Started in 2010 to help organizations developing software that planned to incorporate open source software make sure that the licenses for that open source software were appropriate for how the organizations planned to use them in their own offerings, the SPDX community developed a series of software products, specifications, and capabilities to address this area. The first published work was a version 1.0 specification in August of 2011; followed by 1.1 version a year later; a 1.2 version in October 2013; a 2.0 version in 2015; and 2.1 version in 2016. The 2.2 version of the specification was published in 2020 to address the required SBOM minimum elements. The 2.2.1 version of SPDX specification was published through the Linux Foundation’s new Joint Development Foundation and sent to ISO under the Publicly Available Standard (PAS) process with it eventually being republished as “ISO/IEC 5962:2021 - Information technology — SPDX®” in 2021.

Through the common members in 3T-SBOM and the Linux Foundation’s SPDX effort many of the concepts around SBOMs flowed back and forth between the two resulting in a draft core model for SPDX 3.0 in September of 2020 that had the same seven basic concepts connected together that were in the 3T-SBOM core model. Figure 14 shows the state of the SPDX 3.0 core model at that time.

The similarities and alignment of the two group’s work (shown in Figure 15 below) was brought to the attention of both teams and after long discussions about each other’s efforts, goals, and approach to creating a standard for today, both agreed in principle to join together under the SPDX 3.0 label but to make several changes in the way the SPDX community activities were run as well as how the resulting specification would be vetted.

Specifically, the SPDX community revised their charter to align with the processes of a Standards Development Organization, electing new chairs and adding the OMG Architecture Board review as a gating factor in the publi-




Figure G.2: SPDX 3.0 draft core model (circa Sep 2020)

cation of SPDX 3.0 and subsequent versions.

The merged activities of the two groups slid together the beginning weeks of 2021 with activities generally moving forward but occasionally stalling while the larger group worked through issues that one or the other hadn't discussed or had a different opinion about. Eventually, after releasing SPDX 2.3 in August of 2022 with updates that brought some of the concepts and capabilities slated for SPDX 3.0 to the community in preparation of the shift that SPDX 3.0 represents, the first release candidate of SPDX 3.0 was released in May of 2023. Within the SPDX community, which is both a standards creation organization as well as a community of open source developers, a release candidate offers an opportunity for implementors of SPDX, both new and old, to review the work and determine whether there were parts that were unclear or that would be extremely burdensome to implement.

Based on the comments and change requests from the initial candidate release several areas of the model were revised and reworked, resulting in a release candidate 2 of SPDX 3.0 in February of 2024. This release candidate will give tool creators and those who maintain the support libraries for working with SPDX time to start revising their projects in advance of the final version of the specification. For those not following the inner workings, debates, and discussion of the combined 3T-SBOM and SPDX 3.0 working group for the last 3 years there will be a dramatic change in the SPDX model as it goes from SPDX 2.3 to SPDX 3.0, as shown by looking at Figure 16's left-side (SPDX 2.3 model) compared to its right-side (SPDX 3.0), shifting the SPDX name from Software Package Data Exchange to System Package Data Exchange and the scope of items it can convey in a bill of materials.






Figure G.3: Correspondence between 3T-SBOM and SPDX 3.0 draft models (circa Sep 2020)




Figure G.4: SPDX 2.3 Model compared to the SPDX 3.0 Model

# Annex G

## Community Specification License 1.0

**The Purpose of this License.** This License sets forth the terms under which 1) Contributor will participate in and contribute to the development of specifications, standards, best practices, guidelines, and other similar materials under this Working Group, and 2) how the materials developed under this License may be used. It is not intended for source code. Capitalized terms are defined in the License's last section.

### 1. Copyright.

**1.1. Copyright License.** Contributor grants everyone a non-sublicensable, perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable (except as expressly stated in this License) copyright license, without any obligation for accounting, to reproduce, prepare derivative works of, publicly display, publicly perform, and distribute any materials it submits to the full extent of its copyright interest in those materials. Contributor also acknowledges that the Working Group may exercise copyright rights in the Specification, including the rights to submit the Specification to another standards organization.

**1.2. Copyright Attribution.** As a condition, anyone exercising this copyright license must include attribution to the Working Group in any derivative work based on materials developed by the Working Group. That attribution must include, at minimum, the material's name, version number, and source from where the materials were retrieved. Attribution is not required for implementations of the Specification.

### 2. Patents.

#### 2.1. Patent License.

##### 2.1.1. As a Result of Contributions.

**2.1.1.1. As a Result of Contributions to Draft Specifications.** Contributor grants Licensee a non-sublicensable, perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable (except as expressly stated in this License) license to its Necessary Claims in 1) Contributor's Contributions and 2) to the Draft Specification that is within Scope as of the date of that Contribution, in both cases for Licensee's Implementation of the Draft Specification, except for those patent claims excluded by Contributor under Section 3.

**2.1.1.2. For Approved Specifications.** Contributor grants Licensee a non-sublicensable, perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable (except as expressly stated in this License) license to its Necessary Claims included the Approved Specification that are within Scope for Licensee's Implementation of the Approved Specification, except for those patent claims excluded by Contributor under Section 3.

**2.1.2. Patent Grant from Licensee.** Licensee grants each other Licensee a non-sublicensable, perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable (except as expressly stated in this License) license to its Necessary Claims for its Implementation, except for those patent claims excluded under Section 3.

**2.1.3. Licensee Acceptance.** The patent grants set forth in Section 2.1 extend only to Licensees that have indicated their agreement to this License as follows:

**2.1.3.1. Source Code Distributions.** For distribution in source code, by including this License in the root directory of the source code with the Implementation;

**2.1.3.2. Non-Source Code Distributions.** For distribution in any form other than source code, by including this License in the documentation, legal notices, via notice in the software, and/or other written materials provided with the Implementation; or

**2.1.3.3. Via Notices.md.** By issuing pull request or commit to the Specification's repository's Notices.md file by the Implementer's authorized representative, including the Implementer's name, authorized individual and system identifier, and Specification version.

**2.1.4. Defensive Termination.** If any Licensee files or maintains a claim in a court asserting that a Necessary Claim is infringed by an Implementation, any licenses granted under this License to the Licensee are immediately terminated unless 1) that claim is directly in response to a claim against Licensee regarding an Implementation, or 2) that claim was brought to enforce the terms of this License, including intervention in a third-party action by a Licensee.

**2.1.5. Additional Conditions.** This License is not an assurance (i) that any of Contributor's copyrights or issued patent claims cover an Implementation of the Specification or are enforceable or (ii) that an Implementation of the Specification would not infringe intellectual property rights of any third party.

**2.2. Patent Licensing Commitment.** In addition to the rights granted in Section 2.1, Contributor agrees to grant everyone a no charge, royalty-free license on reasonable and non-discriminatory terms to Contributor's Necessary Claims that are within Scope for: 1) Implementations of a Draft Specification, where such license applies only to those Necessary Claims infringed by implementing Contributor's Contribution(s) included in that Draft Specification, and 2) Implementations of the Approved Specification.

This patent licensing commitment does not apply to those claims subject to Contributor's Exclusion Notice under Section 3.

**2.3. Effect of Withdrawal.** Contributor may withdraw from the Working Group by issuing a pull request or commit providing notice of withdrawal to the Working Group repository's Notices.md file. All of Contributor's existing commitments and obligations with respect to the Working Group up to the date of that withdrawal notice will remain in effect, but no new obligations will be incurred.

**2.4. Binding Encumbrance.** This License is binding on any future owner, assignee, or party who has been given the right to enforce any Necessary Claims against third parties.

### 3. Patent Exclusion.

**3.1. As a Result of Contributions.** Contributor may exclude Necessary Claims from its licensing commitments incurred under Section 2.1.1 by issuing an Exclusion Notice within 45 days of the date of that Contribution. Contributor may not issue an Exclusion Notice for any material that has been included in a Draft Deliverable for more than 45 days prior to the date of that Contribution.

**3.2. As a Result of a Draft Specification Becoming an Approved Specification.** Prior to the adoption of a Draft Specification as an Approved Specification, Contributor may exclude Necessary Claims from its licensing commitments under this Agreement by issuing an Exclusion Notice. Contributor may not issue an Exclusion Notice for patents that were eligible to have been excluded pursuant to Section 3.1.

**4. Source Code License.** Any source code developed by the Working Group is solely subject the source code license included in the Working Group's repository for that code. If no source code license is included, the source code will be subject to the MIT License.

**5. No Other Rights.** Except as specifically set forth in this License, no other express or implied patent, trademark, copyright, or other rights are granted under this License, including by implication, waiver, or estoppel.

**6. Antitrust Compliance.** Contributor acknowledge that it may compete with other participants in various lines of business and that it is therefore imperative that they and their respective representatives act in a manner that does not violate any applicable antitrust laws and regulations. This License does not restrict any Contributor from engaging in similar specification development projects. Each Contributor may design, develop, manufacture, acquire or market competitive deliverables, products, and services, and conduct its business, in whatever way it chooses. No Contributor is obligated to announce or market any products or services. Without limiting the generality of the foregoing, the Contributors agree not to have any discussion relating to any product pricing,

methods or channels of product distribution, division of markets, allocation of customers or any other topic that should not be discussed among competitors under the auspices of the Working Group.

**7. Non-Circumvention.** Contributor agrees that it will not intentionally take or willfully assist any third party to take any action for the purpose of circumventing any obligations under this License.

## **8. Representations, Warranties and Disclaimers.**

**8.1. Representations, Warranties and Disclaimers.** Contributor and Licensee represents and warrants that 1) it is legally entitled to grant the rights set forth in this License and 2) it will not intentionally include any third party materials in any Contribution unless those materials are available under terms that do not conflict with this License. IN ALL OTHER RESPECTS ITS CONTRIBUTIONS ARE PROVIDED “AS IS.” The entire risk as to implementing or otherwise using the Contribution or the Specification is assumed by the implementer and user. Except as stated herein, CONTRIBUTOR AND LICENSEE EXPRESSLY DISCLAIM ANY WARRANTIES (EXPRESS, IMPLIED, OR OTHERWISE), INCLUDING IMPLIED WARRANTIES OF MERCHANTABILITY, NON-INFRINGEMENT, FITNESS FOR A PARTICULAR PURPOSE, CONDITIONS OF QUALITY, OR TITLE, RELATED TO THE CONTRIBUTION OR THE SPECIFICATION. IN NO EVENT WILL ANY PARTY BE LIABLE TO ANY OTHER PARTY FOR LOST PROFITS OR ANY FORM OF INDIRECT, SPECIAL, INCIDENTAL, OR CONSEQUENTIAL DAMAGES OF ANY CHARACTER FROM ANY CAUSES OF ACTION OF ANY KIND WITH RESPECT TO THIS AGREEMENT, WHETHER BASED ON BREACH OF CONTRACT, TORT (INCLUDING NEGLIGENCE), OR OTHERWISE, AND WHETHER OR NOT THE OTHER PARTY HAS BEEN ADVISED OF THE POSSIBILITY OF SUCH DAMAGE. Any obligations regarding the transfer, successors in interest, or assignment of Necessary Claims will be satisfied if Contributor or Licensee notifies the transferee or assignee of any patent that it knows contains Necessary Claims or necessary claims under this License. Nothing in this License requires Contributor to undertake a patent search. If Contributor is 1) employed by or acting on behalf of an employer, 2) is making a Contribution under the direction or control of a third party, or 3) is making the Contribution as a consultant, contractor, or under another similar relationship with a third party, Contributor represents that they have been authorized by that party to enter into this License on its behalf.

**8.2. Distribution Disclaimer.** Any distributions of technical information to third parties must include a notice materially similar to the following: “THESE MATERIALS ARE PROVIDED “AS IS.” The Contributors and Licensees expressly disclaim any warranties (express, implied, or otherwise), including implied warranties of merchantability, non-infringement, fitness for a particular purpose, or title, related to the materials. The entire risk as to implementing or otherwise using the materials is assumed by the implementer and user. IN NO EVENT WILL THE CONTRIBUTORS OR LICENSEES BE LIABLE TO ANY OTHER PARTY FOR LOST PROFITS OR ANY FORM OF INDIRECT, SPECIAL, INCIDENTAL, OR CONSEQUENTIAL DAMAGES OF ANY CHARACTER FROM ANY CAUSES OF ACTION OF ANY KIND WITH RESPECT TO THIS DELIVERABLE OR ITS GOVERNING AGREEMENT, WHETHER BASED ON BREACH OF CONTRACT, TORT (INCLUDING NEGLIGENCE), OR OTHERWISE, AND WHETHER OR NOT THE OTHER MEMBER HAS BEEN ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.”

## **9. Definitions.**

**9.1. Affiliate.** “Affiliate” means an entity that directly or indirectly Controls, is Controlled by, or is under common Control of that party.

**9.2. Approved Specification.** “Approved Specification” means the final version and contents of any Draft Specification designated as an Approved Specification as set forth in the accompanying Governance.md file.

**9.3. Contribution.** “Contribution” means any original work of authorship, including any modifications or additions to an existing work, that Contributor submits for inclusion in a Draft Specification, which is included in a Draft Specification or Approved Specification.

**9.4. Contributor.** “Contributor” means any person or entity that has indicated its acceptance of the License 1) by making a Contribution to the Specification, or 2) by entering into the Community Specification Contributor License Agreement for the Specification. Contributor includes its Affiliates, assigns, agents, and successors in interest.

**9.5. Control.** “Control” means direct or indirect control of more than 50% of the voting power to elect directors of that corporation, or for any other entity, the power to direct management of such entity.

**9.6. Draft Specification.** “Draft Specification” means all versions of the material (except an Approved Specification) developed by this Working Group for the purpose of creating, commenting on, revising, updating, modifying, or adding to any document that is to be considered for inclusion in the Approved Specification.

**9.7. Exclusion Notice.** “Exclusion Notice” means a written notice made by making a pull request or commit to the repository’s Notices.md file that identifies patents that Contributor is excluding from its patent licensing commitments under this License. The Exclusion Notice for issued patents and published applications must include the Draft Specification’s name, patent number(s) or title and application number(s), as the case may be, for each of the issued patent(s) or pending patent application(s) that the Contributor is excluding from the royalty-free licensing commitment set forth in this License. If an issued patent or pending patent application that may contain Necessary Claims is not set forth in the Exclusion Notice, those Necessary Claims shall continue to be subject to the licensing commitments under this License. The Exclusion Notice for unpublished patent applications must provide either: (i) the text of the filed application; or (ii) identification of the specific part(s) of the Draft Specification whose implementation makes the excluded claim a Necessary Claim. If (ii) is chosen, the effect of the exclusion will be limited to the identified part(s) of the Draft Specification.

**9.8. Implementation.** “Implementation” means making, using, selling, offering for sale, importing or distributing any implementation of the Specification 1) only to the extent it implements the Specification and 2) so long as all required portions of the Specification are implemented.

**9.9. License.** “License” means this Community Specification License.

**9.10. Licensee.** “Licensee” means any person or entity that has indicated its acceptance of the License as set forth in Section 2.1.3. Licensee includes its Affiliates, assigns, agents, and successors in interest.

**9.11. Necessary Claims.** “Necessary Claims” are those patent claims, if any, that a party owns or controls, including those claims later acquired, that are necessary to implement the required portions (including the required elements of optional portions) of the Specification that are described in detail and not merely referenced in the Specification.

**9.12. Specification.** “Specification” means a Draft Specification or Approved Specification included in the Working Group’s repository subject to this License, and the version of the Specification implemented by the Licensee.

**9.13. Scope.** “Scope” has the meaning as set forth in the accompanying Scope.md file included in this Specification’s repository. Changes to Scope do not apply retroactively. If no Scope is provided, each Contributor’s Necessary Claims are limited to that Contributor’s Contributions.

**9.14. Working Group.** “Working Group” means this project to develop specifications, standards, best practices, guidelines, and other similar materials under this License.

*The text of this Community Specification License is Copyright 2020 Joint Development Foundation and is licensed under the Creative Commons Attribution 4.0 International License available at <https://creativecommons.org/licenses/by/4.0/>.*

SPDX-License-Identifier: CC-BY-4.0

# Annex H

## Creative Commons Attribution License 3.0 Unported

### License

THE WORK (AS DEFINED BELOW) IS PROVIDED UNDER THE TERMS OF THIS CREATIVE COMMONS PUBLIC LICENSE (“CCPL” OR “LICENSE”). THE WORK IS PROTECTED BY COPYRIGHT AND/OR OTHER APPLICABLE LAW. ANY USE OF THE WORK OTHER THAN AS AUTHORIZED UNDER THIS LICENSE OR COPYRIGHT LAW IS PROHIBITED.

BY EXERCISING ANY RIGHTS TO THE WORK PROVIDED HERE, YOU ACCEPT AND AGREE TO BE BOUND BY THE TERMS OF THIS LICENSE. TO THE EXTENT THIS LICENSE MAY BE CONSIDERED TO BE A CONTRACT, THE LICENSOR GRANTS YOU THE RIGHTS CONTAINED HERE IN CONSIDERATION OF YOUR ACCEPTANCE OF SUCH TERMS AND CONDITIONS.

### 1) Definitions

- a. **“Adaptation”** means a work based upon the Work, or upon the Work and other pre-existing works, such as a translation, adaptation, derivative work, arrangement of music or other alterations of a literary or artistic work, or phonogram or performance and includes cinematographic adaptations or any other form in which the Work may be recast, transformed, or adapted including in any form recognizably derived from the original, except that a work that constitutes a Collection will not be considered an Adaptation for the purpose of this License. For the avoidance of doubt, where the Work is a musical work, performance or phonogram, the synchronization of the Work in timed-relation with a moving image (“synching”) will be considered an Adaptation for the purpose of this License.
- b. **“Collection”** means a collection of literary or artistic works, such as encyclopedias and anthologies, or performances, phonograms or broadcasts, or other works or subject matter other than works listed in Section 1(f) below, which, by reason of the selection and arrangement of their contents, constitute intellectual creations, in which the Work is included in its entirety in unmodified form along with one or more other contributions, each constituting separate and independent works in themselves, which together are assembled into a collective whole. A work that constitutes a Collection will not be considered an Adaptation (as defined above) for the purposes of this License.
- c. **“Distribute”** means to make available to the public the original and copies of the Work or Adaptation, as appropriate, through sale or other transfer of ownership.
- d. **“Licensor”** means the individual, individuals, entity or entities that offer(s) the Work under the terms of this License.
- e. **“Original Author”** means, in the case of a literary or artistic work, the individual, individuals, entity or entities who created the Work or if no individual or entity can be identified, the publisher; and in addition (i) in the case of a performance the actors, singers, musicians, dancers, and other persons who act, sing, deliver, declaim, play in, interpret or otherwise perform literary or artistic works or expressions of folklore; (ii) in the case of a phonogram the producer being the person or legal entity who first fixes the sounds of

a performance or other sounds; and, (iii) in the case of broadcasts, the organization that transmits the broadcast.

- f. **“Work”** means the literary and/or artistic work offered under the terms of this License including without limitation any production in the literary, scientific and artistic domain, whatever may be the mode or form of its expression including digital form, such as a book, pamphlet and other writing; a lecture, address, sermon or other work of the same nature; a dramatic or dramatico-musical work; a choreographic work or entertainment in dumb show; a musical composition with or without words; a cinematographic work to which are assimilated works expressed by a process analogous to cinematography; a work of drawing, painting, architecture, sculpture, engraving or lithography; a photographic work to which are assimilated works expressed by a process analogous to photography; a work of applied art; an illustration, map, plan, sketch or three-dimensional work relative to geography, topography, architecture or science; a performance; a broadcast; a phonogram; a compilation of data to the extent it is protected as a copyrightable work; or a work performed by a variety or circus performer to the extent it is not otherwise considered a literary or artistic work.
- g. **“You”** means an individual or entity exercising rights under this License who has not previously violated the terms of this License with respect to the Work, or who has received express permission from the Licensor to exercise rights under this License despite a previous violation.
- h. **“Publicly Perform”** means to perform public recitations of the Work and to communicate to the public those public recitations, by any means or process, including by wire or wireless means or public digital performances; to make available to the public Works in such a way that members of the public may access these Works from a place and at a place individually chosen by them; to perform the Work to the public by any means or process and the communication to the public of the performances of the Work, including by public digital performance; to broadcast and rebroadcast the Work by any means including signs, sounds or images.
- i. **“Reproduce”** means to make copies of the Work by any means including without limitation by sound or visual recordings and the right of fixation and reproducing fixations of the Work, including storage of a protected performance or phonogram in digital form or other electronic medium.
- 2) **Fair Dealing Rights.** Nothing in this License is intended to reduce, limit, or restrict any uses free from copyright or rights arising from limitations or exceptions that are provided for in connection with the copyright protection under copyright law or other applicable laws.
- 3) **License Grant.** Subject to the terms and conditions of this License, Licensor hereby grants You a worldwide, royalty-free, non-exclusive, perpetual (for the duration of the applicable copyright) license to exercise the rights in the Work as stated below:
- a. to Reproduce the Work, to incorporate the Work into one or more Collections, and to Reproduce the Work as incorporated in the Collections;
  - b. to create and Reproduce Adaptations provided that any such Adaptation, including any translation in any medium, takes reasonable steps to clearly label, demarcate or otherwise identify that changes were made to the original Work. For example, a translation could be marked “The original work was translated from English to Spanish,” or a modification could indicate “The original work has been modified.”;
  - c. to Distribute and Publicly Perform the Work including as incorporated in Collections; and,
  - d. to Distribute and Publicly Perform Adaptations.
  - e. For the avoidance of doubt:
- f. **Non-waivable Compulsory License Schemes.** In those jurisdictions in which the right to collect royalties through any statutory or compulsory licensing scheme cannot be waived, the Licensor reserves the exclusive right to collect such royalties for any exercise by You of the rights granted under this License;

- ii. **Waivable Compulsory License Schemes.** In those jurisdictions in which the right to collect royalties through any statutory or compulsory licensing scheme can be waived, the Licensor waives the exclusive right to collect such royalties for any exercise by You of the rights granted under this License; and,
- iii. **Voluntary License Schemes.** The Licensor waives the right to collect royalties, whether individually or, in the event that the Licensor is a member of a collecting society that administers voluntary licensing schemes, via that society, from any exercise by You of the rights granted under this License.

The above rights may be exercised in all media and formats whether now known or hereafter devised. The above rights include the right to make such modifications as are technically necessary to exercise the rights in other media and formats. Subject to Section 8(f), all rights not expressly granted by Licensor are hereby reserved.

- 4) **Restrictions.** The license granted in Section 3 above is expressly made subject to and limited by the following restrictions:
  - a. You may Distribute or Publicly Perform the Work only under the terms of this License. You must include a copy of, or the Uniform Resource Identifier (URI) for, this License with every copy of the Work You Distribute or Publicly Perform. You may not offer or impose any terms on the Work that restrict the terms of this License or the ability of the recipient of the Work to exercise the rights granted to that recipient under the terms of the License. You may not sublicense the Work. You must keep intact all notices that refer to this License and to the disclaimer of warranties with every copy of the Work You Distribute or Publicly Perform. When You Distribute or Publicly Perform the Work, You may not impose any effective technological measures on the Work that restrict the ability of a recipient of the Work from You to exercise the rights granted to that recipient under the terms of the License. This Section 4(a) applies to the Work as incorporated in a Collection, but this does not require the Collection apart from the Work itself to be made subject to the terms of this License. If You create a Collection, upon notice from any Licensor You must, to the extent practicable, remove from the Collection any credit as required by Section 4(b), as requested. If You create an Adaptation, upon notice from any Licensor You must, to the extent practicable, remove from the Adaptation any credit as required by Section 4(b), as requested.
  - b. If You Distribute, or Publicly Perform the Work or any Adaptations or Collections, You must, unless a request has been made pursuant to Section 4(a), keep intact all copyright notices for the Work and provide, reasonable to the medium or means You are utilizing: (i) the name of the Original Author (or pseudonym, if applicable) if supplied, and/or if the Original Author and/or Licensor designate another party or parties (e.g., a sponsor institute, publishing entity, journal) for attribution (“Attribution Parties”) in Licensor’s copyright notice, terms of service or by other reasonable means, the name of such party or parties; (ii) the title of the Work if supplied; (iii) to the extent reasonably practicable, the URI, if any, that Licensor specifies to be associated with the Work, unless such URI does not refer to the copyright notice or licensing information for the Work; and (iv) , consistent with Section 3(b), in the case of an Adaptation, a credit identifying the use of the Work in the Adaptation (e.g., “French translation of the Work by Original Author,” or “Screenplay based on original Work by Original Author”). The credit required by this Section 4 (b) may be implemented in any reasonable manner; provided, however, that in the case of a Adaptation or Collection, at a minimum such credit will appear, if a credit for all contributing authors of the Adaptation or Collection appears, then as part of these credits and in a manner at least as prominent as the credits for the other contributing authors. For the avoidance of doubt, You may only use the credit required by this Section for the purpose of attribution in the manner set out above and, by exercising Your rights under this License, You may not implicitly or explicitly assert or imply any connection with, sponsorship or endorsement by the Original Author, Licensor and/or Attribution Parties, as appropriate, of You or Your use of the Work, without the separate, express prior written permission of the Original Author, Licensor and/or Attribution Parties.
  - c. Except as otherwise agreed in writing by the Licensor or as may be otherwise permitted by applicable law, if You Reproduce, Distribute or Publicly Perform the Work either by itself or as part of any Adaptations or Collections, You must not distort, mutilate, modify or take other derogatory action in relation to the



Work which would be prejudicial to the Original Author's honor or reputation. Licensor agrees that in those jurisdictions (e.g. Japan), in which any exercise of the right granted in Section 3(b) of this License (the right to make Adaptations) would be deemed to be a distortion, mutilation, modification or other derogatory action prejudicial to the Original Author's honor and reputation, the Licensor will waive or not assert, as appropriate, this Section, to the fullest extent permitted by the applicable national law, to enable You to reasonably exercise Your right under Section 3(b) of this License (right to make Adaptations) but not otherwise.

## 5) Representations, Warranties and Disclaimer

UNLESS OTHERWISE MUTUALLY AGREED TO BY THE PARTIES IN WRITING, LICENSOR OFFERS THE WORK AS-IS AND MAKES NO REPRESENTATIONS OR WARRANTIES OF ANY KIND CONCERNING THE WORK, EXPRESS, IMPLIED, STATUTORY OR OTHERWISE, INCLUDING, WITHOUT LIMITATION, WARRANTIES OF TITLE, MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE, NON-INFRINGEMENT, OR THE ABSENCE OF LATENT OR OTHER DEFECTS, ACCURACY, OR THE PRESENCE OF ABSENCE OF ERRORS, WHETHER OR NOT DISCOVERABLE. SOME JURISDICTIONS DO NOT ALLOW THE EXCLUSION OF IMPLIED WARRANTIES, SO SUCH EXCLUSION MAY NOT APPLY TO YOU.

- 6) **Limitation on Liability.** EXCEPT TO THE EXTENT REQUIRED BY APPLICABLE LAW, IN NO EVENT WILL LICENSOR BE LIABLE TO YOU ON ANY LEGAL THEORY FOR ANY SPECIAL, INCIDENTAL, CONSEQUENTIAL, PUNITIVE OR EXEMPLARY DAMAGES ARISING OUT OF THIS LICENSE OR THE USE OF THE WORK, EVEN IF LICENSOR HAS BEEN ADVISED OF THE POSSIBILITY OF SUCH DAMAGES.

## 7) Termination

- a. This License and the rights granted hereunder will terminate automatically upon any breach by You of the terms of this License. Individuals or entities who have received Adaptations or Collections from You under this License, however, will not have their licenses terminated provided such individuals or entities remain in full compliance with those licenses. Sections 1, 2, 5, 6, 7, and 8 will survive any termination of this License.
- b. Subject to the above terms and conditions, the license granted here is perpetual (for the duration of the applicable copyright in the Work). Notwithstanding the above, Licensor reserves the right to release the Work under different license terms or to stop distributing the Work at any time; provided, however that any such election will not serve to withdraw this License (or any other license that has been, or is required to be, granted under the terms of this License), and this License will continue in full force and effect unless terminated as stated above.

## 8) Miscellaneous

- a. Each time You Distribute or Publicly Perform the Work or a Collection, the Licensor offers to the recipient a license to the Work on the same terms and conditions as the license granted to You under this License.
- b. Each time You Distribute or Publicly Perform an Adaptation, Licensor offers to the recipient a license to the original Work on the same terms and conditions as the license granted to You under this License.
- c. If any provision of this License is invalid or unenforceable under applicable law, it shall not affect the validity or enforceability of the remainder of the terms of this License, and without further action by the parties to this agreement, such provision shall be reformed to the minimum extent necessary to make such provision valid and enforceable.
- d. No term or provision of this License shall be deemed waived and no breach consented to unless such waiver or consent shall be in writing and signed by the party to be charged with such waiver or consent.

- e. This License constitutes the entire agreement between the parties with respect to the Work licensed here. There are no understandings, agreements or representations with respect to the Work not specified here. Licensor shall not be bound by any additional provisions that may appear in any communication from You. This License may not be modified without the mutual written agreement of the Licensor and You.
- f. The rights granted under, and the subject matter referenced, in this License were drafted utilizing the terminology of the Berne Convention for the Protection of Literary and Artistic Works (as amended on September 28, 1979), the Rome Convention of 1961, the WIPO Copyright Treaty of 1996, the WIPO Performances and Phonograms Treaty of 1996 and the Universal Copyright Convention (as revised on July 24, 1971). These rights and subject matter take effect in the relevant jurisdiction in which the License terms are sought to be enforced according to the corresponding provisions of the implementation of those treaty provisions in the applicable national law. If the standard suite of rights granted under applicable copyright law includes additional rights not granted under this License, such additional rights are deemed to be included in the License; this License is not intended to restrict the license of any rights under applicable law.